

# Sears BUILDING MATERIALS



# MILLWORK



L U M B E R



R O O F I N G



nsulation



SEARS, ROEBUCK and CO.

# SEARS NOW OFFER

# Augthing and Everything

# ON EASY PAYMENTS

(on orders of \$10 or more)

Whatever you need—shoes, clothing, housewares—rugs, furniture, tires—anything and everything from this or any other Sears catalog may be purchased on Sears Easy Payment Plan. Your order need total only \$10 or more.

No need to wait. You don't need the ready cash—you can get and enjoy, right now, the merchandise you want—and pay for it while you use it. Just a small down payment and a little each month will buy anything Sears sell. Sears Easy Payment Plan permits you to buy goods of better quality, because large immediate cash expenditures are unnecessary.

Sears Easy Terms are low and, besides, your regular monthly payment buys more at Sears. Notice in the table of terms the different amounts that can be purchased with the same monthly payment. After making out your order you will find, in most cases, that you can add several additional items without increasing your monthly payments.

# ANSWERS TO YOUR QUESTIONS

- 1 · Who may purchase on the Easy Payment Plan? Any responsible person with a regular income can very easily establish his credit at Sears. (Persons under legal age should have parent or guardian sign the application.)
- 2 · What may be purchased? Everything Sears sell may be purchased on Easy Terms in orders of \$10 or more for as little as \$2 monthly.
- 3 · How much may be purchased? That depends on how much you can conveniently pay each month. The "Amount Payable Monthly" column, in the Table of Terms to the right, will show you how much you can buy with any given monthly payment. For example, for \$2 monthly you can buy up to \$17; and for \$5 monthly you can buy up to \$57.50.
- 4 · How is an order placed? Simply list the items you wish to buy on one of our order blanks. Several are found in the back of this catalog. Refer to the Table of Terms for the deposit to send with your order and amount payable monthly. Answer the simple questions on the back of the order blank, sign the application, enclose the deposit you wish to send, and mail to us.
- 5 · Why is there a carrying charge? The carrying charge is to defray the cost of opening the account, keeping books, interest, handling payments, etc. No matter where you buy on credit, you pay for these expenses. In some stores the extra cost of credit is concealed in the selling price. At Sears, there are no HIDDEN charges. We tell you exactly what the charge for credit is, by showing it in the table to the right.
- 6 · When is the first payment due? Monthly payments begin thirty days after you receive your order. In this way you use the merchandise while you pay for it —and almost before you know it, your account will be all paid. If you wish, you may pay the balance sooner than the time allowed and an adjustment of carrying charge will be made.
- 7 · Can payments be made at Sears Retail Stores? Yes. You may make your payments personally at any of our Retail Stores or mail them direct to our Mail Order Store, whichever you prefer.
- 8 · Can additional purchases be made later on? Yes. After you have made regular payments on your account, you will be notified that additional purchases of \$5 or more may be made and added to the same account without sending a deposit with the order and in most instances without increasing the monthly payments.

Copyright 1939 by Sears, Roebuck and Co.


### SEARS TABLE OF TERMS

of (	sh Price Order ounts to	We Will Add as Carrying Charge	All You Need to Send With Order Is	Amount Payable Monthly
\$10.00 11.01 12.01 13.01 14.01 15.01 16.01	to \$11.00 to 12.00 to 13.00 to 14.00 to 15.00 to 16.00 to 17.00	\$1.00 1.00 1.05 1.15 1.25 1.35 1.45	\$200	\$200
17.01 18.01 19.01 20.01 21.01	to 18.00 to 19.00 to 20.00 to 21.00 to 22.00	1.50 1.60 1.70 1.80 1.90	\$250	\$300
22.01 24.01 26.01 28.01	to 24.00 to 26.00 to 28.00 to 30.00	$ \begin{array}{c} 2.00 \\ 2.20 \\ 2.40 \\ 2.60 \end{array} $	\$300	\$400
30.01 32.01 34.01 36.01 38.01	to 32.00 to 34.00 to 36.00 to 38.00 to 40.00	2.70 2.90 3.10 3.30 3.50	\$400	\$500
40.01 42.51 45.01 47.51 50.01 52.51 55.01	to 42.50 to 45.00 to 47.50 to 50.00 to 52.50 to 55.00 to 57.50	3.65 3.90 4.15 4.40 4.65 4.90 5.15	\$500	\$500
57.51 60.01 65.01	to 60.00 to 65.00 to 70.00	5.30 5.65 6.15	\$600	\$600
70.01 75.01 80.01	to 75.00 to 80.00 to 85.00	6.55 7.05 7.55	\$700	\$700
85.01 90.01 95.01	to 90.00 to 95.00 to 100.00	7.95 8.45 8.95	\$800	\$800
100.01 110.01 120.01	to 110.00 to 120.00 to 130.00	9.50 10.50 11.50	\$1000	\$900
130.01 140.01 150.01	to 140.00 to 150.00 to 160.00	12.25 13.25 14.25	\$12 <sup>50</sup>	\$1000
160.01 170.01	to 170.00 to 180.00	15.00 } 16.00 }	\$1500	\$1100
180.01 190.01	to 190.00 to 200.00	16.70 } 17.70 }	\$1800	\$1200
200.01 225.01	to 225.00 to 250.00	19.00 } 21.50 }	\$2250	\$1400
250.01 275.01	to 275.00 to 300.00	23.50 }	\$2750	\$1500

Write for Terms on Purchases Over \$300.00

PAGE 5

1.16,39 P547L



# the ECONOMY

A bargain in quality!
Beautifully colored
floral designs against a
background finish of
mellow old ivory color.
Made of stamped steel.

© One-Light Round Ceiling Fixture. Diameter, 4% in. Shpg. wt., 1 lb. 6 oz. 20 L 5379 — For wall switch 35c 20 L 5378 — With pull switch 45c

B Two-Light Oval Ceiling Fixture. 12½x6⅓ in. Shpg. wt., 21bs. 4 oz. 20 L 5374-For wall switch. 59c 20 L 5373-With pull switch. 89c

© One-Light Bracket. Pull switch. 5½ in. wide. 9% in. long. Shpg. wt. 3 lbs. 2 oz. 20 L 5380-Without outlet. 79c 20 L 5381-With outlet in bottom of fixture. . . . . . 98e

# the ELAINE

A striking design that will add to the appearance of any room. Finished in beautiful ivory enamel with brass trim.

enamel with brass trim. 20 L 5008

3-Light. Diam. 10 in. Shpg.
vt.. 2 lbs.
20 L 5008-For Wall Switch.\$1.29
20 L 5009-With Pull Switch.\$1.29
20 L 5009-With Pull Switch.\$1.29
20 L 5006-For wall switch.\$1.29
20 L 5007-With Pull Switch.\$1.29
3-Light. Diam. 6 in. Shpg.
vt.. 1 lb. 2 oz.
20 L 5005-With Pull Switch.\$7
7C

1-Light Bracket. Back, 5¼ in. Shpg.
vt.. 1 lb. 8 oz.
20 L 5010-With Pull Switch.\$24
20 L 5010-With Pull Switch.\$25
20 L 5010-With Pull Switch.\$35
20

20 L 5010-With turn switch\$1.19 20 L 5011-With switch and appliance outlet.....\$1.39

# the FOSTORIA

Absolutely the biggest Value in porcelain fixtures! Ivory toned porcelain with attractive colored floral de-

sign.

① 20 L 5196—3-Light. For wall switch. 10 in. wide. Shpg. wt. 3 lbs
20 L 5197—Same as above only with pull switch. 10 is. wide. Shg. wt. 1 lbs. 20 L 5194—2-Light. For in. Shpg. wt. 2 lbs. 20 L 5194—2-Light. For in. Shpg. wt. 2 lbs. 20 L 5198—1-Light Bracket. With turn switch and appliance outlet. 4 in. wide. 20 L 5193—1-Light. With pullswitch. 5½ in. long. Shpg. wt. 1 lb. 3 oz. 986

② 20 L 5193—1-Light. With pullswitch. 5½ in. wide. Shpg. wt., 1 lb. 3 oz. 85c

### the TILLER

the TILLER
You save more than one-third at Sears low pricel Authentic styles to go with maple fur roll 18 years of the work of

# SEARS FIXTURES EASY TO INSTALL

They come completely wired and ready to hang! The only tools needed are a screwdriver and a pair of pliers. Special connectors always included at no extra cost. All connections are made quickly and easily without solder or tape. All fixtures sold without bulbs. See Page 995 for bulbs.

All Sears Lighting Fixtures are Approved by Underwriters' Lab-oratories, Inc. This means they have met all requirements for materials and safety.

### **FIXTURES** MAKE YOUR HOME LIFE A BRIGHT

# the MODERN

the MUDERN

(a) The latest style in bedroom lighting. 2-light fixture will add to the appearance of any room. 13½-inch etched glass 20 L 5873 ring has crystal lines and gives the fixture an air of elegance. Length, 8 inches. Offered in two finishes listed below. For wall switch. A \$5.00 Value. Shipping weight, 6 lbs. 20 L 5873—lvory and gold color holder. Ivory colored glass center bowl. \$3.49 20 L 5872—Chromium plated holder. With clear lined white glass center bowl. \$3.89

# the IMPERIAL

The 12-inch shatter-proof ivory colored Plascon shade diffuses the light to prevent eye strain. The metal holder is finished in old ivory color enamel. Length, 11 inches. Will take up to 150-watt bulb. For wall switch. Shipping weight, 4 pounds. 20 L 5829.....\$2.49

# the LEXINGTON

© Charming Colonial design!
Chimney has frosted bottom
and clear top. Metal reflector 13
wit chied. Egth., 36 in. Turn
switched. Fight., 30 in. Turn
weight, 5 pounds 8 ounces.
20 5123—Bronze finish, with gold color
trim. State with gold

4.65

trim 34.60 20 L 5106—Toned ivory finish with gold \$4.65

# the LADYFAIR

hatique ivory color. 14-in. cast aluminum ring fits on top edge of white etched shade. Metal holder finished in ivory color. Lgth., 9 in. Spig. wt., 5 lbs.

20 L 5304—For wall switch....\$1.79

the AMERICAN-MODERN

(E) Artistic metal louvres cast light upward. Opal glass disc in the bottom casts light down. Ivory finished with gold color trim. Length, 14 in. Diameter, 10½ in. For wall switch.

20 L 5344—Shpg. wt., 3 lbs. . . . \$1.98

# the LOWELL

# the GLORY

the SILVER-LIGHT

Beautiful new design. Etched shade is sprayed in choice of blue, green, rose or honey color, giving a two-tone color effect. State color. Metal holder finished in ivory enamel. 11½ in. wide, 9½ in. long. Shipping weight, 5 pounds.
20 L 8150—For Wall Switch...\$1.29
20 L 8151—With Pull Switch....\$1.59


# the MAJESTIC

the SWEDISH MODERN

# the ORLEANS

One-Light crystal fixture. Diam., 6½ in. 4½ in. long. Shpg. wt., 2 lbs. \$1.98 20 L 5284—For wall switch. . . \$1.98 20 L 5283—With pull switch. . . 2.29





ALL SEARS SLATE-SURFACED SHINGLES ARE

# GUARANTEED 17 YEARS

# **NEW "STREAMLINE" SHINGLES**

• Made of high quality felt, pure asphalt saturant and coating, "STA-SO" NO-FADE, slate granule surfacing and in the most modern roofing factories. No mineral filler is used in Sears Asphalt coating to add useless weight.

\*\*Sq. Ft. Bundle 

"Streamline's" V-shaped slots provide quicker drainage; they are self-aligning and self-spacing.

"Wavy-line design gives your roof a "thatched" effect. Remember—3-inch headlap; the utmost in protection.

"Guaranteed 17 years; bears Underwriters' Label; fire-resistant—reduces insurance as much as 12% in some localities as compared with wood shingles. Color of slate granules shown on Page 1059.

As fresh and welcome as a breath of spring are these new Streamline Shingles with their wavy design and charming colors. Gives a "thatched" effect both picturesque and pleasing—makes your roof "different" from your neighbors. Not expensive, and easy to buy on Sears Easy Payments. In fact, as little as \$6 a month buys enough shingles for the average 5-room home. See Page 5. Shingles are 11x40 in, providing 3-in headlap. Each bundle covers 33½ sq. ft. and weighs 79 lbs.

We furnish instruction for laying. For amount of nails required, see below. See "How to Order" on Page 1009, Shipped from warehouse in Chicago, Detroit, Cincinnati, Minneapolis, Buffalo, Philadelphia, Kearny, N. J. or Boston. Order from your Mail Order House.


Catalog Number Color Per 33½ Square Foot Bundle

Catalog Number	Color	Per 331/3 Square Foot Bundle
48 LM 2911 48 LM 2912 48 LM 2913	Tile Red Jade Green Blue-Black	\$ 55

F. H. A. Turn now to Page 989 and see how you can buy a new roof or any modernizing materials under the new F.H.A. Financing Plan. No money down, no endorsers, up to 36 months to pay and low carrying charge make this an ideal modernizing opportunity.

# GLORIFYING AMERICA'S HOMES WITH FINEST ASPHALT SHINGLES

EASY TERMS ON PAGE 5-F.H.A. FINANCE PLAN ON PAGE 989



# HEXAGON STRIP SHINGLES

Same fine construction as Streamline Shingles at left—same 17-year guarantee; choice of 6 enduring colors—see colors on Page 1059.

year guarantee; choice of a enduring colors—see colors on Page 1009.

Even though we put only the best and purest ingredients into Hexo Shingles, you still make a saving at Sears prices. No big investment required. You can re-roof on EASY PAYMENTS—see details on Page 5. We recommend the 12x36-in. shingle because it gives double coverage over the entire roof and a 4-in. headlap. We recommend a layer of Asphalt Saturated Felt. 48 LM3009 (See Page 1010) under the 11½x36-in. size shingle for new roofs. Shipped from warehouse in Chicago, Detroit, Cincinnati, Buffalo, Minneapolis, Philadelphia, Kearny, N. J. or Boston, whichever is nearest you. Order from your Mail Order House.

# STANDARD SIZE

Size, 11½x36 inches. Provides a 2-inch headlap. Approx. shpg. wt., 84 lbs. per bundle of 50 sq. ft. Two bundles cover 100 sq. ft. Laying instructions in each bundle.

Catalog No.	Color	Per 50 Sq. Ft. Bund
48 LM 490 48 LM 483 48 LM 482 48 LM 485	Tile Red Jade Green Dark Red Gray-Green Blue-Black Color-Blend	1.65 1.65 1.65

# DOUBLE COVERAGE SIZE

Size, 12x36 inches. Gives double coverage and 4-in head-lap. Approx. shpg. wt., 73 lbs. per bundle of 33½ sq. ft. 3 bundles cover 100 sq. ft. Laying instructions in each bundle.

Catalog No.	Color	Per 33 1/3 Sq. Ft. Bundle
48 LM 548	Tile Red Jade Green	\$1.60
48 LM 545	Dark Red	1.60
48 LM 546	Gray-Green Blue-Black	1.60
48 I M 547	Color Bland	1 00

# COATED WITH 100% PURE ASPHALT . . NO "FILLERS" USED TO LOWER COST

# No "Mineral" Dust in Sears Shingles!

Sears take particular pride in offering Asphalt Shingles made of only purest ingredients. Most manufacturers of slate surfaced shingles (Sears excepted) "load" their asphalt coatings with mineral matter such as slate dust or finely ground mica. Such adulteration, in fact, is common practice in the roofing industry. Needless to say, this mineral matter in the coating adds nothing to the life or value of the shingles. It is done only for the purpose of keeping down the manufacturing cost and adding a fictitious weight.

# Sears Asphalts Not Adulterated in any Way

Sears Asphalts Not Adulterated in any Way
Sears keep faith with their millions of customers.by refusing
to tolerate this practice. The asphalt we use in our coatings
is 100% pure—and will remain so. Our coatings will stand up
under the most rigorous weather conditions. It costs Sears
nearly \$100,000 a year extra to make our coatings of pure
asphalt, but we feel that our customers are entitled to this
quality safeguard. We value the good will of our customers
above any temporary profits. When buying shingles, do not
be influenced by weight alone—it has little bearing on actual
lasting and wearing quality, Demand shingles made
of 100% pure asphalt

Here's Proof of Quality

70% Asphalt 100% Asphalt

Above we show relative amount of pure asphalt in Sears asphalt coatings (at right) as compared with filled asphalt coatings (at right) as compared with filled asphalt coating used by others (at left). Sears as each 100% pure asphalt—no fillers adulterants or such tutions; many other coatings contain only 10% ashalt, the balance being slate dust or fine mica to add a fictitious weight and lower the cost. Sears Shingles meet the rigid specifications of the U. S. Bureau of Standards, Underwriters' Laboratories, American Society for Testing Materials, Sears own great Testing Laboratories, and most important, the test of service on hundreds of thousands of homes in all sections of the country,

# "STA-SO" No-Fade Slate Granules

"STA-SO," the non-porous, non-fading slate surfacing granules used on all Sears shingles and slate roofing, defies time and the elements—insuring control against the destructive action of age, weather swoff against the destructive action of age, weather swoff against the granules give the roofing surface permanence. Their durability is proved by generations of use. The colors are baked in and will not wash off, as is the case with some roofings made with cheaper granules. STA-SO, the eternal hard slate surfacing is not exceeded by any other for color fastness.

Use 1 or 1 1/4-in. nails for new roofs; 11/2 or 13/4-in. nails	Pounds Needed per Bundle				
for over old roofing	1%-in.	1½-in.	11/4-in.	1-in.	
Hexagonal 4-in-1 Strip 3-in-1 Strip Streamline Individual 9x12 Individual 12x16.	78 lb. 134 lbs. 1½ lbs. 1 lb. 1¼ lbs.	% lb. 1% lbs. 1½ lbs. 1 lb. 1¼ lbs. 3% lb.	5% lb. 1¼ lbs. 1 lb. 3¼ lb. 1 lb.	% lb. 1¼ lbs. 1 lb. 34 lb. 1 lb.	

# SEARS NEW 6-POINT ROOFING SERVICE

Perhaps you have put off buying a new roof because you have felt that freight charges were high; or that it was difficult to apply; or that the cost was beyond your means. These and other doubts have been dispelled by Sears New 6-Point Roofing Service announced here for the first time. Read it carefully. Only Sears offer a service so complete. It makes roofing easy for you to order, easy to receive and easy to apply. It has real money value—take advantage of iti

# SAMPLES ON REQUEST



We'll be glad to send you an actual sample of any of our asphalt roofings. In this way you may actually KNOW how good is Sears qualitysee how colorful the slate granules note thickness and flexibility, etc.

We can furnish samples of Oriental Shingles and Slate Rolls as well as Best-of-All and Rival Roofing.

# TOOL LOAN SERVICE



Sears will loan ladders, jacks and ladder hooks to help you lay your roofing. You deposit the cost of the equipment. When it is returned, your deposit is refunded. You actually pay only the freight costs both ways. Send list of items needed to Sears, Roebuck and Co., Dept. 63.

# SIMPLE INSTRUCTIONS



With each order of asphalt roofing we include simple, easy-to-follow instructions for laying your roofing, whether over roof boards on new construction or over old roofing. These instructions outline every

step of the work and enable you to do the job in an expert manner. Only a few simple tools needed.

# ROOFING KNIFE INCLUDED



Included at no extra charge with every order for asphalt roll roofing or shingles is a curved knife made especially for roofing purposes. This knife has strong steel blade with wood handle and will be of real

purpose in enabling you to lay your roof in an expert manner. You'll find it useful for other purposes, too.

### A WAREHOUSE NEAR YOU



Instead of only one or two shipping points, Sears ship from many convenient warehouses to save you freight-and give quick service. This service has definite money value to you. Here are

the low freight rates per 100 lbs. on asphalt roofing: Milès and Rate . . 100, 35c 200, 48c 300, 59c 400, 72c

# FREE ESTIMATE



We'll be glad to give you a free estimate on roofing for home, barn or any building. This estimate will include all transportation costs delivered to your station. We can also esti-

mate on your insulation, guttering or steel roofing needs. Simply write for Estimate Blank No. 60891.



# "3-IN-I" STRIP SHINGLES

First quality Jumbo weight felt, heavily asphalt saturated and coated. Contains no mineral "filler" to add useless weight.

Guaranteed for 17 years of satisfactory service.

Nature's own colors, sealed in everlasting "STA-SO" slate.

Fire-resisting; approved by Underwriters' Laboratories, Inc.
This new "3-in-1" Jumbo Weight Strip Shingle is made to the same fine specifications as our other shingles on this page, the difference-being in weight of felt and style of shingle. The Jumbo Heavy Weight felt makes a thick, heavy shingle—a shingle much heavier and superior to the "Thick-Butt" Shingle and because there are only 3 tabs in a 36-in, strip, the exposed portion of the shingles has a large and more massive appearance on the roof. Offered in three colors—a manufacturing economy which permits us to offer this quality shingle at the low price indicated. Remember this—our "3-in-1" Shingles weigh 235 pounds per square.

MASSIVE "JUMBO" SIZE AND WEIGHT

Size of each strip, 12x36 in.; headlap, 2 in. Weight, 78 lbs. per bundle. 3 bundles cover one "square" (100 square feet) of roof surface. Shipped from factory in Chicago, Detroit, Cincinnati, Philadelphia or Kearny, N. J. whichever is nearest. Order from your Mail Order House.

Catalog No.	Color	Per 33 1/3 Sq. Ft. Bdle.
48 LM 2990 48 LM 2991 48 LM 2992	Tile Red Jade Green Blue-Black	\$ 58

EASY PAYMENTS
Don't wait! Buy roofing NOW, on Sears
Easy Payments. See Page 5; also Page
989 for information on FHA financing.

# "4-IN-I" STRIP SHINGLES

First quality felt, thoroughly asphalt-saturated, then coated on both sides with pure asphalt (no mineral filler used.)—Resists fire; reduces insurance rates up to 12% in some localities as compared with wood shingles.

Guaranteed for 17 years of satisfactory service.

Choice of 6 colors, sealed in lasting "STA-SO" slate

Quality for quality here is a value which you cannot equal anywhere. These shingles will not crack or dry up and will remain flat. They look like individual shingles, but are laid 4 times as fast. We recommend 12½-in. size because of 4½-in. headlap and "double coverage." Shipped from Chicago, Detroit, Cincinnati, Minneapolis, Buffalo, Philadelphia, Boston or Kearny, N. J. Order from your Mail Order House.

STANDARD SIZE—10x36 inches. Provides a 2-inch headlap. Shipping weight, 105 bbs., 50 sq. ft. to the bundle. Two bundles cover 100 sq. ft.

Catalog No. 1 Color. 1 Par 50 Sp. Et Bdls. Catalog No. 1 Color. 1 Par 234/S Sp. Et Bdls. Catalog No. 1 Color. 1 Par 234/S Sp. Et Bdls.

Catalog No.	Color	Per 50 Sq. Ft. Bdle.
8LM2940	Tile Red	\$2.35
	Jade-Green	2.35
	Dark Red	2.35
	Gray-Green	2.35
8 LM 2932	Blue-Black	2.35

Catalog No.	Color	Per 331/3, Sq. Ft. Bdle
48LM1300		
48LM1310		
48LM1288		1.95
48LM1289		1.95
48LM1290		

# ROOFING ACCESSORIES FOR A BETTER JOB



NAILS
Galvanized; large head rustresisting. For new work use 1 or 1½ in. nails. For laying over old roofs use 1½ or 1¾-inch nails. Shipping weight, 11b. 3 oz.

NAILS
Galvanized; large head rust-resisting. For new work use 1 or 1½ in, nails. For laying over old roofs use 1½ or 1¼-inch nails. Shipping weight, 11b. 3 oz. 48 L M 3041—1-in. Nails 48 L M 2974—1¼-in. Nails 48 L M 2975—1½-in. Nails 48 L M 2975—1½-in. Nails 48 L M 2975—1½-in. Nails 48 L M 2976—1¾-in. Nails 48 L 9610—Green Black 48 L 9619—Tile Red 48 L 9619—Tile Red

# INDIVIDUAL SLATE-SURFACED SHINGLES



The "Standard Size" shingle is made of exactly the same materials as the other shingles on these pages. The Jumbo is the heaviest and best asphalt shingle you can buy, regardless of price. It is the largest size that can be satisfactorily fastened with only two nails. Leaves a pleasing deep shadow line on account of its thickness.

We recommend Jumbo size because they are made on heavier felt and being larger can be laid quicker. Both sizes guaranteed for 17 years. Choice of three non-fading colors. Order by catalog number.

STANDARD SIZE is 9x12 inches. Lays 4 inches to weather. 1 bundle covers 25 square feet. Shipping weight, per bundle, 63 pounds.

JUMBO SIZE is 12x16 inches. Lays 5 inches to weather. 1 bundle covers 25 square feet. Shipping weight, per bundle, 81 pounds.

# STANDARD SIZE

Color Catalog No. \$ 25 48 LM 2960 Tile Red... 48 LM 2961 Jade-Green 48 LM 2928 Blue-Black.

JUMBO SIZE AND WEIGHT

Catalog No. Per 25 Sq. Ft. Bundle Color 48 LM 1260 Tile Red... 48 LM 1261 Jade-Green 48 LM 1283 Blue-Black. \$ 70

These shingles shipped from Chicago, Detroit, Buffalo, Philadelphia, Kearny, N. J., or Boston, whichever is closest. Send orders to your Mail Order House.

SEARS PAGE 1007

# YEARS GUARANTEED EASY TERMS . . SEE

LB. ROLL "ORIENTAL" ROLL ROOFING

- Guaranteed 17 years.
- Made of finest felt and asphalt and covered with genuine "STA-SO" slate granules.
- Fire-resisting; approved as Standard by Underwriters' Laboratories, Inc.

Postponing a new roof "until you can afford it"? Well, you can have it NOW—a roof of finest quality: resplendent with vivid color: and bearing an ironclad 17-year guarantee. Sears Easy Payment Plan (described on Page 5) brings it to you for only a small down payment. And at no extra charge—Sears give you an extra inch of lap protection (3 inches instead of 2); 5 pounds more weight per roll (95 pounds instead of 90) and 3 extra square feet of material. Need an estimate? We'll give you one free. A roofing knife? One is included with your order—no extra charge. Easy to lay? Yes—we tell you how. Is freight high? No—one of our big warehouses is near you. When you buy roofing from Sears, there are no doubts, no

When you buy roofing from Sears, there are no doubts—no delays—no trouble—no regrets. And the actual cash saving is considerable!

# Choice of Colors—Nails Included

Criental 95-lb. Roofing comes in choice of 3 bright, lasting colors—see them opposite Page 1058. Equally suitable for old or new roofs with pitch of 1½ inches or more per running foot. Rolls are 36 inches wide, 37 feet long, contain 111 square feet of material and actually cover 100 square feet of roof surface with allowance for 3-inch lap. Roll contains more than the usual amount of large head galvanized roofing nails and lap cement, also a roofing knife and instructions for laying. Order roofing with 1¾-inch nails for laying over old roofing. Shpg. wt., per roll, 95 lbs. Shipped from warehouse in Chicago, Detroit, Cincinnati, Minneapolis, Buffalo, Philadelphia, Kearny, N. J. or Boston, whichever is nearest you. Order from your Mail Order House.

With 1-inch Nails		With 19	4-Inch Nail	S	
Catalog Number	Color	Price	Catalog Number	Color	Price
48 LM 2176 48 LM 2176 48 LM 2177	Green-Blend Tile Red Jade Green	\$1.90 1.90 1.90	48 LM 1486 48 LM 1493 48 LM 1494	Green-Blend Tile Red Jade Green	\$2.05 2.05 2.05

# 3-INCH LAP 100% PURE ASPHALT COATING NO "FILLERS"

# REMEMBER SEARS "6-POINT" ROOFING SERVICE

Sears new "6-Point" Roofing Service solves your roofing problems. Gives you a detailed estimate in advance. Provides you with convenient shipping points and lowest freight rates. A sample piece of roofing in advance, if you wish, so you can judge the quality. A roofing knife with your order at no extra cost. The loan of tools if you need them. Sears have attained leadership by giving a COMPALETE SERVICE—read all about it on Page 1007.

A SEARS WAREHOUSE Near You. All slate roll roofing on these pages, unless otherwise specified, shipped from ware-house in Chicago, Detroit, Cincinnati,

Minneapolis or Buffalo. We ship from the one nearest you, thus keeping down your freight costs. Only Sears have this complete warehouse service. Freight rates are low. The table below shows the rate per 100 pounds on asphalt roofing.

				TO SOLL ILL
Miles	100	200	300	400
Rate	35c	48c	59c	72c

Suppose you live 100 miles from one of our shipping points and you order 10 rolls of "Oriental" 90-lb, slate roofing, total weight, 900 lbs. The rate would be 9 times 35c or only \$3.15, total freight on your order.

Asphalt roofings may look alike and weigh the same but even a roofing expert cannot detect the difference unless he resorts to chemical analysis. Take "loading" for instance. This is a common practice in the roofing industry—the addition of slate dust or finely ground mica to the asphalt coating in order to keep down the cost and add a fictitious weight to the roofing. In most cases of adulteration, the filler used by other manufacturers amounts to 30% of the weight of the coating.

Sears keep faith with their millions of customers by refusing to tolerate this practice. The asphalt we use in our coatings is 100% pure—and will remain so. At right we show the relative amount of pure asphalt in Sears roof coatings (above) as compared with asphalt and "filler" used by others (below). Insist on roofings that are coated with 100% pure asphalt!





# "STAGGERED EDGE" ASPHALT ROOFING


- Guaranteed to give satisfactory service.
- Made of same high quality materials and same thickness as roofing at top of page. Recommended only for application over old roofs of ½ pitch or more.
   Surfaced with genuine "STA-SO" slate granules.

"Staggered Edge" Roofing has the popular black tip, producing a two-toned shindle effect. Rolls are 36 inches wide and cut down the center to form the wide great days effect. Made of the same in charger was the control of the same in the

lap. Nails should be ordered (see listing below). Use on roofs with ½ pitch or more. Shipped from Chicago, Detroit, Cincinnait, Minneapolis, Buffalo, Philadelphia, Kearny, N. J. or Boston. Order from your Mail Order House.

from your l	Mail Orde	r House.	
Catalog No.	Color	Shpg. Wt.	Per Roll
48 LM 1345 48 LM 1346 48 LM 1347	Tile Red Jade Green	105 lbs.	\$2.05

48 L 2976-1%-inch Nails. Enough to lay one roll. Shpg. wt., 2 lbs. ..... 160



# "DIAMOND POINT" ASPHALT ROLL ROOFING

- Guaranteed to give satisfactory service.
- Made of same high quality materials and same thickness as roofing at top of page. Recommended only for application over old roofs of ½ pitch or more.

old roofs of ½ pitch or more.

Surfaced with genuine "STA-SO" slate granules. Thousands of home owners prefer the Diamond Point design roofing because it relieves the severity of straight lines. Sears offer this popular style of "STA-SO" slates offer this popular style of "STA-SO" slate granules. N. J. or Bos and you pay Sendorders low price and in choice of three strikingly beautiful colors. Rolls are 36 inches wide, but are cut in diamond shape down the center, and contain enough material to cover 100 square feet of roof surface allowing for 2-inch lap. Two pounds of nails (priced below) needed to lay each roll. No lap cement is needed. Approximate shipping weight, per roll, 105 pounds. Shipped from

warehouse in Chicago, Detroit, Cincinnati, Minneapolis, Buffalo, Piliadelphia, Kearny, N. J. or Boston, whichever is nearest you, and you pay freight from shipping point. Send orders to your Mail Order House.

Cat	alog No.	Color	Shpg. Wt.	Per Roll
48 L	M 1327	Tile Red	105 lbs.	\$2.05
48 L	M 1328	Jade Green	105 lbs.	
48 L	M 1325	Blue Black	105 lbs.	

PAGE 1008 SEARS



# GUARANTEED PAGE 1059

LB. ROLL "ORIENTAL" ROLL ROOFING

• Guaranteed 17 years.
• Made of finest felt and asphalt, surfaced with genuine "STA-SO" Slate Granules.
• Approved by Underwriters' Laboratories.
Exactly the same construction as our 95-lb. roofing on the opposite page. The difference in weight is accounted for by the difference in lap width. Equally suitable for old or new roofs with pitch of 1½ inches or more per running foot. Can be laid over old roofing. Instructions, nails, and cement (for Laptite Fasteners and nails) are included with each roll. Rolls are 36 in. wide, 36 ft. long and contain 108 sq. ft. of material and cover 100 sq. ft. of roof surface, allowing for the 2-in. lap. Approx. shgs. wt., per roll, 90 lbs. Shipped from Chicago, Detroit, Cincinnati, Minneapolis, Buffalo, Philadelphia, Kearny, N. J. or Boston. Order from your Mail Order House.

Catalog No.	Color	Rolls Supplied With	Per Roll
48 LM 2167	Tile Red	1-inch Largehead	\$1.65
48 LM 2168	Jade Green	Galvanized Roofing	
48 LM 2164	Blue Black	Nails and Cement	
48 LM 2162	Gray Green	for use over roof	
48 LM 2163	Dark Red	boards.	
48 LM 1481	Tile Red	134-inch Largehead	1.75
48 LM 1482	Jade Green	Galvanized Roofing	
48 LM 1480	Blue Black	Nails and Cement	
48 LM 1476	Gray Green	for use over Old	
48 LM 1479	Dark Red	Roofings.	
48 LM 1383	Dark Red	Laptite Fasteners	1.95
48 LM 1382	Gray Green	and Nails for use	
48 LM 1384	Blue Black	over roof boards.	

75-Pound Slate-Surfaced Roofing


Made of same fine materials as Oriental above but lighter weight. Recommended for temporary service. Rolls are 36 in. wide, 36 ft. long, contain 108 sq. ft. and cover 100 sq. ft. of surface, allowing for 2-in. lap. Complete with rustproof nails, cement and instructions. Shipping weight, per roll, 75 pounds. Same shipping points as above.

	h 1-Inch Nai		With 1%-Inch Nails					
			Catalog No.					
48 LM 1902 48 LM 1903	Gray Green Dark Red	\$1.45	48 LM 1206 48 LM 1209	Gray Green Dark Red	\$1.55			

# STA-SO SLATE GRANULES ARE COLOR FAST



All Sears slate-surfaced roofing is covered with genuine "STA-SO" crushed slate granules. "STA-SO" slate granules are not excelled by any other surfacing for color fastness, permanence and adhesion to the asphalt coating. They are as "eternal as the hills." They insure your roof against the destructive action of age, weather, sun and fire. "STA-SO" slate granules are non-prous—will not absorb moisture and are non-fading—retaining their bright, vivid colors indefinitely. See illustration at left showing "STA-SO" slate granules and ordinary granules in separate glasses of water. Note how the surface coloring of ordinary granules dissolves and colors the water (bottle at extreme left). The water in which the "STA-SO" slate granules are contained remains colorless. This insures a roof whose colors will never wash of in any rain.



# "FIRE-CHIEF" ASPHALT ROLL ROOFING

• Guaranteed by Sears for 17 years.

• Made exactly like Oriental Roofing above except for the wood "shingle" pattern embossed on the surface.

• Surfaced with genuine "STA-SO" slate granules.

• Fire-resisting; bears Underwriters' Label.

The embossed wood shingle pattern of Fire-Chief Roofing is worth the small price difference.

Instructions, nails and cement furnished with each roll. Use Fire-Chief for more per running foot. Roll contains of more per running foot. Roll contains of more per running foot. Roll contains of the profit of the

bel. and up of roof surface, allowing for 2-inch watertight lap. Order roofing with 1%-inch rust-proof nails for laying over old roofing. Shipped from warehouse in Chicago, Detroit, Minneapolis, Philadelphia or Kearny, N. J., whichever is closest. Order from your Mail Order House. Shpg. wt., roll, 94 lbs.

Catalog Number 48 LM 488 48 LM 489 Color |Size Nails Furnished| Per Roll Dark Red Gray-Green 1-Inch 1-Inch \$2.15 48 LM 167 48 LM 172 1% - Inch 1% - Inch 2.25

# HOW TO ORDER ASPHALT ROOFING

The first step is to find the area of your roof in square feet. Proceed as follows:

1. SHED TYPE ROOF

Multiply length of roof by length of rafter (Figure 1),

2. PLAIN GABLE ROOF

Multiply length of each section by length of a rafter and multiply by two (both sides identical). See Figure 2.

3. HIP ROOF

Multiply the length of each section of the roof
by the length of longest rafter and divide by two.
Measure each section separately. See Figure 3.


For rolls of roofing, divide by 100. For instance, if the area of your roof is 1180 square feet,
you will require 12 rolls of roofing (each roll
covers 100 square feet).

For busquare feet).

For bundles of shingles (shingles listed on Pages 1006-1007). Divide the roof area by the square foot coverage of one bundle of shingles as stated in the description of the shingle you select. For instance, if you selected 11½-inch Hexagon Shingles, divide the area of your roof by 50 (the square foot coverage of one bundle). This gives you the number of bundles of shingles you will require to cover your roof.

# Write for Estimate Blank

If you are in doubt as to the quantity of roofing or shingles you need, write us for free Roofing Estimate Blank No. 6089L. Included is a pitch gauge which eliminates the necessity of using a ladder to measure the roof. This Estimate Blank illustrates other types of roofs and gives simple, detailed instructions for measuring them.



# HOW TO MEASURE YOUR ROOF

One method is to tie a string to a stone and throw it over the ridge of roof. Let it touch ground on other side. Knot string where it touches ground on your side. Measure string and deduct twice the eave height. If your roof is covered with wood shingles, ascertain number of inches they are laid to weather. If there are 30 rows of shingles from ridge to eave and they are laid 5 in. to the weather, the measurement of that part of roof is 150 in, or 12½ ft.

If your roof has a covering of steel or asphalt roofing, determine size of sheet of steel or width of each roll. Count number of joints. Multiply by two. Horizontal measurement can be made on the ground. The pitch gauge included with our free Estimate Blank shows how you can measure roof angles and determine measurements from the ground, and is useful in cases where you are unable to measure by the more common methods indicated above.

# "LAPTITE FASTENERS"



Shipped from Chicago, Detroit, Philadelphia or Kearny, N. J. Order from your Mail Order House.

SEARS PAGE 1009

# W 6-POINT


# ROOFING SERVICE

Sears new "6-Point Roofing Service" solves your roofing problems. Gives you a detailed estimate in advance, with samples, if you wish, so that you may judge quality. Provides convenient shipping points for lowest freight costs. Includes a roofing knife with your order at no extra charge. We even loan you tools for installation if you need them. Sears have attained leadership by giving a COMPLETE ROOFING SERVICE. Read about it on Page 1007.

### MANY WAREHOUSES-ONE NEAR YOU

All smooth roll roofing on this page shipped from warehouse in Philadelphia, Kearny, N. J., Buffalo, Boston, Detroit or Cincinnati, We ship from theone nearest you, thus keeping down your freight costs. Only Sears have this complete warehouse service. Freight rates are low. Table below shows rate per 100 lbs. on asphalt roofing.

Miles	100	200	300	400
Rate	35c	48c	59c	72c



'RIVAL" Economy Smooth Roofing

Not quite equal in quality to our "Best-of-All" at right, but a splendid value. Made of good grades of asphalt and felt, surfaced both sides with talc. Rolls 36 in. wide, 36 it. long (108 sq. ft.). Will cover 100 sq. ft. with 2-in. allowance for lap. Roll shipped complete with sufficient nails (not galvanized) and ample lap cement. Shipped from same points as "Best-of-All" at right.

...65c

45-Pound Medium Weight
Recommended where longer service is needed.
48 LM 3112—Per Roll. Average shpg. wt., 45 lbs..... 89c

55-Pound Heavy Weight
For harder service. Excellent for barns and sheds.
48 LM 3113-Per Roll. Average shpg. wt., 55 lbs..\$1.15

48 LM 3113-Per Roll. Average shpg. wt., 55 lbs. \$1.15

BEST-OF-ALL Mica Valley and Ridge Cap
Made of same materials as 65-lb. "Best-Of-All"
Roofing at right. Order nails separately—see Page 1007. Used with "Best-Of-All" Roofings.
48 LM 9607-18-inch x 36-foot Valley Roll.
Per 32-pound Roll.
48 LM 9606-9-inch x 36-foot Ridge Cap.
Per 16-pound Roll.

SUITABLE FOR HOMES OR ANY BUILDING RECOMMENDED FOR OUTBUILDINGS REFERE IDEAL FOR GARAGE OR SMALL COTTAGE 65-LB. 45-LB. MEDIUM EXTRA HEAVY WEIGHT WEIGHT 55-LB. HEAVY WEIGHT "BEST OF ALL" Smooth-Surfaced Asphalt Roofing

"Best-Of-All" is a roofing that laughs at rain and snow—defies wind and sun. Made of first quality felt base of correct weight and thickness, Super-saturated with finest quality asphalt to make it waterproof and weatherproof. Heavily coated top and bottom with pure asphalt to "seal in" the saturant, thickly covered on both sides with flake mica to make it fire and weather resisting. Contains no adulterants, mineral fillers or cheap substitutes which merely add weight. "Best-Of-All" won't dry up, blister, harden, crack, peel or curl and its thick, heavy coat of flake mica presents an "armor-plate" defense against the hazards of flying spraks or burning embers. Shipped from warehouse in Philadelphia. Kearny, N. J., Buffalo, Boston, Detroit or Cincinnati, whichever is nearest. Order from Philadelphia.

# **Guaranteed 11 Years**

"Best-Of-All" Medium Weight roofing gives ample protection. Low priced so you can put a new roof on that barn, henhouse, garage, corncrib or outbuilding. Not listed by Fire Underwriters. Rolls are 36 inches wide, contain 108 square feet, enough to cover 100 square feet of roof surface allowing for a 2-inch lap. Rust-proof, large-head 1-inch galvanized nails and lap cement and instructions for laying included. Actual weight and shipping weight, per roll, 45 pounds.

48 LM 3031-Per roll ......\$1.05

# **Guaranteed 14 Years**

Weight roofing is ideal for garages and small cottages. Inc. Rolls are 36 inches wide, contain 108 square feet of roof surface allowing for 2-inch lap. Rustproof, large-head galv. nails and lap cement (or Laptite fasteners and nails) and laying instructions included. Actual and shop, wt., per roll, 55 lbs. 48 LM 913—With Laptite Fasteners. Roll 1.35 48 LM 913—With Laptite Fasteners. Roll 1.65

# **Guaranteed 16 Years**

Heavy weight roofing is suitable for homes or any building Listed as Stand And Up building Listed as Stand Contain 108 square feet, enough to cover 100 sq. ft. of roof surface allowing for 2-in. lap. Rustproof, large-head galv. nails and lap cement. (or Laptite fasteners and nails) and laying instructions included. Actual and ships. wt., per roll, 65 lbs. 48LM3033—With 1-in. galv. nails. Roll. 51.65 48LM912—With 134-in. galv. nails. Roll. 51.65 48LM914—With Laptite Fasteners. Roll. 1.95

# HIGHEST QUALITY BUILDING PAPERS FOR SHEATHING AND INSULATION

# **A Sound Deadening Felt**

Deadens sound and insulates against heat and cold. Makes excellent rug cushions, too. Choice of three weights, 75-lb, weight gives longest service. Rolls contain 450 sq. it. Shipped from warehouse in Philadelphia. or Kearny, N. J. Order from Philadelphia.


Catalog Number | Weight Per Roll | Price Per Roll 48 LM 3002 48 LM 3004 48 LM 3006



# **® Saturated Asphalt Felt**

Use for built-up or gravel roofs, lining and sheathing chicken houses, outbuildings, under shingles and for temporary roofing or siding on sheds. 216 sq. ft. roll contains felt twice as thick as the 432 sq. ft. roll. Shipped from warehouse in Philadelphia or Kearny, N. J. Order from Philadelphia.

Catalog No.	Sq. Ft. Per Roll	Wt. Per Roll	Per	Roll
48LM3009 48LM3010	432	64 lbs.	\$1.	75
48LM3010	216	64 lbs.	1.	75



**Red Rosin Sheathing** 

Tough building paper; gives better service. Red rosinsized; resists moisture; hard smooth surface. Use under siding, between floors, for lining chicken houses, etc.

| Catalog Number | Sq. ft., Per Roll | | Weight Per Roll | | Price Per Roll | | 48 LM 3000 | | 500 | | Hyy. wt., 40 lbs. | | \$1.05 | | 48 L 3007 | 500 | | Med. wt., 20 lbs. | | 53

**Tarred Felt Sheathing** 

Long-fiber felt, saturated with best redistilled coal tar. Used for lining and as base for tar or pitch and gravel roofs. Waterproof. Do Not Use With Asphalt Roofings.

Cat. No.	Sq. Ft. and Ft. Wt. Per Roll	Wt., Per Roll	Per Roll
48 LM 3049		32 lbs.	\$0.85
48 LM 3050 48 LM 3054	216 (Hvy. Felt) No. 1 Double Thick 432 No. 15 Felt	56 lbs. 64 lbs.	1.48

**Reinforced Paper** 

Consists of 2 layers of tough buff-colored, heavy Kraft paper, reinforced with cross-laced cords about 1 in. apart, firmly bound together with heavy coat of waterproof asphalt. Extra strong, extra long wearing. Does not dry out, windproof and finest sheathing paper you can use.

 Catalog No.
 Square Feet Per Roll
 Wt. Per Roll
 Per Roll

 48 LM 3023
 500
 30 lbs.
 \$2.39

© Blue Plaster Cardboard
Smooth, hard surface. Satisfactory, economical lining for summer cottages, cabins, garages, poultry houses, fruit bins, etc. Keeps out cold, wind and moisture.

Catalog No.	Square Feet Per Roll	Wt. Per Roll	Per Roll
48 LM 301	2 250	30 lps.	\$0.80
48 LM 301	500	60 lbs.	

All building papers on this page are **shipped from** warehouse in Philadelphia or Kearny, N. J., whichever is nearer. Send orders to Philadelphia. PAGE 1010 \* SEARS

# **Fungus-Proof Silo Paper**

Two layers of treated Kraft paper reinforced with cord. Proof against tearing. Proof against fungus and acid. Rolls 88 ft. long, 4 ft. wide. Ideal for lining silos.

Catalog No.	Square Feet Per Roll	Wt. Per Roll	Per Roll
48 LM 3025	352	22 lbs.	\$2.69

# Slater's Felt

Use under wood siding, floors, etc. where waterproofing is essential. Fine quality felt, thoroughly impregnated with tar. Used for lining outbuildings, chicken houses, etc. Vermin-proof. Do Not Use With Asphalt.

Catalog No.	Square Feet Per Roll	Wt. Per Roll	Per Roll
48 LM 3015	500	30 lbs.	\$1.15

Tacks For Building Papers (Not Illustrated)
Large head, blued. Lgth, % in. Use ½ lb. for ea. roll.
48 L 950—Per ½-lb. package. Shpg. wt., 9 oz......10c



# 3 STYLES . . EASY TO LAY . . SELF-SPACING . . SELF-ALIGNING

No need to wait until you are "in the money," or to live in a house that looks old and shabby, when for as little as \$7.00 down and \$7.00 a month you can buy as much as \$85.00 worth of new Asbestos Siding—enough for an average 5-room home. Sears Waterproofed Asbestos Siding Shingles bring the old home up to date. Give you lifetime beauty and protection. You'll never have to paint it. Never looks run down. Gives you definite insulation value as well as fire protection. And to top it all, you've enhanced the value of your property far beyond the actual cost of the siding. Convenient EASY PAYMENTS (see Page 5) make it easy to own NOW. We'll estimate your needs—send us the measurements of your home and the style siding you wish and we'll tell you the price delivered to your station. Can also be included in an F.H.A. modernizing loan—see Page 989.

# Waterproofed-Choice of Gray or White

Sears Asbestos Shingle Siding has an unusually pleasing appearance, due to its deep Cypress graining and irregular butt line. All shingles are uniformly thick (36 in.) except Clapboard style which is 36 in. thick. Choice of three styles, as illustrated above. Each style comes in "Gray" or "White" color, as indicated in the listings at right. Our "Gray" is a natural stone color. Our "White" Shingles are one of the few white shingles made in which the color goes clear through the entire thickness of the shingles made in and asbestos fibers and are not only fireproof but waterproofed as well—a feature that insures longer life (ordinary asbestos siding shingles do not have this waterproofed feature).

Easily Laid Over Old Siding or Old Shingles. Nail holes are already punched. We furnish special cadmium-plated (non-rust) nails for face nailing, also asphalt strips for butt joints and full instructions. You will require in addition the nails listed below for top nailing. These shingles can be cut with ordinary tools but we recommend using the cutter described below. We recommend laying these shingles over our "Airlock" Insulating and Sheathing Felt listed below. Shipped from Warehouse in Chicago, Detroit, Philadelphia or Kearny, N. J., whichever is nearest. Order from your Mail Order House.

Catalog Number	Style	Color	Size of Shingle	les Per Bundle	1 Bundle Covers	Wt., Lbs.	Price Per Bundle
48 LM 9114		Gray	24x12 in.	19	331/3 Sq. Ft.	65	\$2.10
48 LM 9078 48 LM 9115	Wavy Edge Thatched Edge	White	24x12 in. 24x12 in.	19	33 % Sq. Ft. 33 % Sq. Ft.	65 65	2.35
48 LM 9082	Thatched Edge	White	24x12 in.	20 20 20 20 12	331/3 Sq. Ft.	65	2.45
48 LM 9116	Wavy Edge	Gray	22x 91/2 in.	20	25 Sq. Ft.	50	1.75
48 LM 9080 48 LM 9112		White	22x 9½ in. 48x 9½ in.	12	25 Sq. Ft. 25 Sq. Ft. 331/3 Sq. Ft.	50 65	2.49
48 LM 9113		White	48x 9½ in.	12	331/3 Sq. Ft.	65	2.75

48 LM 9110—"Airlock" Instituting and Sheathing Felt. Not illustrated. For \$2.25 backing of asbestos siding. 250 sq. ft. roll. Shpg. wt., 35 lbs. Each.

# SEARS EASY TERMS SOLVE ANY MODERNIZING PROBLEM . . SEE PAGE 5

# Pay by the Month

Remember, anything at Sears can be purchased on Easy Payments (provided your order is \$10 or over). You can modernize or make other improvements to your home and pay only a small amount monthly, as indicated on Page 5 of this Catalog. Orders for modernizing materials totaling \$100 or more may be financed under the F.H.A. plan described on Page 989. Under this plan no down payment is required and you may take up to three years to pay. No endorsers are required.

# **Galvanized Nails and Asbestos Siding Cutters**

48 LM 9083 — 1½ -inch galvanized nails for top nailing when applying to sheathing boards. Use 1 pound per 8c square. Per Lb.
48 LM 9084 — 1¾ -inch galvanized nails for top nailing when applying over old siding. Use 1 pound per square. 8c

48 LM 9106—Asbestos Siding Cutter (illustration at right). Correctly de-signed, Accurately machined. For fitting Asbestos Siding at chimneys, dormers,

doors, window frames, corners, etc. Also makes notches, odd cuts and nail holes if others are needed. While it is possible to do a good job without this cutter, nevertheless it will speed up the work considerably and reduce to a minimum the possibility of breakage. Enables you to do a first class job, and if returned to us prepaid and in good condition, within 60 days from date of purchase of cutter and shingles, we will refund its, price, You pay only transportation costs.

Shipping weight, 6 lbs......\$9.98



### SAVE UP TO ON MEMORIALS 50%



Save up to 50% on markers and monuments—and get finest quality besides! We ship direct from quarries to you, permitting you to buy a larger memorial than you might otherwise afford.



# Free Catalog

This big 32-page catalog is yours for the asking. It contains illustrations of a wide variety of grante and marble monuments and markers at prices that afford tremendous satisfies. Sears guarantee the finest comes that can be quarried, free fifthers and bemishes. Send for his free catalog before you buy. Write Sears Personal Service Dept. for Catalog 574L.

# **Our Big Value Marker**

Expertly cast in bronze in Verdi Antique finish. Inverted box type marker cast in one piece (not a solid marker). Supplied with "I" both in strain one piece (not a solid marker). Supplied with "I" both in the training in cement foundation. We furnish instructions are piece plate, 7/2x16 in. Base, 9x18 inches. Height, 3 inches at back, 2 in. at front. Price includes name and dates cast as illustrated above, Print name and dates cast as illustrated above, Print name and dates. Shipped from Northern Illinois, and you pay freight from there.

48 LM 1214—Shpg. wt., 23 lbs.......\$9.98

# **Brick Design Slate-Surface Siding**

 Made of finest felt—asphalt-saturated and coated, and slate surfaced.
 4 "bricks" in one strip; easy to apply; choice of Tan or Dark Red. choice of Tan or Dark Red.

Gives your home new beauty and new protection as well as added value because of the attractive resemblance to expensive face brick. Comes in strips 4 "bricks" in length. Special corner pieces (priced at right) insure a perfect job. "Bricks" are regular brick size, 2½x8½ in. Bundle weighs 70 lbs. and covers 33½ sq. ft. of surface. Shipped from warehouse in Chicago, Detroit, Philadelphia or Kearny, N. J., whichever is nearest. Order from your Mail Order House.

48 LM 705—Dark Red Surface with black mortar line. Per 33½ sq. ft. bundle.

\$1.90

48 LM 706—Tan Surface with black mortar line. Per 331/3 square foot bundle. \$1.90 Shipping weight, 70 pounds......

Corners for Brick Siding
Box of 50 right and 50 left-hand corners to
cover 26 vertical feet. Shipping weight, 40
pounds per box. 48 LM 708—Red. Per Box.....\$2.75

SEARS PAGE 21011

# SPECIALLY TREATED


# WITH WATER-REPELLENT PRESERVATIVE TO RESIST MOISTURE AND ROT

NOW—at no extra cost—Sears offer finest quality Western Ponderosa Pine Exterior Doors and Door Frames that are treated and impregnated with a special water-repellent toxic preservative that resists moisture, dry rot and other forms of deterioration to which doors and frames are ordinarily subjected. This treatment, proved during 15 years of use by architects and engineers on high class projects, is now available to you at no extra cost! This treatment guards against moisture or water absorption, likewise moisture-loss—reduces swelling, shrinking or warping to a minimum. It checks decay, fungus growth and blue stain. It provides an ideal primer for any finish. It gives Sears Western Ponderosa Pine doors and Frames

longer life and makes them even bigger values than before. Doors made of Douglas Fir (on opposite page) don't require treating because this material is naturally decay-resisting.

We present a range of eight popular styles, built in accordance with the high standards of the National Door Manufacturers' Assn. Western Ponderosa Pine Doors (see listings below) are entirely clear and are suitable for any finish: Douglas Fir Doors are equally strong and well made but may contain a few slight imperfections not noticeable under dark stain or paint. All doors glazed with clear glass. Doors on this page are recommended for front entrances—on opposite page for side or rear entrances.





# COMPLETE DOOR SETS SAVE TIME, TROUBLE AND MONEY

In

6680100

In.

When you buy door sets with doors, your saving is greater, for in addition to your saving on the door, you enjoy the additional saving on the frame, trim, threshold and hardware which make up the set. Besides, the door will be mortised for lock at no extra charge (see detail of mortise at right). Shown at right on this and opposite page are the items included with door sets.

with door sets.

In the price table above we show the prices for door sets, which consist of the following items:

1. Outside Door Frame 63 LM 792 as described at bottom of opposite page. (Special entrance frames illustrated with all doors except Style "F" 63LM142 on opposite page can be furnished custom-built at additional cost if wanted. Write for prices.)

2. Side of Trim, either Backband 63 LM 876 or Round Edge design 63LM 9452 illustrated and described on opposite page.

3. Oak Threshold as described on Page 1022.

8.48

6.70

Hardware consisting of 3-tumbler lock and 3 wrought steel butt hinges, all in dull brass finish: key and screws for hardware. Illustrated at right.

\$6.15 6.25 6.50

9.65


6.30

\$4.45 4.55 4.75

Cylinder Lock Set optional. If you wish the 2-section bronze cylinder lock set also shown at right and on Styles "A," "C" and "D" doors above, include \$4.35 extra with order for door set and specify "Cylinder Lock Set" on your order. If lock only is wanted, or if you are not ordering "door sets" see hardware pages for prices of lock only.

# Information About Mortising

Doors ordered with door sets will be mortised at no extra charge for lock we furnish. Be sure to state if hinges will be on right or left hand side as you face door from outside. "Outside" of door is side on which the unremovable molding holds the glass.



9.10

\$5.40 5.50 5.59 5.84 5.81 5.96

\$5.25 5.33 5.42 5.64 5.61 5.76

# PRECISION-FITTED

# FINEST CONSTRUCTION . YOU CAN BUY ON EASY TERMS ·· SEE PAGE 5

Choose your entrance door carefully—It's something you have to look at every time you enter your home—let it remind you of a wise purchase. Sears doors are weather-resisting and non-warping and meet every requirement of hospitable appearance and service. You'll not find better construction anywhere, yet you'll save money at Sears prices.

save money at Sears prices.

An important feature of Sears doors is the precision-fitted, attractively

grained panels. These are solid raised pine on Door "B" illustrated on opposite page. On all doors on this Page the panels are 3-ply, laminated Fir, laid cross-grain and firmly cemented. These panels resist warping and splitting. Bead and cove moldings are a part of the solid stiles and rails. Accurate milling gives extra tight fitting joints.

All doors glazed with high quality clear glass that is free from distortion.

# Pay by the Month

Why delay modernizing your home when Sears Easy Payment Plan permits you to enjoy such improvements by paying only a small amount down? It's the modern, convenient way to buy and the small monthly payments will not be a burden. Read the whole story on Page 5 of this Catalog.

# Send for Free Estimate

We maintain a staff of experts to assist you in building or repairing and at no obligation we will give you an accurate estimate of the cost of materials delivered to your station, such as millwork, lumber, roofing, insulation, etc. This estimating service is free—take advantage of it. tage of it.



Style "E." Cat. No. 63LM635. 4-light style with 3 flat panels.

388 And Up

Style "F." Cat. No. 63LM142. Our big Value Leader. Always in good taste and demand.

CONVENIENT SHIPPING POINTS All items on these two pages shipped from our own factory in Newark, N. J. or warehouse near Boston, whichever is nearer you. You pay freight only from nearer point. Send orders to our Mail Order House. Large stocks of all items at these convenient points assure immediate shipment. Style"G."Cat. No.63LM755, "Standard" and 63LM6808, "Utility." (See below.)

# UTILITY OR STORM DOORS

Catalog Number 63 LM 6808 (see listing below) is a "Utility" or "Storm" Door, similar to Style "G" Door illustrated directly above, except is 1½ inches thick, and is one-quarter inch wider and 1 inch higher than sizes shown in listing below.

Style "H." Cat. No. 63LM2566. Note the attractive dividing bars.

# NEW F.H.A. FINANCING PLAN

You can modernize with new doors under the new F.H.A. Financing Plan described on Page 989. Sears will assist in arranging your loan. No endorsers—no down payment—low finance charges and up to 36 months to pay—are among the desirable features of this convenient plan.

SIZE O	F	OORS	Average	Average	Style . E. Door Unly	Style "F" Door Only		Style "G" Door Only S					SET" (Without Door	
			Shipping Weight	Shipping Weight	1% Inches thick	1% Inches thick	"Standard" "Utility"		1 % Inches		Frame, Trim, Hardw			
Width	1	Height	13%-inch	1½ -inch	Douglas Fir 4-Light Design	Douglas Fir	13% in. thick	11/8 in. thick	thick Douglas Fir	With Backband	shold. See Page 1012 With Round Edge	Average		
Ft.   In.	- F	t.   In.	Doors Only	Doors Only	63 LM 635	63 LM 142	Douglas Fir 63 LM 755	Douglas Fir	3-Light Design	Design Trim	Design Trim	Shipping		
2 6	- -	6 6	45 lbs.	32 lbs.	60.00	THE RESERVE OF THE PARTY OF THE		63 LM 6808	63 LM 2566	63 LM 512	63 LM 514	Wt., Lbs.		
2 6		6 8	46 lbs.	35 lbs.	3.98	33.00	\$3.68	\$3.29	\$4.05 4.15	\$5.40	\$5.25 5.33	48		
2 8	1	6 8	47 lbs.	37 lbs.	\$3.88 3.98 4.18	3.88	3.79 3.98 4.57	3.58	4.35	5.50		51		
2 10	3	6 10	53 lbs. 55 lbs.	42 lbs.	4.47	\$3.65 3.69 3.88 4.47 4.63	4.57	3.42 3.58 4.05 4.30	4.11	5.50 5.59 5.81 5.96	5.42 5.61 5.76	51 53 59 60		
010	-	1 0	33 IDS.	43 lbs.	4.88	4.63	4.78	4.30	5.20	5.96	5.76	60		

# PRICES OF FRAMES AND TRIM SETS SOLD INDIVIDUALLY First Quality Yellow Pine Door Trim Carefully bundled to reach you bright, clean, ready for stain, paint or any finish. Avr. shpg. wt., 15 lbs. per set.

Backband (2-member) Design Door Trim—Head and side Casings 34x3\( \) in.; backband molding 34x1\( \) Round Edge Design Door Trim—Head and side casing 34 x35% in

First Quality Ponderosa Pine Door Frames

First Quality Ponderosa Pine Door rrames

Specially treated with water-repellent preservative (at no extra cost) to resist moisture and decay.

Outside casings are 1½x4½ in.; jambs, 1½x5½ in., rabbeted for doors 1¾ or 1¾ in. thick. State which is wanted. Sill, 1½x7½ in.; drip cap 1½x1¾ in.

We list prices of frames separately at right in case you don't need the complete door set which includes the frame. When ordering, state width, height and thickness of door in that order. Sizes shown are outside

measurement of door and inside measurement of frame. 2x4 stud openings should be about 3½ or 4 in. wider and about 5 in. higher than door. Thus, for a door 2 ft. 8 in. by 6 ft. 8 in., prepare the rough opening about 3 ft. by 7 ft. 1 in. Write for prices on door frames for stucco, brick veneer or solid brick wall construction. Shipping weights range from 41 to 51 lbs.

DOOR FRAMES		To fit			DOOR TRIM SETS			
Rabbeted for 1% or 1% in. doors. State which.	_	width   Height			Backband Design	Round Edge Design		
63 LM 792	Ft.	In.	Ft.	In.	63LM876	63 LM 9452		
\$3.49	2	6	6	6	78c	62c		
3.56	2.	6	6	8	79c	62c		
3.64	2 3	8	6	8	79c	63 c		
3.81	3	0	6	8	88c	68c		
3.93	3	0	7	0	88c /	68c		

Frames and trim shipped un-assembled to save freight. Easily put together.

SEARS E PAGE 21013

# PRE-FITTE

When you buy a Glazed window from Sears you get more than merely a double-hung sash—you get a sash whose members are accurately fitted to each other—in other words, pre-fitted. You get a window with bottom rail already beveled to fit the sill—to insure weather-tight joinings. A window whose straight edges and square corners insure ease of fitting to any standard frame.



# You Can Buy on Easy Terms

Sears TRU-FIT, Check Rail, Pre-Fitted and Treated Windows are made of finest Western Ponderosa Pine, 1% inches thick, rigidly mortised and tenoned at all joints for extra strength. When properly hung in standard frames, they will always lift quietly and easily, whether for new or replacement work. REMEMBER, TOO, that these windows are treated with water repellent Toxic preservative for longest life and are pre-fitted as de scribed above, to save you time and expense. All windows machined and sanded and glazed with clear glass.

QUICK SHIPPING SERVICE from warehouse in Chicago, our own millwork factory in Cincinnati, or New-ark, N. J. whichever is nearest you. Order from your Mail Order House.

CLATED WINDOWS ONLY

# SPECIALL

HOW TO ORDER When ordering windows (1) give catalog number; (2) give full width in feet and inches and (3) give full height in feet and inches. The overall size of a window is the inside measurement of frame in which window hangs. Window Sets include Pre-Fitted Glazed Window, Window Frame, Trim and all Hardware, Weights and Sash Cord.



Why wait to install new windows when all you need is a small down payment? Make up an Easy Payment order of \$10 or more now of any merchandise Sears Sell and pay a little each month—details on Page 5.

Check-Rail Design All windows (except "Plain-Rail" windows on opposite page) are snug-fitting "Check-Rail" design. Upper and lower meeting rails meet at an angle, see detail above. Prevents rattling—keeps out wind, dust and rain.

Shipping Weights

ONLY \$ 07

Weights shown for "windows only" are actual weights, to enable you to order the correct size of sash weights. For shipping weight of window, add 15 lbs. for packing when ordering a quantity of 6 or less windows. Windows are packed up 6 to a bundle.

# Send for Free Estimate

No matter what you need in building materials—mill-work, lumber, roofing, insulation, paint or other modernizing materials—Sears save you money. Send us a list of what you need. We will figure the cost delivered to your station. There is no charge for this expert service.

# Sears TRU-FIT "Pre-Fitted" and "Treated" Windows Cost No More—Sizes and Designs for All Needs

	GLAZED WINDOWS ONLY						COMPLETE WINDOW SETS Inside Trim, Hardware, Weights and Cor						Cord	
10.5		e of	2-6	2-Light	3-Top-	6-Top-	Act.	AVAILABLE OF	Design	3-Top-Lig	ht Design	6-Top-Lig	ht Design	Shpg.
W	idth		eight	Docian	Light Design 63 LM 7172	Light Design	Wt., Lbs.	With Back- band Trim	With Round Edge Trim	With Back- band Trim	With Round Edge Trim	With Back- band Trim	With Round Edge Trim	Wt.,
Ft.	In.	Ft.			_	63 LM 7102	12-30	63 LM 861	63 LM 5287	63 LM 862	63 LM 5175	63 LM 867	63 LM 5285	Lbs.
1	8	3	10	\$1.07 1.25	\$1.25 1.45	\$1.35 1.53	11 12	\$4.39 4.77	\$4.29 4.65	\$4.57 4.97	\$4.47 4.84	\$4.67	\$4.57 4.92	78 82
1	10 10	3 4	10	1.33	1.52	1.61	13 16	5.08 5.56	4.94 5.42	5.26 5.75	5.13 5.62	5.35	5.21 5.69	83 86
2	0	3	0	1.23	1.37	1.51	12	4.78 5.01	4.65 4.87	4.92 5.19	4.78 5.06	5.06 5.28	4.92 5.15	78 82
2	0 0	3	10 2	1.46	1.66	1.74	15	5.30	5.16	5.50	5.36	5.58	5.44	84
2	0	4	6	1.54	1.74	1.82	16	5.56	5.36	5.75	5.56 5.81	5.83 6.03	5.64 5.89	86 88
2 2 2 2 2 2 2 2 2	0	5	10	1.68	1.88	1.96	19	6.01	5.84 6.07	6.20	6.04 6.25	6.28	6.12	92 94
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 2 4 4 4	4	10	1.68	1.88 1.95	1.96	19	5.95	5.81	6.14	6.01	6.22	6.09	90
2	2	5	2	1.83	2.03	2.11	21	6.38	6.20	6.58	6.40	6.65	6.48	92 94 85
2	4	3	2	1.33	1.47	1.61	14	5.07	4.93	5.20	5.07 5.12	5.34	5.20	85 87
	4	3	10	1.52	1.72	1.80	16	5.37	5.23	5.57	5.43	5.63	5.51	89
2	4 4 4	4	2	1.62 1.68	1.82	1.90	17	5.64 5.97	5.50 5.81	5.84	5.69 6.01	5.92 6.24	5.77 6.09	92
2	4	4	10	1.81	2.01	2.09	20	6.17	6.02	6.37	6.21	6.45	6.29	96
2 2 2 2 2 2 2 2	4 4	4 5 5	6	1.97	2.17	2.25	23 25	6.64	6.48	6.84	6.67 6.92	6.92	6.75 7.00	102
2	6	3	6	1.62	1.82	1.90	17	5.66	5.50	5.86	5.69	5.94	5.77	92
2	6	445	10	1.83	2.03	2.11	21 23	6.28	6.12	6.48	6.31	6.56 6.81	6.39	100 102
2 2 2 2 2 2 2	8	2	10	2.13 1.48	2.32 1.62	2.41 1.76	24 14	6.84 5.38	6.67 5.21	7 03 5.52	6.86	7.11	6.95	104
2	888	3	6	1.56	1.70	1.84	16 23	5.53	5.36	5.66	5.50	5.80	5.64	90
2 2 2 2 2 2 2 2	8	4	10 2	2.13	2.32	2.41	24	6.74	6.33	6.69	6.53 6.76	6.77	6.61	102 106
2	10	4	6	2.26	2.46	2.54 2.35	28 27	7.05 6.72	6.88	7.24 6.92	7.08 6.75	7.32	7.15 6.83	111
2	10	5	2	2.28	2.48	2.56	30	7.23	7.07	7.43	7.26	7.00	7.34	125

# Why We Recommend **Complete Window Sets**

We recommend complete window sets because they cost less than the total price of the individual items! You also save time in fitting and waste in cutting. Here's what you get in a complete window set:

One Glazed Check-Rail Window as above, "treated" and "pre-fitted."

One First Quality Window Frame, "treated" and "pre-fitted", as illustrated with windows above and described on opposite page.

scribed on opposite page.

One set of Interior Trim.
Choice of Backband or Round
Edge Design as described on
opposite page.

Four cast iron Sash
Weights as illustrated and
described on opposite page.

Enough heavy sash cord
for one window.


Two bar-type sash lifts
and one sash lock fastener.
in dull brass finish.

Illustration at right shows.

in dull brass finish.

Illustration at right shows the items included with complete window sets (in addition to window). Choice of back band or round edge design trim as shown. Prices of complete window sets are shown at left. See opposite page for frames and trim sets sold individually. See Page 802 for prices of window hardware also sold separately.


PAGE 1014 C SEARS



# TREATED FOR LONGER LIF

NOW—at no greater cost—Sears bring you windows and frames that are protected from decay and distortion by a tested and approved water-repellent, Toxic preservative. This proven treatment of millwork has been specified by architects and engineers for 15 years on high class projects and is now made available by Sears buying power to every Sears customer. We give you this added protection at no extra cost. It gives you resistance to moisture or water absorption as well as moisture loss, reducing swelling, shrinking, warping and twisting to a minimum, with the

result that your windows will always remain true, snug-fitting and non-rattling. It checks all types of decay, fungus growth and "blue stain." Saves time and cost of prime coat; provides an ideal primer for paint, varnish, enamel or stain. Finishes last longer. Because Sears own millwork factories are among the world's largest, you get the benefit of our tremendous manufacturing power. Large stocks of every item in mammoth warehouses permit us to make immediate shipment from a point that is near you, thus saving you freight. you, thus saving you freight.



# 12-Light Check-Rail Windows

Theillustration above shows an outside view of our 12-light "Check-rail" design window, 1% in. thick, Cat. No. 63 LM 7195 hung in our standard frame 63 LM 789 (priced below). Both "Fre-fitted and Treated" with special below). Both "Fre-fitted and Treated" with special water-repellent Toxic preservative. This window can also be furnished in "Plain-Rail" style illustrated at right. Recommended for bungalows and cottages. Complete window sets are fully described on opposite page.

1	36-in	. Thi		Windo	w Only		With Back-WithRound Shpg.						
W	idth	He	ight	C21 M7105	Act.	band Trim	WithRound Edge Trim						
Ft.	Ft. In. 4½ 4½ 2 7½ 7½ 7½ 10½ 2 10½ 2 10½ 2 10½		In.	63LM7195	Wt., Lbs.	63LM864	63LM769	Lbs.					
2	41/2	3	10	\$2.09	19	\$6.18	\$6.13	92					
2	71/2	4	6	2.24	20	6.61	6.44	96					
2	71/	5	_	-	-	6.76	6.60	102					
2	1012	4	6	2.46	24 23 .	7.20	7.04	108					
2	101/2	5 5	6 2	2.61	26	7.55	7.08 7.38	122					
2	101/2	5	10	3.06	26 29	8.31	8.14	134					

### SHIPPING POINTS

Quick service! All items on this and the opposite page shipped from our own factory in Newark. N. J. Send orders to Philadelphia.

# **EASY PAYMENTS**

The easy, convenient way to modernize. Put all items in one order—millwork, roofing, lumber, insulation. Pay a small amount down—a little each month. See Page 5 for details.

# **4-Light Check-Rail Windows**

The illustration above shows an outside view of our 4-light design "Check-Rail" Window, 1½ in. thick, Catalog Number 63 LM 7189 Priced blow. Like all other Sears Check-Rail Windows, it is "Pre-Fitted" and "Treated" with special water-repelling Toxic preservative to resist the destructive action of moisture, dry rot, and blue stain. Complete window sets fully described on opposite page.

	e of			Window		Complete Window Set						
Width   Height			ight	63LM7189	Actual	With Back- band Trim	With Round Edge Trim	Shpg. Wt				
Ft.	In.			03Lm/109	Wt.,Lbs.	63LM863	63LM767	Lbs.				
2	1	1 3 10		\$1.58	16	\$5.48	\$5.39	84				
2 2 2	1 5	4	10	1.74	18	5.89	5.75	90				
	- 5	4	6			5.74	5.68	100				
2 2 2 2	5 5	4	10	1.97	20 21 22 23	6.34	6.17	100				
2	5 5	5 5 2		2.16	22	6.79	6.62	104				
2	5	5	6	2.32	23	7.10	6.93	108				

**Backband and Round Edge** 

# **Sears Window Frames Are Treated** With Preservative—At No Extra Cost

# **How to Order Window Frames**

e	rvative	e—A	t No	Ext	a C	ost	Design Window Trim							
	Illustrated with windows above and on opposite page. Drip cap design. Made of Western Ponderosa Pine. Treated" (as described at top of page) and precision fitted at the factory. Accurate milling assures smooth running sash. Rust-resisting "jam-proof" pulleys included. Pockets for sash weights already cut. Outside casings, 1\(\frac{1}{2}\)&\ 1\(\frac{1}{													
	How to Order Window Frames  When ordering, give width first. Size of wall opening should be 6 inches wider and 5 inches higher than the outside measurements of window. For sizes, see listing below. Measurements shown are inside measurements of the frame. These should be the same as the outside measurements of the window. Average shipping weight of frame, 35 pounds.  and head casing and apron %x3% inches; stool, %x3% inches													
	Size of Window	Win- dow	Round	Back- band	Size	dow	Win-	Round	Back- band	Size		Win-	Round	Back-
	Width Height	Frames 63LM789	63LM9453	Trim 63LM877	Width Ft. In.	Height Ft. In	Frames 63LM789	Trim 63LM9453	Trim 63LM877	Width Ft. In.	Height Ft. In.	Frames 63LM789		Trim 63LM877
	1 4 3 10 1 8 3 10 1 10 3 10 1 10 4 6	2.08 2.19 2.36	\$0.72 .79 .86 .95	\$0.82 .92 1.00 1.09	2 4 2 4 2 4 2 4	3 2 3 2 3 10	2.13	\$0.91 .91 .91	\$1.05 1.05 1.05 1.06	2 6 2 6 2 6 2 6	3 6 4 6 4 10 5 2	2.55	\$1.00 1.00 1.01 1.07	\$1.17 1.17 1.18 1.24
	2 0 3 0 2 0 3 10 2 0 4 2 2 0 4 10 2 0 5 2 2 1 3 10	2.12 2.25 2.34	.86 .86 .86	1.00 1.00 1.00 1.09	2 4 2 4 2 4 2 4 2 4	4 6 4 10 5 2	2.51 2.58 2.67	1.00 1.00 1.01 1.07	1.16 1.16 1.18 1.24	2 7½ 2 7½ 2 8 2 8	4 6 5 2 2 10 3 2	2.59 2.75 2.14	1.00 1.07 1.00 1.00	1.17 1.24 1.17 1.17
		2.49 2.57 2.25	.95 .97 1.00 .97	1.09 1.11 1.17 1.06	2 4 2 4½ 2 4½ 2 5	5 3 10 4 6 3 10	2.34	1.07 1.00 1.00 1.00	1.24 1.06 1.17 1.06	2 8 2 8 2 8 2 10	4 6 4 10 5 2 4 6	2.59 2.67 2.75	1.00 1.01 1.07 1.07 1.00	1.17 1.18 1.24 1.17
	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2.42 2.46 2.54 2.62	.97 .97 .98 1.02	1.11 1.11 1.11 1.20	2 5 2 5 2 5 2 5 2 5	4 10 5 2 5 6	2.51	1.00 1.01 1.07 1.07	1.17 1.18 1.24 1.24	2 10 2 10½ 2 10½ 2 10½ 2 10½	5 2 4 6 5 2 5 10	2.84 2.68 2.84	1.07 1.14 1.14 1.14	1.24 1.31 1.31 1.31
						1000			A CONTRACTOR OF THE PARTY OF	200000000000000000000000000000000000000				




# "Mullion" Windows

We can furnish Mullion or "Twin".

Frames or Complete "Mullion" or Twin Window Sets. When wanted simply mark your order "Mullion" willion" for Twin Window Sets. When Window Set" and for price allow twice the price of a single unit of the same size. For example—for a mullion complete window set; size 2ft.4in. x 4ft.6in, o3LM861, allow total of \$12.34; or for a mullion (twin) window frame only design 63 LM 789, allow total of \$0.25 Shipped unassembled. If you need Mullion Trim allow twice the price of a single side of trim of the same size. Simply mark your order "Mullion Trim."

Triple window trim or sets are

Triple window trim or sets are 3 times the price of a single. Mark your order "triple."



# Plain Rail Windows

Made of First Quality "Treated"
Western Ponderosa Pine, 1½ in.
thick. Glazed with clear glass,
Offered in 8-light and 12-light
styles as illustrated. This type
of window has "plain-rail" (no
bevel) at meeting point of upper
and lower sash. To hold upper
and lower sash in open position,
use spring bolts listed on Page
802. Frames for plain rail windows not available.

# 8-LIGHT DESIGN

Siz	e of V	Vin	wob	Price	Act.	
V	/idth	He	Each	Wt.,		
Ft.	ln.	Ft.	In.	63LM7178	Lbs.	
1	81/2	3	10	\$1.39	10	
1	101/2	4	. 6	1.58	14	
2 2	1/2	5	6	1.65	15	
21	4/2	1 3	2	2.08	19	

# 12-LIGHT DESIGN

Siz	e of	Wir	wobi	Price	Act.
W	idth	He	eight	Each	Wt.,
Ft.	In.	Ft.	In.	63LM7180	Lbs.
2	4	3	10	\$1.78	17
2 2 2 2	7	4	6 2	2.03	20
2	7	5	2	2.19	22
2	10	4	6	2.14	21

# F. H. A. Loan Plan


A convenient method of modernizing. Use the new F.H.A. Financing Plan.
No down payment—no endorsers—up to 36 months to pay and new low finance charges. See details on Page 989.


# Sash Weights

Smooth cast iron. Each window requires four weights, each ¼ the weight of window. Shipped from Newark, N. J., Cincinnati, Baltimore, Md., Darby, Pa., Cleveland, Order from Philadelphia, Specify Catalog No.63LM7200. State size.

Actual Wt.	Each	Actual Wt.	Each		
3 lbs.	8c	6 lbs.	15c		
31/2 lbs.	90	61/2 lbs.	16c		
4 lbs.	10c	7 lbs.	18c		
41/2 lbs.	11c	7½ lbs.	19c		
5 lbs.	13c	8 lbs.	200		
51/2 lbs.	14c	8½ lbs.	21c		

SEARS \* PAGE 1015







As strong and well made as our other styles, but not quite as high grade pine. Screen wire is permanently affixed; only the storm ranel is removable. A good serviceable combination door at a price that saves you money.

Has 6-light storm panel for winter use and divided screen panel for summer. Two horizontal raised panels below the opening give this door an attractive appearance. It's priced to give you a substantial saving.

Has a large screen panel—desirable for summer as it permits freer circulation of air. In winter, large 8-light panel admits more light. This design is suitable for any type of entrance—front, side or rear.

# **Bronze or Galvanized Wire**

Doors "C" and "D" are offered in choice of 16-mesh galvanized or Antique-bronze wire for screen panels. Door "B" is offered only in 14-mesh galvanized wire. We recommend the Antique-bronze wire because it is guaranteed for 25 years — mever rusts or needs painting. It is well worth the small difference in price. Our galvanized wire is made of pure open hearth steel and coated with pure zinc, and is guaranteed for 5 years. Screen wire held taut and firm by wood molding. Door locks and hinges not included—see Index at back of catalog for hinges and locks.

# We Ship From Convenient Points

All doors are shipped securely bundled from Mail Order House in Chicago, our own factory in Cincinnati or Newark, N. J., or warehouse near Boston, whichever is nearest you. You pay freight from nearest point. Order from your Mail Order House.


# You Can Buy on Easy Terms—Details on Page 5

Now everything at Sears can be bought on Easy Terms (see Page 5). You can include a combination door with other merchandise in an Easy Payment order and pay for it by the month. Take advantage of this opportunity to

modernize your home conveniently. Remember, Sears guarantee quality, satisfaction and savings on everything you buy, whether for cash or on Easy Terms. If you prefer the FHA Finance Plan, see Page 889.

	ZE		Chinaina	Style "A" 2d Quality Pine	Style"B" 1st Quality Pine	Style "C"-	1st Quality Pine	Style "D"-1st Quality Pine		
1 1/8 - Inches Thick Width Height			Shipping Weight Pounds	14-Mesh Galvanized Wire Screen	16-Mesh Bronze Wire Screen Panel	16-Mesh Galv. Wire Screen Panel	16-Mesh Bronze Wire Screen Panel	16-Mesh Galv. Wire Screen Panel	16-Mesh Bronze Wire Screen Panel	
Ft.   In.	In. Ft.   In.			63 LM 2360	63 LM 2421	63 LM 2406	63 LM 2407	63 LM 2410	63 LM 2412	
2 61/4	6	7	45	\$3.79 3.89 3.98	\$5.68	\$4.45	\$4.70	\$4.95	\$5.25	
2 81/4	6	9	45 48 50 65	3.98	5.95	4.60 4.75 4.95	4.85 5.00 5.20 5.25	5.25	5.40	
2 1014	6	11	60	4.15	6.10 6.17	5.00	5.25	5.50	5.75 5.80 5.85	
2 1014	6	9	70 73 75	•••••	6.10	5.05 5.00 5.15	5.30 5.25 5.40	5.55 5.50 5.65	5.85 5.80 5.95	

# DW! YOU CAN BUY SCREENS THAT RESIST DECA



# With Preservative Treatment and PRO-TEX Wire

With Preservative Treatm
Sears Tru-Fit Screens are made of finest
Ponderosa Pine, 1½ inches thick, Smoothly sanded ready for any finish, Specially
treated with water repellent toxic preservative for resistance to moisture and
decay. Wired with your choice of Sears
Famous "Pro-tex" 16-Mesh 5-Year Guaranteed, Galvanized Wire or Full Gauge
Extra Hard DeLuxe Antique Bronze
Wire guaranteed for 25 years, Gives
double the life of ordinary bronze wire
screens—absolutely rustproof. Screens
are full length. Ample trimming allowance. To determine size needed, measure
space into which screen is to fit. State
width first on your order. Average shipping weight of screen, 10 pounds. All
screens in sizes shown shipped from
SIZE OF SCREEN | "PRO-TEX"


our own factory in Newark or Cincin-nati. Order from Mail Order House.

nati. Order from Mail Order House.

SPECIAL SIZES: All sizes listed below can be furnished ½-inch wider than shown, from factory in Chicago. Also all sizes, except those marked with an asterisk (\*), can be furnished ½-inch wider than shown, from factory in Philadelphia. Order from your Mail Order House. NOTE: If you want 16-Mesh Galv. wire screens ½-in. wider than shown specify Cat. No. 63 LM 27 or if you want 16-Mesh Antique Bronze Wire screens ½-inch wider than shown, specify Cat. No. 63 LM 31, and specify ½-inch wider than shown in table below. Enclose price of regular size screen.

Sercens in size	s shown shippe		Enclose price of regular size screen.							
SIZE OF SCREEN	"PRO-TE	X"   S	IZE OF SCREEN	"PF	RO-TEX"					
Width Height Ft. In. Ft. In.	Galv. Wire Bron 63 LM 28 631	LM30 Ft.	/idth Heigh	_ Galv. Wire	16-MESH Bronze Wire 63L M30					
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		0.98 *2 1.19 *2 1.327 *2 1.327 *2 1.409 *2 1.1.107 *2 1.1.107 *2 1.1.108 *2 1.1.109 *2 1.1.10	55	\$1.451666611.01944.83166644.831664464864648646486464646464646464646464	\$1.90 1.98 1.98 1.98 1.477 1.855 1.655 1.753 1.893 2.03 2.23 1.83 2.03 2.23 1.83 2.03 2.23 1.83 2.03 2.23 1.83 2.03 2.23 1.83 2.03 2.23 1.89 1.99 2.21 2.23 1.89 1.99 2.21 2.23 2.23 2.23 2.23 2.23 2.23 2.23					

# SCREEN DOORS TREATED FOR LONGER LIFE



# 5-PANEL \$279 DESIGN \$2And Up

1-PANEL \$285 DESIGN \$2And Up

3-PANEL \$232 DESIGN \$2And Up

• All joints mortis
Wide stiles and rails and the
crossed rails below lock rail,
make it extra strong. Extra
Hard DeLuxe Antique Bronze
Wire gives longest service.
Shipped from factory in
Chicago, Cincinnati or Newark, N. J. Order from your
Mail Order House, Avg.
shpg, wt., 40 lbs.

14	SIZ	_	HA!	63LM19 16-Mesh	63LM20 16-Mesh
V	Vidth	He	ight	Galv.	Bronze
Ft.	I In.	Ft.	La		
2000	1111.	Lr.	1111.	Wire	Wire
2	61/4	6	7	\$2.79	3.45
2	81/4	6	9	2.89	3.60
2	81/4	7	1	2.95	3.70
2	101/4	6	11	3.00	3.78
222233	1/4	6	9	3.05	3.85
3	1/4	7	1	3.15	3.98

• Made of First Quality Western Ponderosa Pine, 1% inches thick—treated with water-repellent toxic preservative
• Furnished in the natural wood, unpainted, sanded smooth
• Wired with PRO-TEX rust-resisting galvanized or Extra Hard
DeLuxe Antique Bronze Wire for longest service
• Screen wire tightly stretched and held taut with wood molding
• All joints mortised and tenoned to make doors extra rigid
less and rails and the
rails below lock rail, extra strong. Extra
Luxe Antique Bronze
ves longest service.
Shipped from factory in
Chicago, Cincinnati, Newark,
N. J. or near Boston, whichrom factory in Chicago, Cincinnati, Newark,
N. J. or near Boston, whichrefrom your Mail Order House.
Average shipping wt., 40 lbs.

SIZE [63LM19] [63LM19] [63LM16] [63LM17]

SIZE [63LM16] [63LM16] [63LM17]

SIZE [63LM16] [63LM16] [63LM17]

1	SIZ	E		63LM22	63LM23		
1	Width	He	ight	Galv.	16-Mesh Bronze		
t.	In.	Ft.	In.	Wire	Wire		
2 2 2 2	61/4	6	7	\$2.85	\$3.35		
2	81/4	6	9	2.98	3.55		
2	81/4	7	1	3.05	3.65		
2	101/4	6	11	3.10	3.75		
3	1/4	6	9	3.15	3.80		
2	1/	7	7	2 25	2 05		


	SIZ	E	Fal	63LM16	63LM17
_	Vidth	-	ight	Galv.	16-Mesh Bronze
Ft.	In.	Ft.	In.	Wire	Wire
2222233	61/4	6	- 7	\$2.32	\$2.98
2 2	81/4	6	9	2.46	3.18
2	101/4	6	11	2.57	3.37
3	1/4	6	1	2.69	3.43

# INSULATE WITH SEARS STORM SASH

### **All Prices Reduced** From Last Fall

From Last Fall

Made of First Quality smoothly
sanded Western Pondosa Pine,
1½ in, thick and glazed with clear
glass. Hardware not included,
Our 2-light storm sash is illustrated, Ventilators in bottom
rail of sash as illustrated are
not included in price; if wanted add 15c each to prices of
storm sash shown below. To
order, measure space in which
storm sash is to fit. Specify
width first on your order. Opening size of our sash is slightly
larger than listed and sufficient to
allow a good saug fit. For shog,
wts., add 25 lbs. for every bundle
of 6 sash or less. Shipped from
factory in Chicago or Newark,
N. J. Order from your Mail
Order House.



	ZE C			2 LT. DESIGN	Ac.			OF S	ASH	2 LT. DESIGN	Ac.		ZE OF		ASH	4 LT.	
10	10.00	100		Illus.	Wt.		100	-color (nice)	- Alleria	Illus.	Wt.	-	1/8 -in.	tn	ick	DESIGN	Ac. Wt.
Wi	dth	He	ight	Above	Lbs.	Wi	Width   Height		Above!	Lbs.	Width   Height		Illus.	Lbs.			
Ft.	In.	Ft.	In.	63LM7292	SPACE!	Ft.	In.	Ft.	In.	63LM7292	200	Ft.	In.	Ft.	I In.	63LM7295	LUS,
1	4	3	115%	\$0.89	11	2	4	4	7%	\$1.51	20	2 2	1	3	115%	\$1.32	16
1	6	3	11%	.94	12	2 2	4	4	1115%	1.53	21	2 2	1	4	35%	1.37	17
1	6	4	75%	1.09	13	2	4	5 5	35%	1.64	23	2	1	4	7%	1.45	18
1	6	5	35%	1.24	16	2	4	5	7% 11%	1.72	25 26	2	i	5	11% 3%	1.56	19
1	8	3	115%	1.04	12		-	_				2	5	3	115%	-	
1	8	4	75%	1.14	14	2 2	6	3	115%	1.40	19	2	5	4	35%	1.43	18
1	8	5	11% 3%	1.27	15 16	2	6	4	7% 11%	1.53	21 23	2	5	4	75%	1.64	20
1	10	3	115%		100000000000000000000000000000000000000	2 2 2	6	5	35%	1.77	24	2	5 5 5	4	115%	1.71	21
1	10	4	75%	1.11	13 16	2	6	5	7%	1.89	26	2	5	5	35%	1.80	22
î	10	4	115%	1.35	17	2	8	3	115%	1.46	21	2	_ 5	5	7%	1.93	23
1	10	5	35%	1.40	18	2	8	4	75%	1.64	23	2	9	3	115%	1.53	20
1	10	5	7%	1.46	19	2	8	4	115%	1.77	24	2 2	9	4	3% 7%	1.71	22
222222	0	3	7% 11%	1.11	13	2 2 2 2 2 2	8	5 5	35%	1.89	25	2	9	4	11%	1.79	23 24
2	0	3	11%	1.22	15	2	8	5	7% 11%	1.90	27 29	2	9	5	356	2.03	25
2	0	4	35%	1.28	16	2	10	4		1.72	25	2	9	5	7% 11%	2.10	27
2	0	4	7%	1.35	17 19	2	10	4	7% 11%	1.89	25	2	9	5	11%	2.23	29
2	0	5	35%	1.46	21	2	10	5	35%	1.90	27	2	11	4	7%	1.84	24
2	0	5	7%	1.53	22	2	10	5	7%	2.18	29	J 50	-	-			
2	2	3	115%	1.28	16	3	0	4	75%	1.92	26		FR	EE	ESTI	MATES	
2	2	4	75%	1.40	19	3	0	4	115%	1.93	27	Le	et ou	r	Estir	nating	De-
2	2	4	115%	1.46	20	3	0	5	35%	2.21	29	pa	rtm	ent	give	you a	ree
2 2 2 2 2 2 2	2 2	5	35%	1.53	21 22	3	0	5	7%	2.23	31	te	rial	VO	u n	all the r	na-
2	-	3	7%			3	4	4	115%	2.23	31	m	odel	OF	rebu	ild. We	can
2	4	3	11% 3%	1.35	17 19	3	4	5	3%	2.41	32	u	ndou	bt	edly	save y	you
-	1 4	-	378	1.40	13					******	2.5	CO	nsid	era	ble	money	by

Let our Estimating Department give you a free estimate on all the material you need to remodel or rebuild. We can undoubtedly save you considerable money by eliminating needless "extras." No obligation for this service.

BUY ON EASY PAYMENTS
Why wait to modernize or improve your home when as little as \$5.00 a month will bring you up to \$57.50 worth of materials? Turn to Page 5 for our Easy Payment Plan; also F.H.A., Page 989.

SEARS PAGE 21017

# ALL SEARS GLAZED SASH PROTECTED FROM

WITH WATER-REPELLENT PRESERVATIVE . . AT NO EXTRA COST

NOW—Sears Glazed French Windows, glazed sash and Frames are prosected from decay and distortion by a carefully tested and approved water-repellent Toxic preservative. This proven treatment has been specified by architects for 15 years on expensive projects. Sears give it to you at no extra cost! It checks all kinds of decay, fungus growth and blue stain, and makes sash last longer than untreated sash.

Sears French Windows will give

Sears French Windows will give your home a definite air of distinction. They may be opened full length, thus providing maximum ventilation. They admit more light than ordinary windows. Sears offer them at money-saving prices.

For Single French Windows, see 6-light sash 63 LM 5080 below or 8-light sash 63 LM 7018 on opposite page.

Sears French Windows are made of First Quality Western Ponderosa Pine, 1%-in. thick, glazed with clear glass and fitted with astragal to cover and seal the joint between sash. "Swing-out" or "swing-in" style. Bottom rails of sash to swing in are rabbeted to fit our Frame No. 63 LM 619. Shipped from warehouse in Chicago or our own factory in Cincinnati or Newark, N. J., whichever is nearest. Order from your Mail Order House.

Overall Openin	g Ave.	No of	FRENCH	WINDOWS
Size Per Pair Width Heigh	Shpg.	No. of Lights Per Pair	To Swing Out Price per Pair 63 LM 5256	To Swing In Price per Pair 63 LM 5257
	1/2 21 1/2 25 1/2 26 1/2 28	12 12 12 12	\$1.95 2.35 2.10 2.35	\$2.10 2.50 2.25 2.50
3 01/2 4 5	34 28 34 31 34 30 34 31 34 36	16 16 16 16	2.85 3.10 2.95 3.15 3.30	3.00 3.25 3.10 3.30 3.45

# Frames and Trim Sets for French Windows

FRAMES: Protected with special water-repellent preservative as described above, We use weather-resisting thoroughly seasoned lumber, accurately milled and tightly assembled. These frames are made for use with the various sash listed below, as well as the casement sash (French Windows) shown here. For regular frame house walls (2x4 studs covered with sheathing and siding or shingles outside, and lath and plaster inside). Outside casings 1½ inches thick; jambs 1½ x5½ inches; rabbeted to fit 1½-inch sash. Furnished in

two styles 63 LM 617 for sash to swing out, and 63 LM 619 for sash to swing in. Order by catalog number and state size. Average shipping weight of frames, 32 pounds. See shipping points above.

TRIM: First Quality Yellow Pine—no knots, blemishes or imperfections. Two types, "swing-in" or "swing-out." Choice of Backband (2-member) or Round Edge (1-member) as illustrated below. Matches window trim described on Page 1015. Order by catalog number and state size. Av. shpg. wt., 12 lbs. per set.


Part of		COLUMN TO SERVICE STATE OF THE PERSON NAMED IN COLUMN TO SERVICE STATE OF THE PERSON NAMED STATE OF THE PERSON NAMED STATE OF THE PERSON NAMED STATE OF THE PERSON NAM
	HEAD JAMB	
	SIDE	
	SILL	

Detail of French Window Frame.


Opening Size of Pair—Sash	FRA	MES	BAND	SETS ROUND DESIGN
Width Height Ft. In. 2 8½ 2 11½ 3 0½ 3 5½ 3 4½ 2 2 11½ 3 0½ 3 9¾ 3 0½ 3 9¾ 3 0½ 3 9¾ 3 0½ 4 5¾ 3 0½ 4 5¾ 3 0½ 4 5¾ 3 0½ 4 5¾ 3 0½ 4 5¾			For Sash to Swing In 63LM69 \$0.82 .91 .98 .98 1.07 .98 1.12 1.17	



Detail of Trim. Backband design a t left and Round Edge de-sign at right.



# ALL SEARS SASH TREATED AGAINST MOISTURE, DRY ROT, FUNGUS AND VERMIN



# Barn and Casement Sash

Made of First Quality Western Ponderosa Pine selected for strength and durability, with preservative treatment described above. Mortised and tenoned joints strengthened by crosspinning with steel reinforcing pins. Recommended for houses, barns, attics, basements, sheds, etc. All glazed with clear glass.

# SHIPPING POINTS

All Sash on this page shipped from warehouse in Chicago or our factories in Cincinnati or Newark, N. J. Order from your Mail Order House.

A 4-LIGHT SASH								
_	dth	Hei	ight I In.	1 1/8 In. Thick 63 LM 7261	13% In. Thick 63 LM 5082	Shpg. Wt., Lbs.	FRAMES 63 LM 617	Shpg Wt., Lbs.
1 1	8 10 10	2 2 2	1 5 9	\$0.69 .78 .84	\$0.74 .83 .89	11 14 16	\$1.32 1.57 1.68	17 20 22
2 2 2 2	0	2 2	5 9	.82	.87	14 16	1.62	21 23 24 25
2	4	2 2	5 9	1.05	1.11	18 19	1.72 1.83	24 25

### ONE LIGHT SASH AND (B) 0 3-LIGHT SASH

100		. 11-2	-14	1-Light	3-Light	Shpg.	\	Shpg.
WI	dth	не	ight	13% -Inch	13% - Inch	Wt.	FRAMES	Wt.,
Ft.	In.	Ft.	In.	63 LM 7211	63 LM 7013	Lbs.	63 LM 617	Lbs.
1	8	2	1	\$0.67	\$0.90	11	\$1.32	17
1	8	2 2 2	1 5 1	.74	.93	13	1.45	19
1	10	2		.74	.94	12	1.44	18
1	10	2	5	.82	1.02	14	1.57	20
1 2 2	0	2 2	1	.82	1.02	13	1.49	19 21
	0	2	5	.88	1.08	14	1.62	21
2 2 2	4	1	9	.76	.90	12	1.53	19
2	4	1 2 2	1	.88	1.08	14	1.59	19 21 23
	4		5	.96	1.15	17	1.72	23
2 2 2	4	2 2	9	1.03	1.23	19	1.83	25
2	4	2	11	1.09	1.29	20	1.91	25 26 28
2	8	2	111	1.21	1.40	23	2.03	28

# FREE ESTIMATING SERVICE

Send us a list of your millwork, lumber, etc. Let us estimate cost delivered to your freight station.

# Frames for Single Sash

Same style and construction as Frame for French Windows shown above. Easily put together. Prices of "swing-out" type frames will be found above in price tables for sash they fit. For "swing-in" frames order Catalog Number 63 LM 619 and allow same price as for "swing-out" frame. Shipping paths of the price of the pri

### 0 9-LIGHT SASH

Wi	dth	He	ight	13% In. Thick	Wt.,	FRAMES	Wt
Ft.	In.	Ft.	In.	63 LM 5081	Lbs.	63 LM 617	Lbs.
1	10	2	5	\$1.17	14	\$1.57	20
2	1	2	.8	1.29	15	1.79	22
	4		11	1.40	16	1.91	26
2 2	4	3	5	1.56	20	2.08	28
2	7	3	5	1.66	17	2.20	29
2	10	3	5	1.74	19	2.28	30

### E 6-LIGHT SASH

Wi	dth	Hei	ight	Thick	Thick	Wt.	Frames	Shpg. Wt.,
Ft.	In.	Ft.	In.	63 LM 5054	63 LM 5076	Lbs.	63 LM 617	Lbs.
2	4	2	1	\$0.89	\$0.96	14	\$1.59	21
2	7	2	5	1.02	1.09	17	1.84	24
2	10	2	5	1.08	1.14	18	1.93	26
2	10	2	9	1.17	1.26	20	2.04	27
2	10	3	1	1.44	1.54	22	2.12	28

### (E) 6-LIGHT SASH

W	Width Height		eight	1 1/8 Inches Thick	1% Inches Thick	Shpg. FRAMES Shi		
Ft.	In.	Ft.	In.	63LM5079	63LM5080	Lbs.	63LM617	Lbs.
1	41/4	2	111/2	\$0.84	\$0.94	12	\$1.53	22
1	6/4	3	111/2	1.01	1.13	13	1.76	23 24
-	01/4	3	F1/2					25
1	101/4	3	51/2	1.01	1.13	13	1.81	25
2	1/4	3	51/2	1.11	1.25	15	1.98	25 26
2	1/4	3	111/2	1.24	1.38	16	2.23	27
2	41/4	3	111/2	1.52	1.68	18	2.33	29

Buy on Easy Payments

Now that you can buy everything on Sears Easy Payments, there's no need to delay improvements in your home—particularly when only a small down payment will order such a lot of modernizing materials. You pay for these materials while you are using them. See Page 5 for information. On orders for modernizing materials amounting to \$100 or over, you can use the F.H.A. plan described on Page 989.

# 3-Light Cellar Sash and Frame




Sears three-light cellar sash are made of Western Pondosa Pine, 196 inches thick and glazed with clear glass. Joints mortised and tenoned. Shipped from factory in Chicago, Cincinnati or Newark, N. J., whichever is nearest, thus saving you freight. Order from your Mail Order House,

		Sas		(G) 3-Lt.	Shpg.	(H)Frames Avg. Shpg. Wt.16 Lbs.	Si	ze of	Sas	h	(G) 3-Lt. Sash 1%	Shpg.	(H) Frames Avg, Shpg.
		Hei Ft.		in. Thick 63LM7245	Wt. Lbs.	Wt.16 Lbs. 63LM790	Wie	In.	Hei	ght In.	in. Thick 63LM7245	Wt. Lbs.	Wt.16 Lbs. 63LM790
	4	1	3	64c 68c	10	81c 89c	2 2	7 10	1	7 5	77c 75c	14 15	\$0.97
2 2 2 2	4 7	1	9 5	75c 71c	11 12 13	94c 94c	2 2	10 10	1	7 9	81c 92c	16 17	1.00

# **Cellar Sash Frame**

Cellar Sash Frame For concrete block, stone, concrete or solid brick wall. Made of Western Pondosa Pine, Jamb, 1¾x5¼ in. Brick mold, 1½x2 in. Average shpg, wt., 16 lbs. For other sizes and types of sash frame see listings of Barn and Casement Sash at left and French Windows above.



# Sears "3-Row" Hot Bed Sash



Made of kiln dried Western Pondosa Pine, 136-in. thick. Standard size 3x6 ft. Width of rows, 10 in. Glazed with 3 rows of clear glass securely held in place with zinc points and finest putty. Rigid construction with mortise and tenon joints securely pinned. Non-sag hardwood crossbar for extra strength. Shipped from Chicago, Cincinnati, or Newark, N.J. Order from nearest Mail Order House. \$3.10

# STANDARD GARAGE DOORS

These doors are correct in design and strong in construction. They will take plenty of abuse. Will not sag, warp or twist. All doors made of high quality Douglas Fir. Door 63 LM 9720 is 1% in. thick and is "all-panel" style. Glazed doors 1¾ in. thick. All corners and cross members accurately milled and held together with strong wood dowels set in water-resisting glue. Sanded smooth, ready for any finish. Can be hung on side hinges, folded against side of garage or run on track as indicated in the small illustrations below. For garage door hardware, see Index. "All Panel" doors shipped only from Newark, N. J. Glazed doors shipped from near Boston or from Newark, N. J. Order from your Mail Order House.



5N

ALL-PANEL STYLE

And Up

Overall Size	Shipping	Per Pair
1% in. Thick	Weight	63 LM 9720
8x7 feet	135 lbs.	\$11.25
8x7½ feet	148 lbs.	11.35
8x8 feet	158 lbs.	11.45




GLAZED 2-DOOR STYLE

Overall Size	Shipping	Per Pair
1¾ in. Thick	Weight	63 LM 9709
8x7 feet	167 lbs.	\$13.45
8x7½ feet	182 lbs.	13.55
8x8 feet	193 lbs.	13.65



GLAZED 3-DOOR STYLE

Overall Size	Shipping	Per Set
1¾ in. Thick	Weight	63 LM 9710
8x7 feet	167 lbs.	\$14.20
8x7½ feet	182 lbs.	14.30
8x8 feet	193 lbs.	14.40



# ONLY \$3 DOWN SEE PAGE 5

Complete door includes all necessary, guaranteed, extra heavy hardware—consisting of 3 pair of 8-inch "T" hinges, angle iron guide tracks, auto door type handle lock, ball bearing triple roller guides, pulleys, steel center rope cable and all necessaryscrews, cord, wire, clamps and mold for making concrete counterbalance weight. To save freight costs, this weight is not included. Shipped from Our Mail Order House, factory in Newark, N. J., Cincinnati, Ohio or Warehouse in Boston, whichever is nearest. Order from your Mail Order House.

63 LM 423—Overhead Door. Shipping weight, 189 lbs.. \$26.50

# THE SIMPLEST AND SAFEST OVERHEAD DOOR MADE . . AND ONLY SEARS HAVE IT!

· A fully patented, exclusive Sears Design

Consists of two sections, upper and lower, hinged in the middle and permanently suspended at the top
 Made of smooth-sanded genuine Douglas Fir, 1% in. thick panels of 3-ply Douglas Fir Plywood

Upper section glazed with clear glass firmly held with molded wood beads

All corners and cross members are accurately milled

Size, 8 ft. wide by 7 ft. 10 in. high; clearance, 7 ft. 2 in. in height when opened

• Easy to install-we furnish hardware and instructions

No more struggling to open a garage door blocked by snow or ice! No more damage due to doors blowing open! No more heavy work opening or closing, or repairs due to getting out of order. Sears offer a door that definitely ends these troubles. Ordinarily, such a door should cost more, because it gives more, but that's not Sears policy. We give you this improved door for about half what you would pay for an ordinary overhead door!

This Patented Overhead Door is the simplest, safest, and easiest operating door on the market. It is fully patented and can be purchased only from Sears. It's the ideal door for private or public garages, gas and oil service stations, factories, fruit and vegetable markets, road stands and many others.



The operation of the door is simplicity itself—nothing to get out of order. Door is balanced by counterweight hung from two ropes suspended from pulleys.



Showing ease of opening door from outside—a slight pull outward, and the door literally floats up out of the way, forming protective overhead canopy.

F.H.A. Financing plan help solve your modernizing problem. See Page 989.

# PORCH SASH

Our 5-light or 8-light Porch Sash are protected with the special water-repellent preservative described on opposite page. Made of First Quality Western Pondosa Pine, 134 inches thick and glazed with clear glass. Shipped from Newark, N. J. or Cincinnati, Ohio, whichever is nearer. Order from your Mail Order House.

- 188	From your Wall Order House.									
		SIZE OF SASH Width   Height				(A) 5-Lt. Sash	(B) 8-Lt. Sash			
	Ft.	In.	Ft.	In.	Lbs.	63LM7299	63LM7018			
	$\frac{1}{1}$	61/4	3 4	934 534	13 15		\$1.38 1.52			
	1 1 1	81/4	3 4 5	934 534 134	14 16 17	\$1.62 1.83	1.42 1.54 1.66			
	1 2 2	101/4	4 4 5	534 534 134	18 19 20	1.74 1.85 2.13	1.60			
	2 2 2 2 2	21/4 41/4 41/4	4 4 5	534 534 134	21 23 24	1.95 1.99 2.26	2.16			



# FINE QUALITY CLEAR GLASS

Fine quality clear glass. Sizes listed below can be furnished only in quantities shown. Avg. shpg. wt., per box, 70 lbs. Shipped from factory in Chicago, Newark, Phila-delphia or Boston, whichever is nearest. Order from our Mail Order House.

63	LIVI 7268—State	size.
Glass Size, In.	No. Lights Per Box	Per Box
7x 9	114	\$3.47
8x10	90	3.47
9x12	67	3.47
10x12	60	3.47
10x14	51	3.47
10x20	36	3.62
12x14	43	3.62
12x18	33	3.62
14x20	26	3.62
20x24	15	3.94
24x24	12	3.94
24x26	12	3.94
24x28	11	3.99
26x26	11	3.99
26x28	10	3 99



SEARS E PAGE 1019



Style "K," 2-panel design. Catalog Number 63 LM 193 (in Fir). Our feature interior door, recom who require simple, yet attractive design. recommended to those

\$259 And Up

Size of Doors 1% In. Thick

Width | Height

Style "L," 1-panel design, Catalog Number 63 LM 191. Comes in Douglas Fir only.

Style "L"

Door Only No. 1 Fir SinglePanel 63LM191

\$2.62 2.75 3.03 3.18 2.80 3.10 3.23 3.38

State catalog number and size, giving width first. If the door jamb or frame is already in place, take size from that. For new openings, first make rough opening 3 in. larger

Style "K" 5

Door Only No. 1 Fir Two-Panel 63LM193

\$2.59 2.72 3.00 3.14 2.76 3.06 3.18 3.34

762 And Up

Style "M" DOOR SET(Consists of Jamb,
Trim and Hardware.)

Band Trim 63 LM 518

\$3.29 3.29 3.29 3.29 3.31 3.31

With Round Edge Trim 63 LM 520

\$2.935 2.955 2.957 2.955 2.957 2.957 2.995

Easy to Order—Here's All You Have to Do

Door Only No. 2 Fir 4 Panels 63LM140

\$2.64 2.76 3.01 3.15 2.80 3.07 3.19 3.32

Style "M," 4 raised panel design. Catalog No.63LM140. In Douglas Fir only.

each way than finished door. This allows space for setting door jamb, supporting blocks and finished floor. See below for description of Door Sets, Jambs and Trim.

Backband RoundEdge Design Design Per Side Per Side 63LM876 63LM9452

Without Stops Per Set 3LM 7951

With Door Stops Per Set 63LM7969

# **Sears Guarantee Quality**

Dress up your home with one of Sears Modern Interior Doors. Their outstanding beauty is backed up by faultless construction and precision workmanship. Like everything else at Sears, Sears guarantee that the materials, the construction and the finished door will give you utmost satisfaction. And it goes without saying that you also make a substantial saving in spite of the high quality. Shown at right are the prices of doors only, also "door sets" consisting of jamb, trim and hardware. We recommend purchase of "door sets" because they eliminate cutting and fitting, provide a first class job, afford extra savings and you get a door already mortised for lock. See description of "door sets" at right below.

# **Cupboard Doors**

First Quality Pine, 34-inch thick. 3-ply Douglas Fir Panels. Use for doors and sides of cabinets, plumbing access doors, etc.

	-	doors, etc.					
	V	/ic	ith	Н	t.	Cupboard Doors	Shpg.
	F	tı	In	Ft	In	63LM2650	Wt. Lbs.
	F 1		00	2	In 0	\$0.50	5
<b>建 医乳腺性质量</b>	1		0	2	6	.60	6
			0	3	0	-66	8
AND THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS			2	2	0	.52	6
	1		2	2	6	.64	.7
			2	3	0	.70	8
		1	2	4	ő	.90	10
	1		4	2	0	.56	7
A TALLET A STATE OF THE STATE O			0022222444446666	2	6	-68	8
<b>12 12 20 20 30 10 10 10 10 10 10 10 10 10 10 10 10 10</b>		a	4	3	6	.86	10
(2) (2) (2) (2) (2) (2) (3) (3) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	1	ı	4	4	0	.94	11
		9	6	2	0	.58	8
		a	6	3	6	78	10
	1	1	6	3	6	.90	11
<b>《</b> 图》(本意见则作及影响	1	9	6	4	0	1.00	12
		١	8	2	0	-58	10
Charles and the same of the sa	1		8	3	6	.84	12
1000 05100	1 1 2		6888880	Ft 2233223342233422334223342	6	.60 .66 .76 .52 .64 .70 .568 .74 .94 .58 .70 .78 .70 .78 .76 .84 .84 .84 .84	5 6 7 8 6 7 8 9 10 7 8 9 10 11 12 12 13 14 13
1020 * SEARS	2		0	2	0	1.08	13
	-		-		-	.04	

# **Complete Door Sets Save Time and Money**

When you buy "door sets" with doors, your saving is greater, for in addition to your saving on the door, you enjoy the additional saving on the jamb, trim and hardware which make up the set. And on top of that, any door you select with the set will be mortised for the lock at no extra charge (see detail of mortise at right). With door sets there is no sorting or hunting for various parts. Reduce carpenter bills . . . and get a better job! Every piece of trim is cut to approximate size—no waste, no loss, no shortage. And you take no chance of spoiling the door because of poor mortise. Shown at right are the items included with door sets.


In the price table above we show prices for door sets for any door listed.

- Shown at right are the items included with door sets.

  In the price table above we show prices for door sets for any door listed on these two pages. "Door sets" consist of:

  1. INSIDE DOOR JAMB of 1st Quality Pine, 63 LM 7969 as illustrated at right. Size, \$\frac{3}{2}\text{\$\frac{3}{2}\$}\text{\$\frac{1}{2
  - 3. ONE SET OF HARDWARE consisting of solid steel bit-key 3-tumbler lock and 2 wrought steel butt hinges, all in dull brass finish. Also key and screws for hardware.

**NOTE:** Doors ordered at the same time with door sets are mortised at no extra charge for lock we furnish—a saving of time and money for you.




# OORS "HAVE EVERYTH

PRICE SAVINGS... BUY ON EASY TERMS... SEE PAGE 5

Hard to believe that doors of such sterling high quality can be had at these low prices—but only Sears can offer such values! Our millwork factories are among the world's largest and most modern. The precision milling and fitting are unsurpassed. Each door is attractively grained and smoothly sanded, ready for any finish. Doors are 1% inches thick and conform in all respects to standard grading practice adopted by National Door Manufacturers' Association. Doors of Douglas Fir have

solid Fir side, top, bottom and cross rails and beautifully grained 3-ply laminated Douglas Fir panels. Doors of No. 2 Fir, while lower priced, are as strong, serviceable and well made as doors of No. 1 Fir but may have a few small imperfections that are usually concealed under dark stain or paint. Remember—you can include doors and other millwork in an Easy Payment order and send only a small down payment with your order. See Page 5.



Style "N," 3-flat-panel design. Catalog No. 63 LM 756. Comes in Douglas Fir only. \$235

Style "P," Single-Insert-Panel design. Cat. No. 63LM181. Comes in Douglas Fir only. \$342

Style "R," 5-flat-panel design. Catalog No. 63 LM 204. Comes in No. 2 Fir only. \$238

# **Mirror Doors**

Mirror Doors

A Mirror Door is a real necessity. Serves an extremely useful purpose in bedrooms, halls and other rooms and lends an air of distinction as well as making the room seem larger. Our Mirror Door pictured directly above is glazed on one side with finest quality, thick, polished, genuine-plate glass mirror. Absolutely clear images are reflected from any distance. The door itself is otherwise the same as our Style "P" door at left, being made of First Quality Douglas Fir, 1% in. thick. Mirror sets flush with face of door. This door, being heavier, requires three 3½-inch butt hinges instead of the usual two as on other interior doors. "Door sets" are illustrated and described on the opposite page. Sears low prices afford definite savings.

	ize o			Av.	No. 1
Width		neight		Shpg.Wt.	Mirror Door
Ft.	In.	Ft.	In.		63LM9045
2 2 2 2	0 4	6	6	67	\$15.29 18.72
2	0-	6	8	69	15.91
2	4	6	8	72	19.60

Buy a new Mirror Door on Easy Payments! See Page 5.

# Sears Shipping Service is Unsurpassed

All items on these two pages are **shipped from** our own factory in Newark, N. J. Send all orders to Philmediate shipment of every order, large or small. mediate shipment of every order, large or small

								the state of the state of			
Size of Doors 1% In. Thick	Av. Shpg.	Style "N" Door Only		Style "R"		T (Without on opposite			Sets Only		mbs Only
Wdth.   Hght.	Wt.,	No. 2 Fir	No. 1 Fir	No. 2 Fir	With Back	With Round		Backband Design	Round Edge Design	Without Stops	With Door Stops
Ft.   In. Ft.   In.	Door Only	3-Panel 63 LM 756	1-Panel 63 LM 181	5-Panel 63 LM 204	Band Trim 63 LM 518	Edge Trim 63 LM 520	Wt.Lbs.	Per "Side" 63LM876	Per "Side" 63LM9452	Per Set 63LM7951	Per Set 63LM7969
2 0 6 0	33 lbs. 35 lbs.	\$2.35 2.46	\$3.42	\$2.38 2.50	\$3.29	\$2.93	44 47	78c	60c	89c	\$1.08
2 4 6 6	37 lbs.	2.71	3.82	2.75	3.29	2.95 2.95	48	78c 78c	61c 61c	89c 89c	1.08 1.08 1.08
2 0 6 8	41 lbs. 37 lbs.	2.85	3.97	2.89 2.54	3.29	2.97	49	78c 79c	62c 61c	89c 89c	1.08
2 4 6 8 8	40 lbs. 43 lbs.	2.77	3.88	2.81	3.31	2.95	48	79c 79c	61c 62c	89c 89c	1.08
2 8 6 8	46 lbs.	3.02	4.16	3.06	3.31	2.99	50	790	630	890	1.00

# No money down when you finance a modernizing program under F.H.A. Plan. Up to 36 months to pay, new low finance charges. Details on Page 989.

French Doors Make Rooms Seem Larger Interiors seem so much larger when rooms are connected with French Doors. Put them between living room and dining room or at entrance to sun parlor or vestibule. They are really interior windows, giving extra light while still affording privacy. Sears offer First Quality Douglas Fir French Doors, 1% inches thick, of approved standard design, nicely grained, accurately milled, tightly assembled, well glazed and smoothly sanded ready for any finish. Standard "T". Astragal furnished to cover and seal joint between the two doors. Offered in choice of 10-light or 15-light designs, in pairs. Small view at left shows glass arrangement on 15-light design. For single French or Terrace door, see our 15-light design 63 LM 886 on Page 1012.

We also list, for your convenience, outside door frames, inside door jambs and door trim to fit these French doors. These items are described on opposite page. All items shipped from our own factory in Newark, N. J. Order from Philadelphia.

**Send for Free Estimate** 

Let our expert estimators figure the cost of your modernizing or remodeling needs. Send us your list of building materials required—millwork, lumber, roofing, insulation, paint, etc., and we will send you the complete cost including transportation charges to your station. We often are able to save our customers considerable money by eliminating needless special or "made-to-order" designs that increase the cost but add nothing to the value of your home.

**NEW F.H.A. FINANCE PLAN** 

add nothing to the value of your home.

# HOW TO ORDER FRENCH DOORS

State catalog number, thickness and size of pair. We recommend using three pair 3½-inch butt hinges for hanging. See Index for lock sets. We recommend you use only our standard "French door locks" with these doors. Frames, Jambs and Trim are described on Page 1020: These items are also listed below.

Size of Pair			No. of lights	Only Per Pr.	Frames	Inside Door Jamb	Trim-P	er Side	
	dth	Hei	ght	Each	1% In. Thick	Only	Only	Backband	Round Edge
Ft.	In.	Ft.	In.	Door	63 LM 9698	63 LM 792	63 LM 7969	63 LM 876	63 LM 9452
4	0	6	6	10	\$8.20	\$4.17	\$1.27	\$0.95	\$0.71
4	ő	7	ő	10	8.45 8.95	4.24	1.30	.97	.72
5	0	6	6	15	10.10	4.55	1.30	.97	.75
5	0	6	8	15	10.20	4.62 4.75	1.30	.97	.75 .76 .79
	, 0		U	13	10.75	4.70	1.30	.97	.79

Average shipping weight of French Doors, 100 pounds: Frames, SEARS \* PAGE 1021

All Sears lumber is accurately milled by the most modern machinery, and strictly up to or better than the grade indicated below, which is in accordance with the practice of responsible National Lumber Associations. "B and Better" Grade is the finest lumber ordinarily used and is often called Clear. The "A" Grade Cedar is practically flawless. "No. 2 Common" Grade and "D" Grade, may contain a few imperfections, but they do not affect strength or usability. No. 3 Common contains imperfections which do not affect usability as shelving.

Regardless of your needs in lumber, Sears can supply you. We have countless other items and patterns in stock, and in a variety of woods. Tell us what you want and we will quote you on the most suitable size and grade for your needs. We guarantee to save you money!

All lumber items are shipped direct from our own factory in Newark, N. J. Order from Philadelphia.

For Easy Payments, see page 5.

N	Catalog lumber	Name	Finished Size Inches	Wood	Grade	No. of Sq. Ft. 100 Lin. Ft. Will Cover	Wt. 100 Lineal Feet	Price Per 100 Lin. Feet
	33 LM 433 33 LM 434		7/16x 51/2 3/4 x 75/8	Red Cedar Red Cedar	"A"	37 53	50 lbs. 93 lbs.	\$2.25 4.80
(B) 6	3 LM 435 3 LM 436	Ceiling	%x 31/4 %x 31/4	Fir Fir	"B & Better" "D"	27 27	47 lbs. 47 lbs.	1.75
	3 LM 437 3 LM 438	Flooring Flooring	25/32X 31/4 25/32X 31/4	Fir Fir	"B & Better" "D"	27 27	63 lbs. 63 lbs.	2.00
(D) 6	33 LM 431	Drop Siding	34x 57/16	Fir	"B & Better"	43	90 lbs.	3.10
(F) 6 (G) 6 (H) 6	3 LM 98 3 LM 99 3 LM 102 3 LM 103 3 LM 104	Finish-Lumber Finish-Lumber Finish-Lumber Finish-Lumber Finish-Lumber	34 x 156 34 x 358 34 x 558 34 x 758 34 x 958	W. P. Pine W. P. Pine W. P. Pine W. P. Pine W. P. Pine	No. 2 Common No. 2 Common No. 2 Common No. 2 Common No. 2 Common		40 lbs. 80 lbs. 120 lbs. 160 lbs. 200 lbs.	1.25 2.25 3.25 4.25 5.25
(L) 6	3 LM 105	Finish-Lumber	34 x11 5%	W. P. Pine	No. 2 Common		240 lbs.	6.75
(L) 6	3 LM 97	Shelving	%x11%	W. P. Pine	No. 3 Common		240 lbs.	4.95

W. P. Pine means Western Ponderosa Pine. Items (B), Ceiling and (C) flooring are Flat Grain and width indicated is face width not including tongue. Lumber furnished in random (mixed) lengths. For specified lengths write for price.



Made of Finest Quality Yellow Pine, clear and free from imperfections, and ideal for varnish, paint, enamel or stain. Standard designs molded smooth by accurate machines. Money can't buy better. Comes in good average random (mixed) lengths. You may order less than 100 feet if you wish, at proportionate prices. For specified length write for price. (The Thresholds are Oak.)

Shipped from factory in Newark. N. I. Send

Shipped from factory in Newark, N. J. Send your orders to Philadelphia. Write for prices on patterns, woods and sizes not listed here.

# Easy Payments and F. H. A.

Buy your millwork, lumber, insulation, roofing, all build-ing material on Sears Easy Terms described on Page 5 or F.H.A. Financing Plan explained on Page 989.

Item	Catalog   Number	Size Inches	Shpg. Wt., Lbs.	Per 100 Lin. Ft.
(N) R. E. Base (N) R. E. Casing	63LM8828 63LM8308	34 x7 1/4	120	\$7.10
R. E. Casing	63LM5590	34 x 5 1/2	100	3.55 5.25
(P) O. G. Base (R) Chair Rail	63LM5384 63LM8627	% x4½ % x2½	70 40	3.95
(S) Chair Rail	63LM5592 63LM8065	5% x3 1/4	60 18	3.15
(S) Quarter Rd. (T) Cove Mold (U) Carpet Strip	63LM8060 63LM8422	34 x 1/8	15	.79

(V) Oak Thresholds-%x3% in. 63 LM 8278-State Length.

Length	Shpg. Wt.	Each	Length	Shpg. Wt.	Each
33 in.	2 lbs.	18c	49 in.	3 lbs.	30c
37 in.	2 lbs.	20c	61 in.	4 lbs.	40c



Sears Shingles are made of genuine Red Cedar that means positive protection, appealing beauty, long life, extremely low cost of upkeep and a high degree of insulation. Red Cedar Shingles will resist the onslaughts of weather and present an appearance that is at all times stylish, artistic and substantial, will last many years. Figured by the cost per year of service, Sears Red Cedar Shingles.

# STAINED RED CEDAR SHINGLES

Shipped from factory near Boston Mass, or in S. E. Michigan whichever is nearer. You pay freight from nearer point. State color wanted. 63 LM 734—XXXXX (No. 1 Grade) 16 in. long; 100% edge grain and free from sap. 5 of these shingles measure 2 in. thick at butts. 1 carton when laid 5 in. to weather covers 25 square feet. Shpg. wt., per carton, 40 lbs.

PRICE	Green Red or Brown	Blue Tan or Gray	White-Prime Coat Only
Per Carton	\$2.10	\$2.30	\$2.30
CO   BA 70F	D . C	D 1 C 1	CI I

63 LM 735—Perfection Red Cedar Shingles 18 in. long: 100% edge grain, 100% clear, 100% free from sap. 5 shingles measure 2½ in. thick at butts, 1 carton laid 5½ in. to weather cover 25 sq. ft. Shgg. wt., per carton, 40 lbs.

PRICE	Green Red	Blue Tan	White-Prime
	or Brown	or Gray	Coat Only
Per Carton	\$2.25	\$2.45	\$2.45

# Send for a Free Estimate

Sears will gladly quote you a price, including transportation charges to your station, on any building materials. Send us a list of the materials you will need and let our trained estimators help you. This service is free. No obligation.

PAGE 1022 \* SEARS

gles are as high quality and about as low priced

as you can buy.

Offered in two styles, plain or stained. Stained shingles are offered in choice of six handsome colors. If you wish to purchase plain shingles, you can probably effect a slight saving by dipping or painting them yourself. Sears Shingle Stain is ideal for this purpose—see Page 1053.

# PLAIN RED CEDAR SHINGLES


Shipped in bundles from factory in Newark, or Boston, whichever is nearer. Send order to Philadelphia, Illustrated above. Choice of two grades. Shingles are 12 in. clear or better. Do not contain more than 1 in. of sapwood for the first 10 in. 5 of these shingles measure 2 in. thick at butts. 1 bundle when laid 5 in. to the weather covers 25 sq. ft. \$1.29

63 LM 731—No. 1 Grade; 16 inches long. These shingles are all edge grain, strictly clear and contain no sapwood. Size, thickness, coverage and weight the same as No. 2 grade. Shipping weight, \$1.49

Remember, you can include Sears Red Cedar Shingles in an F. H. A. loan, as indicated on Page 989 or an Easy, Payment order as on Page 5.

# **Wood Fence Pickets**

Beautify your home and protect your lawn from stray animals by enclosing it with an attractive picket fence. These pickets are made of good clear lumber that is free from knots and open imperfections. We have substantially reduced the price from our last catalog. Size, 34x 2½ inches by 4 feet long. Sold only in bundles of 20 pickets. Shipped from our own factory in Newark, N. J. Send order to Philadelphia.





Nothing can match the beauty of Oak Flooring, and Sears low money-saving prices make it easy to own. It is easy to clean and keep clean. Doesn't split or splinter or form dirt-catching crevices. Takes a high gloss and with proper care will last a lifetime. Adds materially to the permanent value of your home. Sears grades meet fully the standard grades maintained by the National Oak Flooring Manufacturers' Association. All Sears flooring is smoothly finished, tongued and grooved with ends matched. None better made at any price. Furnished in standard length assortments according to grade.

"Clear" or first grade is the best grade of flooring made. It is preferred for principal rooms where floors are largely exposed. Practically free from all imperfections. Bundled in lengths 2 ft., and up; not to exceed 20% under 4 feet, 80% in longer lengths. Average length, 5 feet.

"Select" is the second grade of flooring. Suitable for any room. Permits minor defects only, which do not affect general appearance or wearing quality. It is equally suited for use in low priced homes, stores, offices and apartments. Bundled in lengths of 2 feet and up, average length 4 feet.

"No. 1 Common" is third grade of flooring and is suitable for most any room. This grade permits some imperfections which do not affect general appearance or wearing quality. Bundled in lengths of 2 feet and up, the average being 3 feet.

# HOW TO ORDER OAK FLOORING

Multiply the width of the room by the length to find the number of square feet to cover. Add to this one-third extra to allow for the tongue and groove when ordering 1\(\frac{1}{2}\kappa-22\dagga-inch or \psi\_x1\dagga-inch size, or one-fourth extra when ordering \psi\_x2-inch size. EXAMPLE: A room 10x10 feet contains 100 square feet, plus one-third equals 134 square feet of \(\frac{1}{2}\kappa-22\dagga-inch flooring needed, or 125 square feet of \psi\_x2-inch flooring.

Flooring shipped promptly from our own factory in Newark, N. J. Send orders to Philadelphia.

Catalog Number	Size *	Grade	Shpg. Wt.,	Price Per 100 Sq. Ft.
63 LM 7426	3% x1 ½	Clear	1 lb.	\$6.75
63 LM 7447	3% x2	Select	1 lb.	5.75
63 LM 7445	3% x2	Clear	1 lb.	7.15
63 LM 7435	13/16X21/4	No. 1 Common	2 lbs.	7.25
63 LM 7434	13/16X21/4	Select	2 lbs.	8.15
63 LM 7433	13/16X21/4	Clear	2 lbs.	8.55

\*NOTE: Above measurements do not include width of tongue.

# HOW TO LAY OAK FLOORING

Use 8-penny flooring nails placed 16 inches apart for ½/6-inch flooring and 4-penny casing nails placed 8 inches apart for ¾/6-inch flooring. See Page 885 for these nails. Hardwood flooring should be laid on a sub-floor, preferably of 1x6 boards. Between sub-floor and flooring we recommend the use of our Tarred Felt Sheathing 48 LM 3054 on Page 1010. Leave about one-half inch between flooring and base board to allow for expansion. This space will be covered by the quarter round or base modding. Lay the flooring at right angles to sub-floor. All tongued and grooved flooring should be blind-nailed. Use ½/6-inch flooring for new floors; use ¾-inch flooring for either new floors or over old floors.

BUILD NOW SEARS EASY TERMS ON PAGE 589

# SEARS KNOTTY PINE



Knotty Pine for interior wall finishing and paneling presents a rustic, mellow effect that grows more charming as the years go by. It gives rooms an atmosphere of sturdy character and it will last as long as your home. Ideal for living rooms, halls, bedrooms, offices, summer cottages, cabins, playrooms, etc. Now, Sears bring you this popular finishing material at real low Mail Order prices. Made from Western Ponderosa Pine that is thoroughly seasoned and selected for soundness and spacing of knots and freedom from open imperfections. Remarkably attractive decorative effects are possible by staining. Thickness, inch. Molded and lapped edges, Furnished in random widths and random lengths. For specified widths or lengths, write for prices. Prices are per square foot. Add to the area to be covered 15% extra for lapped joint and 5% extra for end-cutting waste. Shi pped from factory in Newark, New Jersey or Cincinnati. Order from Philadelphia.

Wi

A enar mirr Beve hold dime inch 15x2


BI A us first for a 10x1 inche shely

# FIR PLYWOOD PANELS

Both sides of these panels are practically flawless and are sanded to satin smoothness. For use where both sides are visible in actual use. The ¼ and ¾-inch panels are made of 3 plies, and the ¾-inch panels are made of 5 plies laid cross-grain and cemented together under terrific hydraulic pressure, with water-resisting glue, to form a solid sheet of plywood, tough, warp-resisting and non-splitting; suitable for hundreds of uses. With strength, rigidity, insulation value, permanence, economy and beauty, this plywood is ideal. It's preferred everywhere for table tops, wide shelves, closets, counter tops, cabinet and toy making, trailer lining, display racks, etc. Plywood panels have gained wide popularity because of their all-around convenience, beauty and economy and at Sears bargain prices your savings will be even greater. Shipping weight, per square foot of ¼-inch panels, 12 ounces; %-inch panels, 1 pound; ¾-inch panels, 2 pounds.

TERMS Include these panels or any other materials in a Sears Easy Payment Order—see Page 5 for complete information.

Size, Inches		3-Ply 1/4 In. Thick	3-Ply % In. Thick	5-Ply 34 In. Thick
Width	Length	63 LM 328	63 LM 338	63 LM 534
24 24	24 36	\$0.18	\$0.24	\$0.45
24 24	48 60	.27 .36 .45	.48	1.15
30 30 30	60 72 84	.57 .68 .79	.76 .90 1.05	1.44 1.73 2.00
36 36 36	60 72 84	.69 .83 .97	1.09 1.27	1.73 2.07 2.42
48 48 48	60 72 84	.96 1.15 1.34	1.25 1.50 1.75	2.30 2.76 3.30



# · · IN ITS STRONGEST FORM!

Pace side of this 3-ply wallboard is practically flawless and is sanded to satin smoothness. The other side, not being exposed when in use, may contain a few imperfections that do not affect strength or usability. Sears Plywood Wallboard has BEAUTY because of natural wood grain; STRENGTH equal to four times that of ordinary lumber; CONVENIENCE because of ease of handling large panels; and ECONOMY that permits substantial savings at Sears low prices. We use only selected Douglas Fir, scientifically dried. Huge logs are rotary cut (peeled) and sheets cut into large panels. These are laid cross-grain and firmly cemented with special moisture-resisting glue under tremendous hydraulic pressure, producing a bond of exceptional strength. As a result, shrinking, warping, peeling or splitting are practically unknown. Nails can be driven close to edge of sheet, Face side perfectly sound—no knots, pitch pockets or open imperfections. When stained, natural beauty of rich graining is enhanced. Takes paint, enamel, lacquer or varnish. Finish thickness, ¼-inch. Ideal for lining basements, attics, storage rooms, garages, cabins and other buildings, as well as for making shelves, table tops, partitions, display racks, signs, feed bins, toys, etc. Other uses indicated in small views above.

Order by Catalog Number 63 LM 632 and state size wanted.




oz anu	state size	Wante	u.
Size, Inches	Square Feet Per Panel	Per Panel	Shipping Wt., Lbs.
48x84 48x96	28 32	\$1.10 1.26	24 27



# **New "PLYSCORD" Sheathing**

New PITSUCKD THE STATE OF THE PRESENCE OF THE PROPERTY OF THE

63 LM 516-Shpg. wt., 27 lbs. Per panel. . \$1.25



# A Steel Medicine Cabinet

By Steel Medicine Cabinet Built-in type, 3 glass shelves in large size and 2 in small size. Strongly welded durable steel finished in baked-on white enamel. Genuine plate glass arched top mirror with etched design across top. Beveled edges all around. Tooth-brush holder and razor blade drop. Inside dimensions of small size, 13x19x4¼ inches with 3 shelf spaces; large size, 15x21x4¼ inches with 4 shelf spaces.

Catalog Number	To Fit Opening, In.	Mirror Size, In.	Shpg. Wt., Lbs.	Price
63LM2025	13¾ x19½ x3¼	16x24	30	\$8.45
63LM1785	15¾ x21½ x3¼	18x26	37	10.95

# **® Wood Medicine Cabinet**

A useful and distinctive cabinet made of first quality Pine sanded smooth ready for any finish. Plate Glass Mirror about 10x16 inches, Fits opening 14½x20¾x3½ inches. Complete with 2 adjustable shelves, nickeled hinges and glass knobs. Door, 13x19½ in.Shpg. wt., 13 lbs. \$3.65

# **Drawer Cases**

Ideal to use in constructing linen closets and kitchen cabinets. Oak frame sides, uprights and drawer runners. Balance first quality pine. Drawer fronts lipped for better appearance and to keep out dust. Dovetailed construction on drawers. Drawers 6½ in, deep inside and 15½ in, from front to back inside. Drawer pulls, sides and top not included. Use ¾ in, ply-wood for top and ¾ in, for sides where needed. Shipped unassembled Instructions and nails included. Shpg. wts. range from 35 to 45 lbs.

Overall Size 3 Drawer | A Drawer

1111	Hest runge from do to to for								
	Overall Size Width Ht. Depth Ft. In. Ft. In. Ft. In.		3 Drawer Case 63LM2451	4 Drawer Case 63LM2482					
1 1 2 2 2 3	6 8 0 4 8 0	2 2 2 2 2 2 2 2 2	888888	1 1 1 1 1 1 1 1	6666666	\$3.45 3.65 3.85 4.00 4.15 4.70	\$4.05 4.20 4.35 4.95		

# **Ironing Board**

Broning Board
Built-in type, Made of Ist Quality Pine sanded smooth, Fits between studding set 16 in. on centers. Rough opening should be 81 in. high. Door is 6 ft. 8 in. to line with an average room door. Cabinet is 4\% in. deep to fit a standard 2x4 stud wall recess. Ironing board is approximately 11\%2 inches wide, 49 inches long and 32 inches from floor Sleeve board in Standard Stand

# China Case

Adds Colonial charm. Triangular shape to fit in corner. Made of 1st Quality Pine. Consists of built-up front complete as shown—with panel door below and glass door above; top; bottom which forms one of shelves below counter; counter section and plant of the counter section and the cou pounds. 63 LM 422.\$15.95

# **Breakfast Nook Set**

SEARS PAGE 1023

# CUT FUEL BILLS \$33 A YFAR

# SEARS ROCK WOOL

- Saves up to 1/3 in fuel costs
- Moderates summer temperatures 8° to 15°
- Worderates summer temperatures 8° to 15°
   Vermin-proof, fire-proof, clean, odorless and moisture-resistant. Deadens sound.
   Thermal Conductivity rating is 0.26 BTU's per inch of thickness. Approved by Underwriters' Laboratories, Inc.
   Choice of Waterproof Paper-Backed Batts, "Pellet" Type or "Loose" Type
   Line your house with a 3-inch layer of this efficient.

"Pellet" Type or "Loose" Type
Line your house with a 3-inch layer of this efficient, non-conducting heat stopper and you can put about one-third of your former fuel cost right back in the bank. In fact, a 3-inch layer of Sears Rock Wool does the job of a 5-foot layer of stone or concrete when it comes to shutting out heat or cold. Keeps your home cozy, snug and warm and with far less fuel! No wonder millions of people are singing the praises of Sears insulation. But that's not all the virtue there is in Sears Rock Wool—it keeps out summer heat equally as well as winter's cold—a real "air-conditioner"—in all seasons.

# **Made From Molten Rock**

Sears Rock Wool is the finest—made from molten rock, blown by powerful jets of live steam into millions of tiny, porous fibers. It is fireproof, even the white hot flame of a blow torch does not affect it.

The pictures at right graphically show the savings effected by Sears Rock Wool Insulation. Fig. 1 shows estimated fuel cost of \$100 per season when insulation is not used. When 3 inches of Rock Wool is placed between ceiling joists (Fig. 2), fuel bill is reduced to \$87. With further insulation of side walls (Fig. 3), fuel cost is only \$67. Figures used are taken under average conditions of climate, fuel used, method of heating and type and condition of home. Most authorities agree that an average installation will return its cost in three to four years—with new summer comfort thrown in.

# How You Can Try It Out

Have you a bedroom or bathroom that is hard to heat, or gets unduly hot in the summer time? If so, install Rock Wool in the walls and over the ceiling and see what an amazing difference it makes! Many customers buy a few bags or cartons of Rock Wool each pay day and install it themselves until the job is completed. This gradual spending is not noticed—but you'll notice improved living conditions immediately.

# The Cost Is Low


The Cost Is Low

Sears Rock Wool is not expensive. You can insulate a 24x30-ft. attic, for instance, with "Pellet" Type Rock Wool 3 in. deep for only \$38. 2-inch Batts would cost you \$27.60 and 3-inch Batts \$35.28. Each form of Rock Wool is equally effective so far as insulating value is concerned. "Pellet" type is about the easiest to handle—it is easily poured from the carton between floor joists (see illustration) or into wall openings between studs. The Waterproofed Batts are fastened between upright studs as indicated. "Loose" type (not illustrated) is usually used only for stuffing into place where it is not possible to use "Pellet" or "Batt" type Rock Wool. It can't be poured, as it is in mass form.

Easy Payments or F. H. A. Plan
You can use our Easy Payment Plan as described on
Page 5. Read also about the F.H.A. Financing Plan
explained on Page 989.

# **Convenient Shipping Points**

Shipped from Chicago, Cincinnati or Wabash, Ind., Philadelphia, Boston or Plainfield, N. J., whichever is nearest. Order from your Mail Order House. For freight rates, see Page E in back of catalog.



# FFERED THREE



# **NEW WATERPROOFED BATTS**

LESS THAN

A strong, heavy layer of moisture-proof paper is firmly cemented with asphalt to the Rock Wool batt. The batt itself is 15x23 inches and the waterproof paper measures 19x27 inches, which leaves a 2-inch overlap on all four sides. Choice of two thicknesses.

5q. Ft., 2-In. Paper-Backed Batts. Size, 15x23x3 in. Each carton of 8 batts will insulate about 20 sq. ft. of surface. Per carton. Shpg. wt., 28 lbs...98c

48 LM 3216—2-Inch-Thick Waterproof Paper-Backed Batts. Size, 15x23x2 inches. Each carton of 12 batts will insulate 31 sq. ft. of surface. Not quite as efficient as our 3-inch batts, which we recommend but suitable for many uses. Per carton. Shpg. wt., 30 lbs.......\$1.15

# LOOSE TYPE

This form of Rock Wool This form of Rock Wool is equally as efficient as the "batt" type, but comes in mass form, easily pulled apart, for stuffing into any space. It cannot be poured. Comes in bags containing enough Rock Wool to insulate 18 square feet of surface to depth of 3 inches. Shipping weight, 36 pounds.

48 LM 3210 — Per Bag. 4 Cubic Ft......78c

# PELLET TYPE

PELLET TYPE
This form of Rock Wool
like fibers in "pellet"
form, easily poured
from carton (see illustration at top of page).
Same material as used
by contractors using
"blowing" equipment.
One carton will insulate 18 square feet of
surface 3 inches deep.
Shipping weight,
37 pounds.

48 LM 3208
Per Carton,
4 Cubic Ft......95c

### SEARS INSULATION YOUR HOME COMFORTABLE AND HAPPIER

# "BEST-OF-ALL" ALUMINUM INSULATION

Sears "Best-of-All" Aluminum Insulation turns back heat by reflective principle—much as a mirror reflects light. It's the lightest weight, lowest cost insulation on the market. Thermal conductivity rating is 0.30. Used by makers of electric ranges, locomotives, streamlined trains, refrigerators and many others.

PAGE 10242 SEARS



Made of heavy Kraft paper covered on both sides with aluminum foil. Should be backed up with at least 2 in. dead air space for best results. Can't deteriorate. Rolls, 33 in. wide. 48 LM 3212—Aluminum Foil on Plain Kraft Paper. \$7.45 Per 250 sq. ft. roll. Shipping weight, 14 pounds....


48 LM 3214—Aluminum Foil on strong, jute-reinforced Kraft. Per 250 sq.ft. roll. Shipping weight, 16lbs.\$9.45



Easily poured between ceiling joists or wall studs. Bag contains enough material to insulate 24 sq. ft. 2 in. deep; 16 sq. ft. 3 in. deep; or 13½ sq. ft. 3½ in. deep. Wt., 24 lbs. Shipped from Chicago, Philadelphia. Boston or Long Island City, N. Y. Order from your Mail Order House.

# MINERAL FILL INSULATION

These fluffy pellets of genuine expanded mica are honeycombed with millions of tiny trapped air cells, forming a definite barrier against heat, cold or moisture. Our Mineral Fill Insulation has a thermal conductivity of 0.28 BTU's per inch of thickness, is fireproof, dust-proof and will not deteriorate. Installation is permanent. It will quickly pay for itself in fuel savings, as well as provide cooler rooms in the summer.



# SHEATHING BOARD OUR OWN TRADE MARK

OUR DWN TRADE MARK

Made of selected, chemically-treated fibers, compressed into a strong, rigid and non-splitting sheet 25/32-in. thick. Handles as easily as lumber.

Entirely coated with asphalt, making it effectively moisture and rot-resisting.

Thermal conductivity is only 0.34 per inch of thickness—resists heat passage—keeps out cold, too.

A marvelous insulating material—cuts fuel bills and make the home more comfortable in summer—an investment that pays for itself in a short time.

Used extensively in place of wood sheathing—has strength and rigidity.

Easy to apply—large sheets nail up quickly and are line marked in railing to studs. Saves labor in application. Choice of four sizes of panels.

Why pay more than Sears low prices for highest quality, asphalt-steated, insulating sheathing board? Sears SEALTITE is all the name implies—a sheathing board completely asphalt-sealed against the destructive action of vapor, moisture and dry rot, and which in turn will shield your home or other buildings against infiltration of outside heat in summer and loss of radiated heat in winter. Each sheet is line striped for ease in stud nailing. Send for sample.

SEALTITE is offered in 48-inch width and four convenient lengths shown at right, It can be sawed and nailed as readily as lumber. See our Easy Payment Plan as de-

losses. Adds summer comfort. Reduces outside noises. Sears low prices

make it the logical sheeting to buy.

# SEALTITE ASPHALT SEALER

INSULATING PLANK AND CEILING TILE

LESS THAN

# INSULATING BOARD

our own trade mark

Made of selected chemically-treated fibers, formed under tremendous pressure to a sheet ½ or %-inch thick—light in weight, yet possesses remarkable strength

Double duty—use both as wallboard and as insulator. Tough, fibrous, wiry, cellular structure contains millions of tiny air cells—a marvelous insulator; thermal conductivity, 0.34 per inch of thickness

The equal of any similar product, yet it costs less at Sears. Sears WALLTITE does many important jobs at one time—insulates, strengthens, deadens sound and protects. As an insulating material, it repels the frigid blasts of winter as easily as it turns back the scorching rays of summer sun. In fact, one inch of Walltie has the insulating value of 36 in. of concrete! Ideal for lining chicken houses, hog houses, out-buildings, garages, basements, sound-buildings, garages, basements, and the selection of the cells—a marvelous insulator; thermal cells—a marvelous insulator; thermal costs less at Sears. Sears WALLTITE does many important jobs at one time—insulates, strengthens, deadens sound and protects. As an insulating material, it repels the frigid blasts of winter as easily as it turns back the scorching rays of summer sun. In fact, one inch of Walltite has the insulating value of 36 in. of concrete! Ideal for lining chicken houses, hog houses, out-buildings, garages, basements, store rooms and attics. Use 1½-in. blued lathing nails—see Index.

WALLTITE sways readily, holds nails tightly and can be installed quickly—no muss, no trouble. Won't sag, buckle, shrink, warp or split and is odorless. Use Panel Strips listed below over joints of sheets. Board comes in two thicknesses, ½ and ¾-in. ½-in. size is recommended

Covers up rough masonry, giv-

ing it an improved appearance

Size	48 L	M 3204	48 LM 3207		
Sheet	1/2-In.		3%-In.	Shpg.	
Feet		Wt., Lbs.	Thick		
4x6	\$0.84	19	\$0.67	17	
4x7	.98	22			
4x8	1.12	26	.90	24	
4x9	1.26	29		and the same of	
4x10	1.40	32	1.12	30	

WALLTITE PANEL STRIPS. Over joints of sheets we recommend these panel strips. Made from same material as Walltite, %-in, thick, 1% in, wide, in 6, 8 or 10-ft, lengths, Order by Cat. No. 48 LM 3252 and state length. Sold only in bundles of 10 strips.

| Ten 6-foot Strips | Shpg. Wt. | Ten 8-foot Strips | Shpg. Wt. | Ten 10-foot Strips | Shpg. Wt. | S Lbs. | \$2.60 | S Lbs. | \$3.25 | S Lbs. |

Exactly the same material as Walltite Board above. Finished with Ivory casein paint,

# WALLTITE INSULATING PLANK—For Walls

Cat. No.	Width	Lgth.	Shpg. Wt.	Per 10-Pc. Bundle
48 LM 3249 48 LM 3256	8 In.	8 Ft.	38 Lbs. 42 Lbs.	\$2.20 2.48
48 LM 3257 48 LM 3250	12 In.	7 Ft.	48 Lbs. 56 Lbs.	2.85 3.30
48 LM 3259 48 LM 3260	12 In. 12 In.	8 Ft. 9 Ft.	64 Lbs. 72 Lbs.	3.75

WALLTITE Insulating TILE—For Ceilings

Prices per bundle of 25 squares or "tiles." Painted Ivory Finish-
 Cat. No.
 Width 48 LM 3253
 Lgth. 12 In. 12 In. 16 In. 16 In. 35 Lbs.
 Shpg. Wt. 20 Lbs. 35 Lbs.
 Per 25-Pc. Box \$1.20

 48 LM 3255
 16 In. 16 In. 35 Lbs.
 \$1.20
 2.10

### WALLTITE PLASTER BASE

Walltite Insulating and Plaster Base Lath does not permit "skimping." Every inch of wall and celling area must be completely covered, assuring the utmost in insulation. Plaster Base Lath is ½x4 feet in size, ½-inch thick and has ship-lapped edges. More economical than wood lath and is easier to apply, Saves on labor costs. Leaves no disfiguring lath streaks in the finished wall. Use ½-inch Blue Lath Nails—see Index. Same shipping points as insulating board above. Shipping weight, per sheet, 4 pounds. Easy Payments on Page 5.

48 LM 3205—Per ½x4-ft. sheet. 21c

Use "Cornerite" Metal Reinforcement in all corners for perfect plaster results. See Page 1031 for metal lath and other plasterers' needs.



SEARS PAGE 1025



# BEST-OF-ALI MAKES WASTE SPACE A LIVABLE

Long, tough fibers, tightly compressed into 4-ply laminated sheets.
 Heavy Weight, 36-inch thick; or Medium Weight, 32-inch thick.
 Strong, durable; light weight; easy to handle. Large sheets cover surface quickly and reduce time required for application.
 Needs no painting though it can be sized and painted if necessary. Comes tinted.
 Sears "Best-of-All" Fiber Wallboard is so widely used it needs no introduction. Its popularity

used it needs no introduction. Its popularity is well deserved—it makes drab, worn walls radiate new life and beauty—transforms attic, spare room or closet into rooms as modern and attractive as any in the house for less than 2½c per sq. ft.

"Best-of-All" Wallboard has literally hundreds of uses—for ceiling or paneling rooms, closets, porches, attics, basements, store rooms, out-buildings, garages, etc.; also for shelves, bins, partitions and many other purposes. Deadens sound. Joints between panels should be covered with either the gummed tape or wood panel strips listed below. We do not recommend using wallpaper over wallboard.

Choice of Two Grades—Two Colors Heavy Weight, our best grade, is ¾6-in. thick, tinted Tan 638 on one side and Cream on the other. Medium Weight grade is ¾2-in. thick, tinted Green 307 on one side and Cream on the other. Numbers after colors for the Color-Graph, facing first Index page in back of book; shows actual color reproductions. We recommend Heavy Weight grade for best results. Use 11b. of 1-in. or 1½-in. fine lath or galvanized shingle nails per 200 sq. ft. See Index. Wallboard, Panel Strips and Joint Tape shipped from Mail Order House or factory in Buffalo, whicheves is nearer. Order from your Mail Order House.

Size,	Sq.Ft.	Heavy Wt. 3	16 in. Thick	Med. Wt. 532 in. Thick			
in Feet	Per Sheet	48 LM 7910 Per Sheet			Shpg. Wt., Per Sheet		
4x6 4x7	24 28	\$0.66 .77 .88	16 lbs. 19 lbs. 22 lbs.	\$0.56 .66 .75	14 lbs. 17 lbs. 20 lbs.		
4x8 4x9 4x10		1.10	23 lbs. 27 lbs. 32 lbs.	.85 .94 1.13	21 lbs. 25 lbs. 30 lbs.		
4x12	48	1.32	32 IDS.	1.13	00 105.		



Made of same materials and by same processes as our "Best-of-All" Wallboard described above, but is slightly thinner, being approximately ½ inch thick; also it is cream-tinted on both sides. While "Best-of-All" is recommended for its sturdy construction and 'longer life, "STANDARD" 3-Ply grade is ideal for relining, paneling and other remodeling jobs. To cover joints between panels, use gummed tape or wood strips listed below.

Width	Length Feet	Sq. Feet	48 LM 7915 Per Sheet	Shpg. Weight per Sheet
4 4 4	6	24	46c	9 lbs.
	8	32	61c	12 lbs.
	10	40	76c	15 lbs.

SHIPPING POINTS. Wallboard, Gummed Tape and Strips shipped from Mail Order House, or factory in Buf-falost the nearer one. Order from your Mail Order House.

GUMMED JOINT TAPE 48 L 2956—To cover joints between sheets of wallboard. Tan color only, 1½ in. wide. Shpg. wt., 1 lb. 2 oz. Per 200 lin. ft. roll. 18c PAGE 10262 \* SEARS



WOOD PANEL STRIPS

Cover joints between panels of wallboard, insulating board or plywood, to make beautiful paneled walls. Strips are 3 [scx 1]6-in. and come in random lengths. Shipping weight, 12 pounds. Shipped from our Mail Order House or factory in Buffalo, whichever is nearer. Order from your Mail Order House.

48 LM 7922—Per 100 lineal feet.......70c

WATERPROOFING ASPHALT Keeps Out Moisture and Rot



Before



When applied to outside foundation walls during construction, it prevents moisture penetration and keeps basements dry and healthful at all times.



To keep tanks and other steel items from the ravages of rust and corrosion, SEROCO Asphalt is ideal. Simply spread with a brush.



Fence Posts dipped in SER-OCO Waterproofing Asphalt last considerably longer than untreated posts. Simply dip ends as shown in illustration above.



Use it on sloping or flat roofs over our Asphalt Saturated Felt 48 LM 3009 or 48 LM 3010 shown on Page 1010 of this catalog. Notice ease of application.

# 100-Pound Paper Bag 48 LM 2996—Each....\$1.65 430-Pound Steel Drum 48 LM 2997—Each....\$4.85 FREE ESTIMATES

10-Pound Paper Bag 40c

48 L 2993-Each.... 25-Pound Paper Bag 48 L 2994—Each.....

We will be glad to estimate your needs for you. Simply send us a list of all the items you need to rebuild, repair, make alterations or modernize your home, barn or any building for which you or your architect have prepared plans. We will give you a price delivered-to-your station on all materials. There is no charge or obligation for this service.

# MODERNIZE UNDER NEW F. H. A. PLAN

Remember, if your order for Modernizing materials is over \$100, you may purchase them under the F. H. A. Finance Plan described on Page 989. Under this plan you send no money—the first payment is due a month after you have received the material. You can suit your own convenience as to the amount of time you want. Take any number of months up to 36. No need to bother your friends; no endorsers are needed; just your own signature. Low rates; the financing charge saves you money. Remodeling or complete repair is an inspiration and an investment. It gives you a "new" house, modern in appearance and improved in facilities for gracious living. Take advantage of this convenient plan now.

TI ap bo as dif ou

# COPPER-BEARING STEEL OR COPPER GUTTERING

FOR LONGER LIFE . GREATER SATISFACTION . EXTRA VALUE





nector



WIRE 2 Eliminate need of ordering right or left hand pieces

WIRE STRAINER

G

(H)

Gives a nonsag, water-proof tight joint

OUTLET CORNER Cross-section of Sears cor-rugated rainpipe,

showing the special

locking process

which insures tight,

closed seams that can't leak.

G

J

DROP

(BB)

OUTSIDE

F.H.A. See details of Plan on Page 989.

0

# Choice of Long-Life Galvanized

Sears steel rainpipe and eaves trough are made from First Quality "Copper-Bearing" sheet steel—the steel that resists corrosion and lasts twice as long as ordinary steel not having this valuable copper content. We dip this steel in white hot molten zinc to give it a heavy galvanized coating for extra protection against weather and rust. There is no finer guttering of this type to be had, regardless of price. We furnish 26-gauge and 28-gauge weights. However, the 26-gauge weight is recommended because it is 20% thicker than 28-gauge and will last considerably longer. It is well worth the small difference in price. Lifetime 16-02. Cold Rolled copper rainpipe, caves trough and fittings are also priced below. We recommend copper because it is a lifetime fittings are also priced below. We recommend copper because it is a lifetime (A) also 16-o2. Copper. 10-ft. lengths. We recommend 5 and 6-inch for houses; 3½ and 4-inch for garages. State size. Average shipping weight, per length, 28-gauge, 7 pounds; 26-gauge, 10 pounds, copper, 8 pounds.

	Size, Inches		4	5	6
48 LM 3304	28-Gauge Steel	490	\$0.50 .60 2.50	65	.79

B and B CORNERS <sup>26</sup>-ga. galvanized steel. Use with 28 or <sup>26</sup>-ga. "slip connections." Order correct corners; see (B) and (BB) illustrations above. State size. Shipping weight, each, 1 pound.

Catalog No.	Size, Inches	31/2	4	5	6
48 LM 3310	(BB) Outside—26-Gauge	350	37c	40c 40c	\$0.49
48 LM 3379	(BB) Inside —16-oz. Copper (BB) Outside—16-oz. Copper		87c 87c	98c	1.38

© DROP OUTLETS 26-Gauge, galvanized steel. Use with 28 or 26 with solderless connector. State size. Shipping weight, each, 1 pound.

Catalog No.	Size, Trough, Inches Fits Rain Pipe, Size, In	31/2	4 2	5 3	6 4
48 L 3308	26-Gauge Steel 16-oz. Copper	20c	25c 78c	28c	\$0.30

DEND CAPS 26-gauge, galvanized steel fits 28 or 26-gauge trough, nector. State size. Shipping weight, each, 4 ounces.

Catalog No. &	Size, Inches	31/2	4	5	6
48 L 3307 48 L 3377	26-Gauge Steel	9c	10c 25c	14c 30c	15c 35c

Snaps on in 5 seconds—no tools or pliers returned to the securely and can't come loose. Made of heavy, galvanized strap steel or 16-oz. copper. Use one hanger to each four feet of trough. Recommended over any other type of hanger. State size. Copper hanger weighs 1 pound 8 ounces per dozen; galvanized hanger, 3 lbs. per dozen.

Width across top, inches	31/2	4	5	6
48 L 3172   Galv. Hanger. Per doz	35c	\$0.40	\$0.45	\$0.55

F WIRE HANGERS Annealed wire. For galv. trough. One hanger to 4 ft. of trough. State size. Shpg. wt., 1 lb. 8 oz. per doz.

The second second second	The state of the s				
Width across	top, inches	31/2	4	1 5	1 6
48 L 3170	Per dozen	25c	28c	32c	37c

GRAINPIPE HOOKS

Galvanized wrought iron or tinned cast iron hook heavier wrought iron hook for all masonry walls). Bronze hook supplied for copper pipe. Use 2 hooks for each 10 feet of pipe. State size. Shipping weight, per dozen hooks, 4 pounds.

Catalog No.	Size, Inches	2	3	4
48 L 3188	Tinned Hook, for wood. Doz	\$0.50	\$0.63	\$0.90
48 L 3189	Wrought Iron for masonry. Doz	1.10	1.25	1.45
48 L 3258	16-oz. Bronze Hook, Doz	1.65	2.05	2.35

Steel or Lifetime Copper

material with no maintenance cost—the only guttering that should be used in seashore regions.

All our eaves trough, steel and copper, supplied with Patented Slip Connector. This handy device eliminates use of solder and necessity of ordering right and left hand pieces of eaves trough. Slips on to either end of trough making a permanent, non-sag, waterproof, solderless joint. Circles 1, 2 and 3 show how they operate. Corners, outlets and end caps also have slip-connector feature.

H RAINPIPE "Copper-Bearing" 26 or 28-ga. galvanized steel, also 16-oz. pure Cold Rolled Copper. Comes in 10-ft. lengths. One end crimped for easy fit. For 3½ or 4-in. eaves trough order 2-in.; for 5-in. order 3-in.; for 6-in. order 4-in. pipe and fittings. Sipg. wt., each length, 28-ga. 6 lbs. 8 oz.; 26-ga., 7 lbs. 8 oz. and copper, 7 lbs. State size.

Catalog No.	Size, Inches	2	3	4
48 LM 1278	28-Gauge Steel	\$0.49	\$0.55	\$0.70
48 LM 3373	26-Gauge Steel 16-oz. Copper	2.20	2.65	.80
(I) FIIMNEL	For running two rain-pipes into	one: size	indicat	es diam.

of lower spout. State size. Shipping wt., each, 12 oz. 

STRAINERS Heavy galvanized wire, also copper wire. Prevents leav size. Shipping weight, each, 2 ounces.
---

Catalog No.	Size, Inches	2	3	4
48 L 3194 48 L 3264	Galvanized, Each. Copper, Each.	9c	90	15c
		100	200	000

EIBOWS AND SHOES <sup>26</sup> or <sup>28</sup>-Ga. galvanized steel, also 16-oz. flawless steel or copper to resist corrosion. Used in combinations to fit any angle or turn of the eaves. Size given indicates size of rainpipe. State size. Shipping weight, each, approximately, 12 ounces.

	Size, Inches		3	4
48 L 3182	Elbow 60°28-gauge Steel	15c	19c	\$0.28
48 L 3183 48 L 3184	Elbow 75°28-gauge Steel	15c	19c	.28
	Shoe28-gauge Steel		24c	.39
48 L 3312	Elbow 60°26-gauge Steel	20c	24c	.35
48 L 3314	Elbow 75°26-gauge Steel	20c	24c	.35
		28c	33c	.45
48 L 3382	Elbow 60°16-oz. Copper	45c	60c	.95
48 L 3383	Elbow 75°	45c	60c	.95
48 L 3384	Shoe	50c	70c	1.10

(M) CUT-OFFS <sup>26</sup>-gauge, extra heavy galvanized steel, also 16-oz. Cold Rolled Copper. Turn of handle diverts water to cistern or overflow pipe. Size indicates diam. of rainpipe. Shpg. wt., 1 lb.

Catalog No.	Size, Inches. State size	2	3	4
48 L 3306 48 L 3376	Size, Inches. State size	\$0.52	\$0.62	\$0.831
			1.00	0.00



# **EAVES TROUGH SHANKS and CIRCLES**

These rigid hangers will anchor your eaves trough so securely it cannot be loosened. Will withstand severe windstorms and prevent damage to eaves trough on account of heavy snow and ice. Hanger consists of a circle (N) which is firmly bolted to a shank (P, R or S). Holes punched in shanks and circles permit a variety of adjustments oft most rafter angles. Illustrations T, U and V show how shanks and circles are joined together to form complete hanging unit. We furnish all necessary bolts for fastening parts together. One shank and one circle needed for each 5 feet of trough. Specify size of trough. Average shipping weight, of each complete unit, 6 oz.



	Each	Description	Bronze for Copper Trough	Price Each
48 LM 3187 48 LM 3160 48 LM 3161 48 LM 3162	9c 9c	Circle (N) Shank (R) For Square Box Cornice Shank (P) For Exposed Rafters Shank (S) For 1/4 or 1/3 Pitch Rafters	48 LM 3242 48 LM 3243	30c 25c 25c 25c

# GALVANIZED STEEL OR COPPER BOX-TYPE GUTTERING AND FITTINGS

# We Recommend Copper—The Lifetime Material

This square bead box eaves trough and fittings combines decorative appearance with extra strength and durability. For Atlantic seaboard territory we recommend our 16-ounce Cold Rolled Copper as it is not affected by salt air, lasts a lifetime and is well worth the difference in price. Never needs painting. Anything lighter than 16 ounce copper will not give you the service you expect. Our galvanized eaves trough is made of 26-gauge "Copper-Bearing" steel. In hanging this type of guttering all joints must be soldered. Allow 2½ inches for each lap when ordering. See prices at right. All items mailable except eaves trough and rainpipe.

SIZES: Trough width at top, 4½ inches; bottom width, copper, 2½ inches; galvanized, 3 inches; depth 3¾ inches; all rain pipe and fittings are 2x3 inches. Modernizing is easy at Sears. You may buy guttering on our Easy Payment Plan described on Page 5 of this Catalog or F.H.A. Financing Plan explained on Page 989.

Name of Item	Shpg. Wt.	Copper	Price   Galvanized		Price
Trough 10-Ft. Length	10 lbs.	48LM3490	\$3.25	48LM3420	70 c
Outside Corner	1 lb.	48L 3495	1.45	48L 3425	740
Inside Corner		48L 3496		48L 3426	740
2x3 in.Rainpipe10-Ft.Lgth.	10 lbs.	48LM3485	2.85	48LM3415	750
Right Hand Cap	2 oz.	48L 3493	.45	48L 3423	110
Left Hand Cap	2 oz.	48L 3494	.45	48L 3424	110
2x3 in. Elbow each			.75	48L 3416	350
Outlet Tubes each	8 oz.	48L 3492	.48	48L 3422	140
Trough Hangers each	4 oz.	48L 4091	.15	48L 4021	70
Wired Hook for Rain Pipe.	2 oz.	48L 3489	.22	48L 3419	120
7-in. Spike for trough each.	2 oz.	48L 4025	.08	48L 4023	20
41/2-in. Ferrule for trough ea.	1 oz.	48L 4026	.06	48L 4024	20

All articles on this Page shipped from Phila-delphia or Boston.

\* PAGE 1027 STEEL BUUFING

# CORRUGATED ROOFING

Made of First Quality, Full Gauge Prime Steel. Heavily coated with 1¼-oz. of hot zinc per square foot on both sides and all four edges. Insist on 1¼-oz. coated steel.

all four edges. Insist on 1½-oz. coated steel.

The name ALL-WEATHER on corrugated steel sheets is like STER-LING on silver—the highest known quality. By the same token it's the lowest priced roofing or siding, per year of service, that you can buy. Naturally, it conforms to all codes and meets U. S. Bureau of Standards Specifications. Reduces fire insurance rates because, properly grounded, it renders lightning harmless. Flying sparks sputter out without damage. Doesn't curl up, buckle, crack or dry out under heat or cold; can't be pried loose by winds. ALL-WEATHER Steel Roofing and Siding is easy to apply—a hammer and tinners' snips are the only tools you need.

**Choice of Two Gauges** 

Choice of Iwo Gauges

28-gauge Galvanized Steel is recommended for use in ordinary climates. The 26-gauge is about 20% heavier than 28-gauge and will give the best service—particularly in damp and salt air climates. All corrugated sheets 26 in. wide and with 2-in. side lap, actually cover 24 in. Allow 6 in. for end laps when used as roofing—2 in. is sufficient when used as siding. Painted steel is only prime coated and must be painted again before using. For steel roofing we recommend only lead headed nails priced on opposite page. See shipping weights at bottom of page at right—For Easy Terms, See Page 5.

# 11/4-Inch Corrugated Steel Roofing and Siding


Catalog		LENGTH OF SHEETS					
Number	Description	6 Ft.					
48 LM 3107 48 LM 3108	28-Ga. Painted 28-Ga. Galv	\$0.44	\$0.52	\$0.59	\$0.66	\$0.73	\$0.89
48 LM 3125	26-Ga. Galv	.60	.70	.80	.90	1.01	1.22

# 2½-Inch Corrugated Steel Roofing and Siding

Catalog			LEN	IGTH (	OF SHE	ETS	
Number	Description					10 Ft.	
48 LM 3105 48 LM 3106 48 LM 3123	28-Ga. Painted. 28-Ga. Galv 26-Ga. Galv	\$0.43 .56 .59	\$0.50 .65 .69	\$0.57 .74 .79	\$0.64 .83 .89	.91	\$0.88 1.13 1.19

SHIPPED FROM Philadelphia, Cincinnati, or from near Pittsburgh, whichever is SHIPPED FROM nearest. You pay freight from closest one. Send orders to

F. H. A. Orders of \$100 or more sold on the liberal F. H. A. financing plan. Complete details on Page 989.



# **Sears Finest Quality Corrugated** Steel-2-Oz. Pure Zinc Coated



Bears Zinc Institute Seal of Quality.

First Quality, Full Gauge Prime Steel Sheets.

Coated with 2 ounces of pure zinc (1 oz. per square foot on each side)—gives exceptionally long service. The finest steel roofing sheet made.

For those who want the finest known quality, we offer Corrugated Steel Roofing with extra heavy 2-ounce zinc galvanized coating—almost twice the thickness of galvanized ordinary steel—is able to serve under any and all conditions. For this super-quality steel you pay only a few cents more per sheet—but it is well worth this small difference.

# Choice of Two Corrugations and Six Lengths

Sheets are 26 inches wide and cover 24 inches in width with 2-inch allowance for lap. Allow 6 inches for end lap. See shipping weights at right. For Easy Terms, See Page 5.

### 21/2-Inch Corrugated Steel Roofing and Siding 0


_		_		
-	Catalog		LENGTH OF SHEETS	
	Number		6 Ft.   7 Ft.   8 Ft.   9 Ft.   10 Ft.   12 F	t.
- 1	0 I M 2007	26-Ga Galv	\$0.71 \$0.83 \$0.94 \$1.06 \$1.18 \$1.4	3

# 1<sup>1</sup>/<sub>4</sub>-Inch Corrugated Steel Roofing and Siding

Catalog		LENGTH OF SHEETS				Sur E	
Number	Description	6 Ft.	7 Ft.	8 Ft.	9 Ft.	10 Ft.	12 Ft.
48 LM 3099	26-Ga. Galv	\$0.72	\$0.84	\$0.95	\$1.07	\$1.19	\$1.46

Convenient Shipping Points
house in Philadelphia, Cincinnati, or from point near
Pittsburgh, whichever is nearest you. You pay
freight from there. Shipped from warehou

PAGE 1028 Send Orders to Philadelphia



(A)

B

Painted

Per Sheet

SOLD ON EDSY TERMS

# Low Prices on Flat Steel **Zinc and Copper Sheets**

Best quality steel. 26-gauge is about 20% thicker than 28-gauge and 24-gauge about 50% thicker than 28-gauge, and is recommended for longest service. Use steel sheets for lining bins, wagon boxes, on floors or table tops, etc. Steel sheets shipped from warehouse in Philadelphia, Boston, Cincinnati, or point near Pittsburgh, Pa. Send all orders to Philadelphia.

### E **Black Flat Steel Sheets**

Catalog No.	Size of Sheets	Gauge	Shpg. Wt.	Sheet
48 LM 3220		28	12 lbs.	56c
48 LM 3221		28	13 lbs.	67c


### **Galvanized Flat Steel Sheets** (F)

48 LM 3227	24x96 in.	28	13 lbs.	\$0.72
48 LM 3228 48 LM 3226 48 LM 3230	30x96 in. 30x96 in. 30x96 in.	28 26 24	16 lbs. 18 lbs. 23 lbs.	.89 .93 1.15
48 LM 3232	36x96 in.	28	19 lbs.	1.12

# **Zinc Sheets**

For table tops, counter tops, stove boards, heat shields, and for lining feed bins, etc. Zinc cannot rust. Approx. same thickness as 26-gauge steel. Shipped from Philadelphia. \$1.20 k8 LM 4601—36x84-in. sheet. Shpg. wt., 8 lbs. \$2.35

# Cold Rolled 16-Ounce Copper Sheets



Shed Type. Fig. 1. Measure length of roof (A) and divide by 2. (Sheets actually cover 2 ft. in width.) This gives number of sheets to order. Length of sheets is determined by distance (B). If roof is 30 ft. long at (A) and 12 ft. from ridge to eaves at (B), you need: 30 ft. divided by 2 or 15 sheets of 12-ft. steel for the roof.

Gable Type. Fig. 2. Follow same procedure as above and multiply by 2 to find number of sheets required for both sides of roof.

Gambrel Type. Fig. 3. Divide length

of roof.

Gambrel Type. Fig. 3. Divide length (A) by 2 to determine number of sheets required. Distance (B) indicates length of sheets for this section. Add 6 in. to distance (B) for projection over section below. Distance (C) indicates length of sheets required for lower section. Allow 6 in. for end lap. Multiply result by 2 to find number of sheets required for both sides of roof.

It you green mable to determine one of the sheets are unable to determine one of the sheets.

If you are unable to determine amount of roofing needed, send for Estimate Blank P6089L, indicate measurements in space provided, and we'll estimate your needs for you, delivered to your station. This service is free.

# SHIPPING WEIGHTS

Approximate shpg. wt. per running foot of all steel roofing and siding.

Gauge	Finish	Wt. Per Foot		
29	Galvanized	1 lb. 12 oz.		
28	Painted	1 lb. 8 oz.		
28	Galvanized	2 lbs.		
26	Galvanized	2 lbs. 4 oz.		

**EXAMPLE:** 10-foot sheet of 28-gauge galvanized steel weighs 2 lbs. per running foot, total weight, 20 lbs.



# MANY WAREHOUSE SHIPPING POINTS

Sears warehouse shipping service is unsurpassed. One of our many shipping points is near you, to save you freight. Only another reason why you should buy all your roofing needs from Sears.



View at left shows exclusive non-syphoning drain feature used on our patented leak-proof steel roofing. Large oversize drain channel positively prevents seepage—stops water from getting to under side of roofing.

# ROOFING

- Made of exactly the same high quality materials as ALL-WEATHER Corrugated Roofing on opposite page.
  Choice of 2-V or 3-V; also 5-V Leakproof type.
  All sheets 24 inches wide, and in lengths shown below.

All-weat 24 inches wide, and in lengths shown below.

All-weather V-Crimp Roofing and Siding gives barns and other buildings a substantial appearance and an atmosphere of permanence. In addition to lowest known prices for material of this character, Sears give you First Quality—Full Gauge—Full Weight and Super Galvanizing. Strength, security and saving unsurpassed by any other material. Properly painted, it will last indefinitely. All sheets actually cover 24 in. in width; allowing for crimp or overlap. Allow 6 in. for end lap when used as roofing; 2 in. if used as siding. All painted sheets must be given another coat before using.

# Sears Patented Leak-Proof Steel Roofing

See detailed view above. The finest leakproof feature on the market. Water cannot get to the under side of roofing by capillary attraction. It runs off through the large drain channel. Offered at prices usually asked for just ordinary roofing. Leak-proof V-crimp steel roofing is shipped from warehouse in Philadelphia, Boston or Cincinnati; 2 and 3-V steel shipped from same points as corrugated roofing on opposite page. Send orders to Philadelphia. See shipping weights on opposite page. Easy Payments if you wish—see Page 5.

Sears Patented Leak-Proof Steel Roo	fing
-------------------------------------	------

Catalog	Description	LENGTH OF SHEETS  6 Ft.   7 Ft.   8 Ft.   9 Ft.   10 Ft.   12 Ft.   20 Ft.   50 Ft.   10 Ft.   12 Ft.   10 Ft.   10 Ft.   12 Ft.   10 Ft.						
Number	Description	6 Ft.   7 Ft.   8 Ft.		9 Ft.   10 Ft.		12 Ft.		
48 LM 3094 48 LM 3095	28-Ga. Galv.	\$0.56	\$0.65	\$0.75	\$0.84	\$0.93	\$1.14	
48 LM 3095	26-6a. Galv.	.02	012	.82	.93	1.03	1.26	

### (B) Three-V-Crimp Steel Roofing

Catalog	n	LENGTH OF SHEETS  6 Ft.   7 Ft.   8 Ft.   9 Ft.   10 Ft.   12 Ft.						
Number	Description	6 Ft.	7 Ft.	8 Ft.	9 Ft.	10 Ft.	12 Ft.	
48 IM 3086	28-Ga. Galv.	\$0.53	\$0.61	\$0.70	\$0.78	\$0.87	\$1.08	
48 LM 3083	26-Ga. Galv.	.56	.65	.75	.84	.93	1.14	

### **Two-V-Crimp Steel Roofing** 0

Catalog	-	LENGTH OF SHEETS					
Number	Description	6 Ft.	7 Ft.	-	9 Ft.		
48 LM 3076 48 LM 3077 48 LM 3078	29-Ga. Galv. 28-Ga. Painted 28-Ga. Galv.	.40	.48		\$0.75 .61 .77	\$0.83 .67 .85	\$1.01 .81 1.03
48 LM 3080	26-Ga. Galv.	.51	.64	.73	.82	.91	1.11



O Corrugated Ridge

Made of 28-gauge steel, galvanized or painted. Per 10-foot length. Ship-ping weight. 8 lbs. 2½-in. Corrugations

48 LM 3327 Painted....50c 48 LM 3328 Galvanized. 60c

Galvanized . OOC 11/4-1n. Corrugations 48 LM 3329 Painted ... 50c 48 LM 3330 Oc 3hipped from same points as steel roofing shown above. Order from Philadelphia,

Round Ridge E

Galvanized steel.
Diameter of roll,
2 inches; width
of apron, 2½ in.;
girth, 10 inches.
Prices are per
10-foot length.
Used with
steel, wood
shingles and
asphalt roofings.

asphalt roofings. 48 LM 3152 28-Gauge. Shipping weight, 9 pounds. 45c

48 LM 3337 26-Gauge. Shipping wt., 12 pounds. 60c

Shipped from Philadelphia

Galvanized "V" Ridge

Galvanized "V" Ridge Galvanized "V" Ridge Cap is used with "V" sheets, also wood or slate shingle roofs. Girth, 8 inches. Prices below are per 10-foot length. Can be cut to fit "V" crimps.

48 LM 3167—28-Gauge. Shipping weight, 8 pounds....40c

48 LM 3341—26-Gauge. Shipping weight, 11 pounds...55c

Shipped from Philadelphia

Wood (G) Strips

Permits nailing without flattening the V's. Two-V and three-V sheets require 50 feet per 100 sq. ft. of roofing. Use under 2 and 3 V-crimp steel only. Not needed under our Leakproof roofing.

48 LM 3081 Per 100 Lineal Feet. Shipping weight, 15 lbs.....45c

Shipped from same points as steel roofing.

Hzinc Valley

28-ga.Galv.Steel or Zinc, 14 in. wide. For val-leys, flashings, liningbins,boxes. State length.

48 LM 3197 25-Ft. Steel Roll. Shpg. weight, 20 lbs...\$1.48 50-Ft. Steel Roll. Shipping

wt., 40 lbs. \$2.90 48 LM 3198 25-Ft. Zinc Roll Wt.,22lbs.\$2.20

Tin Flashing Shingles Size, 5x7 inches. Can be used for repairing old roofs, flashings, making a tight joint around the chimney and many other purposes.

Shinoning weight.

Shipping weight, per 100 shingles, 20 pounds.

48 LM 3199 L2C
Bundle of 100 ... \$1.20
Shipped from Philadelphia

Modernize on Easy Payments—details on Page 5. Shipped from Philadelphia

K Barn Strips

28-gauge galvan-ized steel. Use for ized steel. Use for closing cracks in siding and floor boards. Priced below per bundle of 25 pieces. Width, 2 inches. Choice of three lengths. State length wanted.

48 LM 3171

	Shpg. Wt.		
6 ft.	20 lbs.	\$1.65	
8 ft.	28 lbs.	2.20	
10 ft.	35 lbs.	2.70	

Shipped from Philadelphia

Roofing Nails
Order 1 pound
for each 100
square feet of

square feet of steel roofing. 48 L 3280 1-In. Lb... 8c 48 L 3282 134-In. Lb... 8c Lead Headed

Lead Headed Use 1 lb, per 100 og, ft. of steel roofing, 134 in. long, barbed. 48 L 3912 2C Shgs. wt., all nails, per lb., 1 lb. 4 oz. Shipped from same points as steel roofing.

Galvanized N Globe Finial


Made of 28-gauge heavy weight gal-vanized sheet steel, with 3-inch ball.

ball.

Used with "V"
angle corrugated
or round ridge roll
cap all of which are
illustrated at left.
An attractive ornament for end of
roof ridge. Attractively priced, too.
Shipping weight,
1 pound.
48 | 3160

48 L 3169 Each...... 28c

Shipped from Philadelphia



• Reduces fire hazard • Rust-resisting Diamond mesh design steel. Copper wire for fastening to chimney. Fits only flue sizes mentioned below.

Catalog	Size	Fits Ch	nimney	Shpg.	Price	
Number Inches		Outside	Inside	Wt., Lbs.	Trice	
48 L 670	10x15 10x15 10x15	12x16 In. 12x20 In. 16x20 In.	4x 8 In. 4x12 In. 8x12 In.	6 6 6	\$2.65	
48 L 671	12x12	16x16 In.	8x 8 In.	7	2.75	

# **Barn Ventilator**

Made of 26-gauge steel treated to resist rust. The tapered base with spire, weather vane (cow or horse—state choice), glass ball, small top come and ornamental brackets, makes a very attractive appearance. Comes painted satin aluminum finish. Shipped from Central New York or Central Ohio.

Catalog	Flue	Base	Ht.	Shpg.	Price
Number	Size, In.	Width, In.	In.	Wt., Lbs.	
48 LM 7724	24	34	51	115	\$23.25
48 LM 7727	27	39	62	140	26.25
48 LM 7730	30	45	73	190	28.75

# **Utility Ventilator**

For chicken houses or nog hoases. Has revolving, ball bearing head. Revolves in slightest breeze. Made of heavy galvanized steel, coated with aluminum paint. Keeps air fresh, improves health of poultry or livestock. Improves appearance of outbuilding—makes it more than just a shed. Flue size, 12 in.; base size, 16 in.; height, 36 in. Securely packed in a sturdy carton. Mailable. Shipped from Central New York or Central Ohio. Shipping weight, 23 pounds.

48 L 659—Utility Ventilator. Each. \$6.35



# STEEL CEILING AND BORDER

For walls and ceilings. A pattern appropriate for any size room. Sheets are 24x96 inches. Comes painted light gray prime coat only on both sides.

48 LM 3114-Steel Ceiling or Siding. Shpg. wt., 9 lbs. 72c Per Sheet....72c

48 LM 3118—Design Border
(Width, 3 inches.)
Shipping weight, 1 lb.
Per 4-foot
Length ... 20c



# BRICK-FACE STEEL SIDING

It is easily applied on store or garage as siding or decorative front. Brick design; each brick is 24x8½ in c h e s. Sheets are 28x60 in. Furnished in 28gauge.

48 LM 3117—Gal-vanized. Shipping weight, 10 pounds.

Order from Philadelphia

. 56c Sheet .... Ornamental steel Ceiling and Siding Shipped from Warehouse in Philadelphia, Boston, Cincinnali, or point near Pittsburgh, whichever is nearest you.



STEEL CEILING

Length | Price 6 ft. 8 ft. 10 ft.



# ROCK-FACE STEEL SIDING

For store fronts, garage siding or where inexpensive, ornamental siding is wanted. Size of single stone, 7x12 inches. stone, 7x12 inches. In sheets 28x60 inches. Furnished ches. Fur in 28-gauge.

48 LM 3143-Galvanized. Shipping weight, 10 pounds. Sheet ..... 58c

\* PAGE 21029





Why risk farm or home property when it can be cheaply protected by Sears Lightning Rod equipment?
Lightning destroys \$20,000,000 worth of farm property
yearly—yours may be next if left unprotected!
For a small sum Sears Lightning Rods will give you
SECURITY and COMFORT.

Sears cable meets Underwriters' Specifications. We
use 17-ga. pure copper wire cables in choice of 3 sizes.
For average size homes and buildings, use 32-wire
cable. For larger buildings or where storms are severe,
use heavier cable. Uprights "A" and "B" are 20-ga.
seamless copper tubes, pointed at top and rigidly supported by heavy galvanized standards. Upright "C"
is pointed 20-ga. seamless copper tube with copper
saddle. We furnish cable fastener and 2 nails with
every 3 feet of cable. Vanes and glass balls are for de orative purposes only.

# INSTALLED ROD SERVICE

Sears Lightning Rod equipment will protect your buildings, but to secure reduced insurance rates, let Sears arrange your installation by approved installers. This insures complete and correct lightning protection. Such installation also bears the Underwriters' label, which secures for you the highest rate credits from your insurance company. Complete installation is ordinarily made within two weeks and always within thirty days, weather permitting. Write Sears, Roebuck and Co., Dept. 48, giving all measurements as per instructions below. We will then send you a complete estimate. You may, of course, install your equipment yourself, as per our printed Underwriters' approval.

Shown at left is a lightning rod composed of Plain Top 48 LM 3688 fitted with Aluminum Arrow Vane 48 LM 3691 and Glass Ball 48 LM 3692. Cost as shown is only \$1.90 Many other combinations are possible.


481. 3695—½-in. (32-wire) Copper Cable. Shipping weight, 24 lbs. per 100 ft. ft... 86
481. 3695—¾-in. (34-wire) Copper Cable. Shipping weight, 27 lbs. per 100 ft. ft... 96
481. 3695—¾-in. (34-wire) Copper Cable. Shipping weight, 37 lbs. per 100 ft. ft... 96
481. 3697—½-in. (42-wire) Copper Cable. Shipping weight, 34 lbs. per 100 ft. ft. 10.26
(A) 481. 3688—Plain Top. Height, 4 ft. Shipping weight, 3 pounds. ... 98 copper Shipping weight, 3 pou

# HOW TO ORDER


Measure with a tape line or a piece of non-stretch cord, along lines, shown in illus-tration. Ten ft. of cable should be sunk in ground at each place where rods are grounded. Set tops not more than 20 ft. apart along roof ridges; and within 2 ft. of ridge ends. Allow one each for chim-neys, cupolas and other elevations. Every building requires at least two grounds; gabled buildings and "T" or "L" shaped buildings require three or more, depending on size.

# Send for Free Folder 12024L

Gives complete instructions on how to make installations on various buildings. Write to Sears Personal Service Depart-ment for a copy.



# CONTRACTORS! BUILDERS! SAVE HERE ON PLASTERING NEEDS



# READY-FORMED METAL PLASTERING ARCHES


Sears Ready-Formed Metal Arches are economical. That's because they provide in a single unit the three essentials of a true archivals of the provide in a single unit the three essentials of a true archivals of the provided in the provided

# CHOICE OF THREE STYLES

Sears Ready-Formed Metal Arches have a wide range of adaptability. They provide the three designs most freely used for plastering arched openings: True Circle, Gothic and we can supply arches to accommodate those, too (see below). They come in 6 standard sizes, but can be adapted to nearly all sizes and types of openings by combinations of standard unit sections. The adaptability of these arches makes them suitable for either new or old buildings. Ideal for telephone niches, bookcase niches, arched wall recesses, etc. Circle design arches can be supplied for 2x6 or 2x8-in, studs for \$1.25 extra; Gothic for \$1.50 extra; Elliptic for \$1.75 extra. State stud size.

Catalog	Design	Size	Stud	Shpg.	Pieces	Price
Number		Opening	Separation	Wt.	in Set	Per Set
48 LM 11 48 LM 22 48 LM 33 48 LM 44 48 LM 55 48 LM 66	Circle, 10 -in. Radius Circle, 15%-in. Radius Gothic Gothic Elliptic	20-in. 31½-in. 30-in. 48-in. 60-in. 72-in.	21½-inch 33-inch 33-inch 51-inch 63-inch 75-inch	5 lbs. 7 lbs. 6 lbs. 7 lbs. 8 lbs. 9 lbs.	2 2 4 4 4 4	\$2.25 2.75 3.10 3.45 3.75 3.85





# DIAMOND MESH METAL PLASTER BASE

A base and reinforcement for plain and ornamental plastering stucco and fire-proofing. Use under tile and for rat-proofing. Gives quick coverage.

Made in four weights. Priced and sold by the 20 sq. yd. bundle of 10 sheets, size 27x96 in. Use painted lath for inside plastering. Use galvanized lath for stucco and outside work. We recommend heavy weight lath for all work.

Catalog Number	Prices are for 10-sheet Bdle	Weight Sq. Yd.	Wt. Per 10 Sheet Bdle	Price
48 LM 2844	Painted Black	2.2 lbs.	44 lbs.	\$3.70
48 LM 2845 48 LM 2846	Galvanized	2.5 lbs.	50 lbs.	4.65
40 184 0047	Caluanizad	2 4 1ha	68 lbe	4 85



# METAL LATH CORNERS

Made from our diamond mesh metal lath. Used (as shown above) in inside corners of room lathed with wood lath, insulating board, plaster board, etc. to prevent unsightly corner cracks. Listed by Underwriters' Laboratories, Incorporated, Every square inch of Cornerite reinforces because it's all expanded metal—no smooth surfaces to which plaster will not stick. Size of each piece, 3 inches by 3 inches by 8 feet long. Painted black. Packed in bundles containing 25 pieces or 200 lineal feet. Shipping weight, 26 pounds per bundle. 48 LM 72—Bundle Cornerite.\$3.65



# 26-GAUGE STEEL CORNER BEADS

(A) Expansion Style. For "outside" corners. Has 2½-in. flange of metal lath. Wide flange facilitates construction on irregular corners. Made of 26-ga. steel, heavily galvanized. Sold only in full bundles of 10 pieces, in lengths below. Bundles contain 60, 80 and 100 lineal feet respectively. Shps. wt., per lineal ft., 8 oz.

Catalog Number	Length of Bead	Per Bdle	
48 LM 76 48 LM 78 48 LM 80	8ft.	\$2.10 2.75 3.45	

(B) Standard Style, Made of 26-gauge galvanized steel. Insures neat corner construction and prevents plaster from chipping at corners. Meets all building requirements. Provides an absolutely straight corner. Every bead is thoroughly inspected before shipping. Natholes are provided in flanges to speed up erection. Perforations in flanges provide a key for plaster. Perforated flanges 1¾ inches wide. Shipped only in full bundles of 10 pieces in lengths indicated below. Shpg wt, per lineal ft, 4 oz.

	10		Total Control
Catalog Number Length		Bundle Contains	Per Bdle
48 LM86 48 LM88	8 foot	80 lineal ft	
48 LM90	10 foot	100 lineal ft	. 2.35

PAGE 10303 SEARS

All plastering materials shipped from Milwaukee, La Crosse, Wisc., Canton, Ohio, Philadelphia or Boston, whichever is nearer. Order from your Mail Order House.

# SEARS WILL NOT WARP

Cork Cush-ion Bedding Strips Protect Glass

Steel Glaz-Ing CIIps Make Reglaz-ing Easy



All Corners Welded-Not Merely Shaped



Screen and Sterm Sash










tion and Strength



# Can't Warp or Lose Its Shape

There IS a difference in steel cellar sash, and when you compare Sears Welded Steel Cellar Sash with other sash that is merely "shaped" you will know why we say this is the finest made. Shown at left are six of its more prominent features—all contributing to strength, convenience, longer wear and greater satisfaction. Because of its strong welded construction and heavier steel it will never warp or lose shape. It's weatherproof, too, because of the cork cushion bedding strips around each pane of glass. Sash is easily tilted open or lifted out from inside for ventilation. Prices in table below are for sash and frame as shown. Glass and putty not included.

Write for prices of storm sash and screens to fit these sash

Outside Size of Frame		Size Each	63LM9675 Without	Shpg.	63 LM 7264 *Glass		
Ft.	dth I In.	He Ft.	ight In.	Glass Space	Glass or Putty	Wt. Lbs.	(3 lights) for 1 Sash
-	9	1	21/4	10x12	\$1.98	18	39c
2 2 3 3	9	1	1014	10x14 10x20	2.05	19 21	.43c
3	3	1	81/4	12x14 12x18	2.15 2.17	-21 22	48c 56c

# CONCRETE MIXERS

Sears TRIUMPH Mixers are especially designed and built for farm needs. They thoroughly mix

farm needs. They thoroughly mix concrete, mortar or plaster, wet or dry. The small size makes especially good feed mixer. They are adaptable to almost any kind of power. Operates best at an engine speed of 150 revolutions per minute. Pulley for belt drive as shown. Equipped with handle for manual operation.

Here are some of the many jobs you can do with the TRIUMPH: Foundations for buildings, feed floors, feed troughs, water troughs, sidewalks, culverts, fence posts, roadways, fruit and vegetable cellars, porches, etc. These jobs enable the mixers to pay for themselves many times over.

Choice of 2 Sizes

# Choice of 2 Sizes

Choice of 2 Sizes
The 1½ to 2 cubic feet capacity and the
3 to 4 cubic feet capacity.
Mixers are ruggedly built. Strong
angle iron frames are solidly braced.
Drums tilt either way and are made of
16-gauge steel with bowl and head of
heavy cast iron. Paddles are solidly constructed and rigidly braced to do a thor-

ough mixing job. For belt power the TRIUMPH has a cast iron pulley with 3-inch face. Small size has 12-inch pulley, large size has 16-inch pulley, Pinion drives are enclosed, a feature that minimizes wear and prevents damage. Equipped with practical dump locking dev ce. General dimensions: Length, 50 in.; width, 38 in.; ht., 54 in.; shoveling ht., 35 in.

You can buy building materials on Sears Easy Payments. See complete details on Page 5.

Shipped from factory in Fredricktown, Ohio, and you pay freight from there. Order from your Mail Order House.


Catalog	Capacity	Weight	Price
Number	Cu. Ft.	Lbs.	
63 LM 972		200	\$18.95
63 LM 973		245	36.95



Now is the time to make needed improvements to your property. Take advantage of Sears low prices and the liberal F.H.A. plan described on Page 989. No down payment—no endorsers—up to 3 years to pay!

# FREE ESTIMATES

Let our staff of experts figure your bill for materials on any remodeling, modernizing or rebuilding job. Send us your list of materials and we will give you a complete estimate of the cost delivered to your station. There is no charge or obligation for this service. Take advantage of it now.



# STEEL COLUMNS

Made of hollow steel pipe over 1/8-in. thick. Provided with detachable cap and base each 6 in. souare. Outside diameter of all columns, 4 in. Four standard heights. Prices include iron cap and base. Shipped from factory in Chicago, Cambridge, Mass., or Brooklyn, N. V. Order from your Mail Order House.

Height Feet	63 LM 4558	Shpg.Wt.
61/2	\$2.15	39
71/2	2.40 2.60	42 45
8	2.70	48

# STEEL COAL CHUTE

\$398 This sturdy coal chute meets the demands of our customers who want quity that will give longest possible service and still be reasonably priced. It is made of extra heavy rolled steel. All working parts are Parkerized—a process that makes them resist rust and protects the paint film. All hinges and joints are electrically-welded for added strength. When door is closed, it locks automatically and can be opened only from the inside. Wall opening size is about 23x17 in. Chute proper extends into wall 8 in. 8 in. 63 LM 9235—Shpg. wt., 33 lbs...\$3.98

# STEEL LINTELS

Lintels are used above door, window, fire-place or other openings to support the masonry or other material above. Fine solid rolled steel. Write for prices of other sizes. Shipped from factory in Chicago, Cleveland or Boston. Order from your Mail Order House. Shipping weights average from 10 to 21 pounds depending on size.

depending	OH SI	ZC.			
Catalog Number	Size In.	Ga. In.	30 Inch	36 Inch	42 Inch
63L M 4551 63L M 4552	3x3 4x3	3/16	\$0.67	\$0.80	\$0.95 1.35

# =0

# **BUY ON TERMS**

Buy your concrete ma-chinery and building materials, everything on Easy Terms. Pay by the month. See Page 5 for full information.

"WIZARD" Concrete Block Machine

Wizard Concrete Block Machines are fine sturdy quality, and tried scientific construction. They are the fruit of our 30 years experience in buying and selling block machines. This Machine makes \$8.8816-inch blocks face down in medium Rock Face Design. Enables you to make blocks at lowest cost. With each machine we include Rock Design face plate for making one half and two quarter blocks; two Rock Design end two quarter blocks; two Rock Design end gates, two core end gates, two dividing plates, one gable block dividing plate for making gable blocks; two joist block attachments, plugs for closing core holes to make solid blocks, one striker tool, one double


end tamper, and one sample wood pallet for a pattern.

for a pattern.

This machine is a "three-core" type, which makes an economical block as it takes less material or control to the core of the cost of making blocks with this three-core machine is less, and the greater hollow space provides greater insulation. Two men can make from 100 to 125 blocks a day on this machine. Shipping weight, 185 pounds. Shipped from factory in Fredricktown, Ohio. Order from your Mail Order House.

63 LM5730-Complete as shown. \$32.95

# FIREPLACE ACCESSORIES



# ASHPIT DOOR

Made of heavy cast iron. Comes to you complete with frame. When ordering, be sure to state size.

6	3 L 41	77
Size, In.	Each	Shpg. Wt.
8x 8	\$0.69	10 lbs.
10x 8	.90	12 lbs.
10x12	1.35	15 lbs.

# ASH DUMP

Equip your fireplace with this automatic ash dump and save a lot of muss and bother disposing of ashes. It is strongly made of heavy cast iron, 7x10 inches in size Has double doors. Shipping wt., 3 lbs.

63 L 4176....49c

# THROAT OR DOME DAMPER

This Throat or Dome Damper for fire-places is the convenient rotary control type; easy to operate. It is made of heavy cast iron. It eliminates extra work in forming dome or throat.

Overall Size, Inches	For Finished Fireplace Opening Width	63 L4175 Price Each	Shpg. Wt., Lbs.
34x13¾	30 in.	\$4.45	45
40x13¾	36 in.	5.20	



Unmatched in Performance. It has a capacity of 200 to 250 blocks per day with two men. A great saver of labor costs. Ideal for the farmer or small contractor. Makes face-down block and uses a wood pallet for economy. Cores are lever drawn. Simple and easy to operate. Bult-on facing table. Equipment includes face plates in medium rock-face design for whole, half and quarter blocks, 2 rock and 2 core end gates, 2 dividing plates, 2 joist block attachments, 3 core plugs, 1 striker, 1 double end tamper, 1 sample wood pallet and 1 gable block dividing plate. Mointed on substantial, heavy stand. Makes 8x8x16-inch blocks.

Easy Terms. Why not buy the TRIUMPH Block Machine on our convenient Easy Payment Plan, as described on tage 51 years and the convenient, practical way to year the second of the second small amount downs as mall amount downs to come. Shipped from factory in Fredricktown, Ohio. Order from your Mail Order House. Shipping weight, 275 pounds.

63 LM 5738—Triumph Block Machine. \$52.95

SEARS PAGE 21031

# Sears-Tyle BOARD FOR WALLS-LOOKS

Illustrated in actual beautiful colors on opposite page
 Hard, rigid panels, ½-inch thick: choice of 3 sizes
 Overlaid with a brightly enameled, glass-smooth surface in choice of appealing colors
 Choice of two surface finishes, GLISTO (glossy) and VELVO (soft) finish, each scored in 4x4-inch tile pattern, also STREAMLINE (glossy) panels for upper walls, with horizontal score lines 8 inches apart

And Up
Per Sq. Ft.

Modernize your bathroom—dress up your kitchen with the new tile-like wallboard that transforms old, drab walls into surfaces of surpassing beauty. SEARS-TYLE Board looks like tile, cleans as easily as tile, resists hot water and stains and can't be penetrated by dirt, grease, vermin or boring insects. Will not chip, crack or peel. Easy to install. Apply large panels, edge them with chromium strips shown of bottom of page, then finish off with cap and base molding and the job is done. We furnish simple instructions. You'll have a room you'll feel proud of, and its sanitary, gleaming brightness will be a delight to you and yours for years to come.

# Choice of GLISTO (Glossy) or VELVO (Soft) Finish

GLISTO Sears-Tyle Board has a glossy, highly polished and reflective surface and is recommended for bathrooms and kitchens: also for restaurants, tea rooms, display rooms, barber shops, beauty parlors, hospitals and many others. VELVO Sears-Tyle Board has a velvety, unpolished finish and is recommended for basements, recreation rooms or laboratories where a lower priced, yet serviceable board is desired. Our new STREAMLINE Sears-Tyle Board has the glossy finish with horizontal score lines 8 inches apart. It is used principally for upper walls as shown on opposite page,

# There's a Color for Every Decorative Scheme

GLISTO Sears-Tyle Board comes in White, Black, Orchid, Ivory and Green (see actual colors on opposite page. White panels have black or gray score lines: Ivory panels have black score lines: all others have white score lines. VELVO Sears-Tyle Board comes in White, Green 305, Cream and Blue 216. Numbers refer to Sears Color-Graph facing first index page in back of catalog. White panels have black score lines: all others have white score lines. STREAMLINE Sears-Tyle Board comes only in Ivory, Green and White, and the horizontal score lines are the same color as the surface of the board. Actual colors shown on bottom of opposite page.

IMPORTANT; Be sure to state color when ordering.

Size of Panel	Sq. Ft. per Panel		GLISTOPanels 63 LM 6578	VELVO Panels 63 LM 6580	STREAMLINE Panels 63 LM 6577
4x4 Ft.	16	16	\$3.48	\$2.50	\$3.48
4x6 Ft.	24	24	5.22		5.22
4x8 Ft.	32	32	6.96		6.96

NOTE: Velvo Sears-Tyle Board furnished only in 4x4-Ft. panels. See below for prices of cap and base molding and chromium strips to cover joints between panels

Sears-Tyle Cement. Sufficient for one average room. Shpg. wt., 5 and 15 lbs.
63 LM 6581—Per 1-quart Can......39c Per 1-Gallon Can......\$1.25 

# Sears-Tyle Board Is Easy to Install



Sears-Tyle Board can be sawed, nailed and planed like lumber. Won't crack or split. Covers any kind of old or new wall surface. Fastens by cement (and nails) over rock lath or plaster board. Nail holes filled with black or white putty to match score lines. Nails and putty listed above. Instructions included.



# Sears-Tex Rubber tile flooring for beauty—longer wear

Illustrated in actual colors on opposite page

Per Square

O Cleans

■ Illustrated in actual colors on opposite page
 ■ Comes in 6-inch squares: thickness, ½s-inch
 ■ Handsome "marbleized" patterns in choice of 5 colors
 ■ Permits "checkerboard" design by using alternate squares of harmonizing colors, or single color if desired.

You can install it quickly and easily over new or old floors — we furnish simple directions

Cleans readily—softens footsteps—will always look new—lasts indefinitely

Foot

Floors take the most punishment in any room, but when covered with Sears-Tex Rubber Tile Flooring, they come up smiling every time. Here's flooring that can really "take it"—and years from now it will look as fresh, bright and new as when you first laid it. The beautiful, "inlaid" coloring goes clear through to the base. Being made of resilient, live, specially compounded rubber, of a texture similar to the tread of an auto tire, it gives instead of wears—absorbing the impact of heavy feet without marring its permanent surface finish. Actual colors are shown at bottom of opposite page—White, Black, Green, Blue or Red—all with "marbleized" or mottled inlaid pattern. State

HOW TO ORDER. Find area of room and determine number of square feet to order. Example: If room is 8x10 feet you will need 80 square feet of flooring for a solid color. If checkerboard design is wanted, you will need 40 square feet of each color, using alternate squares. Note: Each sq. ft. contains four 6x6-in. rubber "tiles."

**EASY TO INSTALL.** Lay individual tile with mottled grain running in opposite directions. Floor should be smooth and level, to which is cemented a layer of our Saturated Asphalt Felt, 48 LM 3010, listed on Page 1010. Cement felt to floor with our Linoleum Paste 37 L 83, listed on Page 573. The tile is installed over the felt with Waterproof Cement 63 LM 1023. Order this item from listing below. Complete, simple, detailed instructions included with every order.

# **New Sears-Tex Rubber Tile Flooring**

Shipping weight per 50 square feet, 56 pounds.
63 LM 1020—Per Square Foot (4 individual tiles). State color....
63 LM 1023—Cement for use between rubber tile and felt overlay.
Per 1-gallon can. Shipping weight, 15 pounds.....



# **Ceramic Floor Tile**


Clean, white and sanitary. Granite-like hardness. Can't rot or deteriorate. Approx. ¼-inch thick. Comes securely fastened to sheets of paper 2 ft. by I ft. and properly spaced to allow for cementing. Shipping weight, per sq. ft., 3 lbs. 8 oz.

# **Ceramic Cove Base**

Fused on face side with a smooth, hard, brilliant, permanent glaze. Thickness, ½-inch. Comes in White or Black—State color. Shpg. wt., per 10 feet of tiling, 32 lbs.

# "Naturals" for walls and floors .. easy to apply


# ALL ACCESSORIES TO DO A COMPLETE JOB AT GREAT SAVINGS . . SEE PAGE 5 FOR TERMS



# Chrome Plated Forged Brass Built-in Fixtures

Finest designs we could secure. Skillfully forged solid brass built-in bath-room fixtures surfaced with permanent, non-tarnishing chromium. Easily cleaned to sparkling newness by merely rubbing with a dry cloth. Easily installed.

30 72		- 12/2	
Catalog No.		Shpg. Wt.	Each
63 LM 9512	(A) Soap Dish and Grab Bar	3 lbs.	
	(B) Soap Dish with Glass Tray		1.49
	(C) Robe Hook	1 lb.	.75
63 LM 9520	(D) Tumbler & Tooth Brush Holder.	2 lbs.	1.35
63 LM 9517	(E) 18-in. Square Towel Bar.	2 lbs.	2.40
63 LM 9518	(E) 24-in. Square Towel Bar	2 lbs.	2.59
63 LM 9529	(F) Paper Holder	2 lbs.	2.40
63 LM 9527	7-Piece Chrome Set (above)	12 lbs.	13.50




# Glazed Porcelain Built-in Bathroom Fixtures

New, attractive design. Made of high-fired vitreous china and covered with a deeply fused glaze. Will not stain, tarnish or 
rust. Flange will cover 
rough joints neatly. Easily in stalled. Colors: 
Black, White or Green. 
State color.

Catalog No.	Name of Article	Shpg. wt.	Each
63 LM 9395 63 LM 9398	(A) Soap Holder(B) Soap Dish and Grab Bar	3 lbs. 4 lbs.	\$0.89
63 LM 9396	(C) Tumbler Holder	3 lbs.	.89
63 LM 9400	(E) 18-inch Square Towel Bar (E) 24-inch Square Towel Bar	3 lbs.	
63 LM 9397	(F) Paper Holder	5 lbs.	

# CAP AND BASE MOLDING



Cap Mold. Black. Width 134 in. White scoring 8 in. apart. Per 6-foot length. 63 LM 6579-Wt., 1 lb.98c

PAGE 10323 SEARS



Base Molding, Black

with white scoring 8 in.
apart. Width, 4 inches.
63 LM 5480—Per 6ft. length.
Shippingwt.,
2 lbs. 12 oz.
\$1.15



Outside Corner Strip. Two-piece. Lustrous Chromium finish. 63 LM 6605-Per 4-ft Igth. Shpg.wt.,1 lb.8 oz.35c Per 8-foot length. Shipping wt., 3 lbs....70c



Inside Corner Strip. Two-piece. Lustrous Chromium finish. 63 LM 6585-Per 4-ft. Igth.Shpg.wt., 1 lb. 8oz.35c Per 8-foot length. Shipping wt., 3 lbs....70c



End Strip. Lustrous Chromium finish. For use at ends of wall.
63 LM 6606—Per 4-ft. Igth. Shpg.wt.,1 lb.8 oz.35 c Per 8-foot length. Shipping wt., 3 lbs....70c



Division Strip. trous Chromium finish. Use between panels. 63 LM 6607—Per 4-ft. lgth. Shpg.wt., 1 lb.8 oz. 35c Per 8-foot length. Shipping wt., 3 lbs....70c



Tub Molding. One 6-foot piece for back and two curved pieces for ends. Can be used for any built-in tub. 63 LM 6586-Per Set





# 22 ATTRACTIVE COLORS

White
—White
—Ivory
—Cream
—Sunlight Yellow
—Buff (Lt. Oak)
—Autumn Brown
—Sea Green
—Lettuce Green
—Jade Green
—Emerald Green
—Emerald Green
—Light Gray
—Colors Showe /E COLORS
30 L 2454—Pink
30 L 2437—Coral
30 L 2443—Dark Orchid
30 L 2443—Dark Orchid
30 L 2446—Turquolse Blue
30 L 2452—Royal Blue
30 L 2434—Burnt Orange
30 L 2434—Burnt Orange
30 L 2422—Silver
30 L 2423—Gold
30 L 2440—Black

Colors Shown True to Life on Sears Modern Paint Chart Opposite Page 1058.

# PRICES - State catalog number of color.

Size	Shpg. Wt.	Colors	Silver	Gold
/4 pint /2 pint 1 pint 1 quart /2 gallon 1 gallon	1 lb. 1 lb. 4 oz. 1 lb. 14 oz. 3 lbs. 10 oz. 6 lbs. 14 oz. 12 pounds	19c 33c 50c 95c \$1.79 3.35	25c 40c 67c	38c 67c \$1.14

NOW one coat covers ANY painted surface. Beautifies anything—walls, woodwork, furniture—any surface—wood, metal or concrete. Use it indoors—use it outdoors, anywhere, on porch or lawn furniture, automobiles, trucks. Quart covers up to 150 square feet or 4 chairs, a table and a kitchen cabinet.

Like a fairy's magic touch, a swish of the brush and the most amazing transformation takes place right before your eyes. Dull pieces brightened—faded surfaces made vibrant with new life—gay color. You may never have used a paint brush, yet with this enamel you become a master artist and no old color will show through to spoil the job.

This 4-Hour magic enamel is actually fascinating to apply! There's no trick technique to remember-just clean the surface-open the can and brush it on. Then watch the old, drab surface brighten up like a ray of sunshine. No laps, no brush marks-just a smooth, porcelain-like finish, easy to wash without dulling the luster. Users call it America's No. 1, 4-Hour Enamel because it holds its color, retains its gloss and wears longer than much higher priced enamels. Sets in one hour-dries ready for use in four. Will not chip, peel, crack or blister. Fruit juices, vinegar, grease, hot or cold water, oils or perfume will not harm it.



# **DECALCOMANIA TRANSFERS**

Give extra beauty, decoration and interest to walls, chairs, tables, stools, dressers, kitchen cabinets, canister sets, toys, wagons, baby cribs, etc. Decals have so many uses and are so much fun to or Decorative Enamel job. Simply dip in water and apply. No glue or varnish needed. Sold in sheets 6x8½ in, each containing matched sets of both large and small transfers. Designs 30L68, 30L60 and 30L67 (left to right) are partially illustrated above, about ½ actual size. Write to Sears Personal Service Dept. for free color circular DT30L. Shpg. wt., each., 2 oz. 30 L 68—Penk Rose Design, (intilustrated, 15 pieces). 30 L 68—Floral Conventional (Red, Yellow and Orange Flowers—11 pieces in this set, not illustrated, 15 pieces). 30 L 68—Juvenite Designs (One Designs illustrated—PAGE 1034 SEARS)



Quart 550

# DECORATIVE ENAMEL

A good, practical grade of quick-drying enamel at a bargain counter price. Gives a colorful, serviceable finish to old, worn or new unpainted furniture pieces, walls, woodwork, wickerwork and porch furniture. It is easy to apply. Quart covers 120 square feet.

Colors Shown True to Life on Sears Modern Paint Chart Opposite Page 1058.

30 L 2130—White 30 L 2150—Ivory 30 L 2148—Cream 30 L 2129—Sunlight Yellow 30 L 2138—Büff 30 L 2138—Autumn Brown 30 L 2128—Sea Green 30 L 2145—Jade Green 30 L 2145—Jade Green

30 L 2135—Light Gray 30 L 2137—Coral 30 L 2143—Dark Orchid 30 L 2146—Turq, Blue 30 L 2133—Pool Blue 30 L 2134—Burnt Orange 30 L 2136—Vermilion 30 L 2140—Black

 ½ pint.
 Shpg. wt., 1 lb. 4 oz.
 19c

 1 pint.
 Shpg. wt., 1 lb. 14 oz.
 35c

 1 quart.
 Shpg. wt., 3 lbs. 10 oz.
 55c



# TEST IT YOURSELF

chair, small table, stool, canister set or Complete child's wagon and discover the ease of application, lack of brush marks,

good hiding and the general beauty of 4-Hour Enamel. Get ¼ pint of any color shown above (except silver and gold) and a 1-inch brush, all for 25c. Shipping wt.,1 lb.State color. 30 L 2410—Complete..25c



# FREE BOOKLET

' ' H o w should I refinish my walls?"
"Is it difficult to paint furn-

paint furniture?" "Which type enamel should I use?" These and every other paint question are answered in "How to Paint"—complete 36-page attractively illustrated booklet. Written interestingly, Easy to read easy to read to read—easy to understand. Write for No. 686L.

THE BEST QUALITY IS CHEAPEST IN THE LONG RUN -And It's Easy to Buy the Best on Sears Easy Payment Plan. See Page 5.

MODERNIZE NOW ON F. H. A. FINANCING PLAN. See Page 989 for Details.

# 12-MESH BLACK GIVES GOOD SERVICE

Best quality black wire screen. Uniformly woven from full gauge hard drawn open hearth steelwire. Heavy leastic black enamel finish won't crack or chip. Will give long service if painted regularly. 12-mesh is satisfactory for localities not infested with small insects. To keep out small insects, buy 16 or 18-mesh. State width.

h, es	Shpg.	99L6805			
ig di	Wt.,	Per	25-Ft.	50-Ft.	100-Ft.
3-	100 Ft.	Foot	Roll	Roll	Roll
24	21 lbs.	3% c	\$0.92	\$1.80	\$3.50
26	24 lbs.	4c	1.00	1.95	3.79
28	25 lbs.	41/40	1.07	2.10	4.08
30	28 lbs.	434 c	1.15	2.25	4.37
32	30 lbs.	5c	1.23	2.40	4.66
36	33 lbs.	5%c	1.38	2.70	5.25
42	38 lbs.	61/2 c	1.60	3.15	6.10
48	45 lbs	71/00	1.85	3 60	7 00

# 14-MESH GALVANIZED

Actually priced lower than many ask for plain black enameled screen! Galvanized after weaving with many coats of pure zinc PLUS an improved baked-on pigment enamel finish. Lasts twice as long as ordinary galvanized screen! If there are small insect pests in your locality use 16 or 18-mesh screen. State width wanted.

	Width	Shpg. Wt., 100 Ft.	99L6814 Per Foot	99L6814 100 Feet
	24 in.	25 lbs.	434 c	\$4.50
	26 in.	27 lbs.	5 c	4.87
١	28 in.	29 lbs.	5½c	5.25
١	30 in.	31 lbs.	6c	5.62
	32 in.	32 lbs.	61/4 c	6.00
ı	36 in.	35 lbs.	7c	6.75
	42 in.	42 lbs.	81/4 c	7.87
	48 in.	48 lbs.	91/20	9:00

# 16-MESH GALVANIZED **GUARANTEED 5 YEARS**

27/10°
Sq. Ft. in too the control of the control of

18 t.
10
5
10
5
0
0
0

# **ATTENTION, HOME OWNERS!**

Pull screened windows and porches will pay you big dividends in health and comfort. Government Health Bulletin No. 1153 recommends 16-mesh screen (or finer) for protection from malaria carrying mosquitoes and other small insects. Why not have fullest protection—it costs so little by the month on Sears Easy Terms. See Page 5.

# 16-MESH BRONZE **GUARANTEED 25 YEARS**

No more screen repairs when you use PRO-TEX Deluxe solid bronzel No more painting! No more upkeep! Absolutely rustproof! Meets all U.S. Gov't. specifications. 50% heavier than many offer at these prices. Full gauge, extra-heavy, bright, solid bronze wire—uniformly woven—covered with durable, transparent varnish to help keep its bright finish and prevent stain. Gives double the life of ordinary bronze wire screen. Double the strength of copper wire screen. Has the strength and stiffness of steel—yet is rustproof in any kind of weather or climate. So good, we give it a definite 25-year guarantee. Gives you the lowest cost per year of service of any screen you can buy. State width.

Width, Inches	Shpg. Wt., 100 Ft.	99L6825 Per Foot	\$9L6826 25-Ft. Roll	99L6827 50-Ft. Roll	99L6828 100-Ft. Roll
24	32 lbs.	13½ c	\$3.32	\$6.60	\$13.00
26	35 lbs.	14½ c	3.59	7.15	14.08
28	38 lbs.	15¾ c	3.87	7.70	15.16
30	41 lbs.	16% c	4.15	8.25	16.25
32	42 lbs.	18c		8.80	17.33
36	48 lbs.	201/4 c	4.98	9.90	19.50
42	56 lbs.	231/2 c	5.80	11.55	22.75
48	63 lbs.	27 c	6.65	13.20	26.00


# 16-MESH LIGHT BRONZE

Sq. Ft. in 100-Ft. Roll

Amazingly low prices! Lighter weight than our PRO-TEX DeLuxe Bronze, but equals best quality offered by many others. Absolutely rust-proof. State width.

LOW PRICED ACCESSORIES YOU WILL NEED

Width,	Shpg. Wt.,	99L6823	99L6823
In.	100 Ft.	Per Ft.	100 Ft.
26	27 lbs.	10c	\$ 9.75
28	29 lbs.	10¾c	10.50
30	32 lbs.	11½c	11.25
36	36 lbs.	13¾c	13.50



12-MESH BLACK

SQUARE FOOT In 100-Ft. Roll

ACTUAL MESH

# 18-MESH BRONZE

Guaranteed 25 Years. Our finest! 18-mesh. Keeps out the very smallest in-sects. Ideal for near sea-seast and river valleys. Lasts a lifetime. State width.

Width,	Shpg.Wt	99L6829	99L6829
In.	100 Feet	Per Ft.	100 Ft.
26	40 lbs.	15% c	\$15.20
28	43 lbs.	17c	16.35
30	46 lbs.	18c	17.50
36	53 lbs.	21% c	21.00

# MAKE YOUR OWN SCREENS

You save about one-half when you make your own screens! It's easy with Sears CLEAR-BUILT frames. Made of sturdy, ready-cut select kiln dried white Western (Pondosa) pine. Complete with all corner brackets and nails necessary for assembly and simple directions. Order wire screen from the listings above. Use PRO-TEX Deluxe 16 or 18-mesh bronze for longest, most satisfactory service. You'll find it costs the least in the long run because it need never be replaced.



**Window Screen Frames** 

Big Savings and its fun making them yourself. Stock, %x1½/6 inches. Sides grooved and furnished with strips to slide on for half length frame. Full length screens listed below give best ventilation.

Half Length Window Screen Frames							
Catalog No.   For Openings Up To   Shpg. Wt.   Ea							
99 L 6835 99 L 6836 99 L 6837	30x30 inches 36x36 inches 42x42 inches	3 lbs. 4 lbs. 4 lbs.	25c 35c 45c				
Full Length Window Screen Frames 99 L 6840   36x72 inches   6 lbs.   65c 99 L 6841   42x84 inches   7 lbs.   80c							



# Screen

98c

# **Door Frame**

Poor Frame
For openings
up to 36x84 in.
Stock: top, 34x
234x36 inches;
bottom; 34x5/2
x36 in; center,
34 x 11/16 x 36
inches; sides,
34 x 234 x 84
in. Shipped
freight or express. Shipping weight,
12 pounds.
.99 LM 6844



# Screen Staples

Length, % inch. Sharp point. Full weight. Shipping weight, 3 oz. 9 L 6851—Blued steel. %-lb. pkg... 4c 9 L 6852—Copper plated. %-lb. pkg.. 4c 9 L 6872—Blued steel. Length, ½ inch. Larger, heavier. ¼-lb. package. Shipping weight, 5 ounces....5c

# **Billposter Tacks**

Blued. Heavy cut steel. Large head. Sanitary. Shipping weight, ½-lb. package, 9 ounces.

9 L 6862-State size.

Size	Lgth.,	½-lb.	12
	In.	Pkg.	Pkgs
4	7/16	7°	79c
6	1/2	7°	79c
8	9/16	7°	79c
10	5/8	7°	79c

# **Carpet Tacks**

Blued, sterilized. Sharp, uniform points. Flat head. Shipping weight, 4-lb. package, 5 ounces.

9 L 6861—State size.						
Size	Lgth.	1/4-1b. Pkg.	12 Pkgs			
3 4	3% in. 716 in.	4 c 4 c	43c 43c			
8	% in.	4c 4c	43c 43c			
0 1 6	0 1 CO70 Salid Camera Table					

9 L 6870—Solid Copper Tacks. %-inch size. %-pound package. Shipping weight, 3 ounces....50

# **Numeral Nails**

Use these handy nails for marking screens, storm windows, etc. Rais-ed figures. One of each number in-cluded in set. Shipping wt., 2 oz. 9 L 6850 — State set wanted.

Set, 1 to 25.... 5c Set, 26 to 50.... 5c



Metal center

uprights hold the wire se-curely and

# **Adjustable Hardwood Frame Screens**

Galvanized 14-Mesh wire screen; oiled finish sea-soned hardwood frame. Ruggedly built; sturdily braced. Lengths are adjustable as shown in table be-low. Priced lower than many ask for black. State size.

	Height	Length, Adjustable	Shpg. Wt.	99L6845
	9 inches	20 to 33 inches	2 lbs.	19c
2	12 inches	20 to 33 inches	2 lbs.	24c
	15 inches	27 to 45 inches	3 lbs.	39c
S	18 inches	20 to 33 inches	3 lbs.	35c
S.	24 inches	20 to 33 inches	4 lbs.	43c
	24 inches	22 to 37 inches	4 lbs.	490
	28 inches	22 to 37 inches	4 lbs.	65c



# **Brads and Nails**

Sharp. Uniform. State size.

	. wt., 5 oz.	9 L 6 (A) E			L 6886 (B) Nails		
In.	Gauge Wire 19 18	1/4-Lb. Pkg. 4c 4c	12 Pkgs. 45c 45c	Pkg.	12 Pkgs. 45c 45c		
1 1/4	18 17 16 16	4c 4c 4c 4c	45c 45c 45c 45c	4c 4c 4c 4c	45c 45c 45c 45c		

# **Upholstering Nails**

Upholstering Nails
© 9 L 6883—Solid brass
head. 35 to a package.
Shipping weight.
2 oz. 2 packages. 8c
9 L 6885—Steel, brass
plated head. 50 to a package.
Shipping weight, 4 oz.
2 packages. 5e
9 L 6879—Steel, enameled.
Green, tan, brown, black.
State color. 50 to a package. Shipping weight, 2 oz.
2 packages. 9e

# **Corrugated Steel Fasteners**

Corrugated Steel resteners

(b) For secure wood joints in screen frames, cabinet work, etc. 9 L 6855—State size wanted. %x% in. Shpg. wt., 3 oz. 50 for. ... 8c. 4x 1 in. Shpg. wt., 4 oz. 50 for. ... 8c. %x 1 in. Shpg. wt., 4 oz. 50 for. ... 8c. %x 1 in. Shpg. wt., 4 oz. 50 for. ... 8c.

# **Steel Rung Fasteners**

Save At SEARS • PAGE 857



# **ELGIN** Cylinder Night Latch

There's EXTRA quality and EXTRA security built right into this busky, efficient lock. Has heavy rustless metal case, 2½x3% inches, with attractive bronze wrinkle finish. 5-pin tumbler brass plated cylinder, brass knob and stop button. Wrench-proof cylinder ring. Heavy rustless metal button. Wrench-proof cylinder ring. 12½ inches thick. 3 cylinder keys. With mortise and rim strikes and instructions for instaling. A \$1.25 value!

9 L 5802—Shgg. wt., 1 lb. 12 oz.

9 L 5805—Similar to above, but with nickel plated cylinder, inckel plated brass knob and stop button, solid brass bolt, and heavy iron case with black wrinkle finish. Finest cylinder with the control of the control

5-disc cylinder. Black crackle finish cast iron case, 21/4 x3 in. Brass knob. With mortise and rim strikes. For doors 13/4 to 21/2 in. thick. 2 keys. With

ElGIN Cylinder Latch
Chromium plated brass
5-pin tumbler cylinder;
chromium plated brass
deadlock stop and knob.
Heavy iron case, 2½x3%
in. Black crackle finish.
Reversible brass bolt. 3
nickel sil ver cylinder
keys. Wrenchproof cylinder
ring. For doors 1¾
to 2½ in. thick. With
screws and instructions
for installing. Shipping
weight, 2 pounds.


9 L 5806.....\$1.10

High Night lock
A night lock that can't be immired Gives you secure that the s 9 L 5808.....\$1.98

Heavy japanned from case, 2½x3¼ in. 5-pin tumbler brass cylinder, thumb turn, bolts and face. Operates by key from outside, turn knob inside. Armored face, For doors 1½ to 2 in. thick. 3 cylinder keys. With screws. Shipping wt., 1 lb. 8 oz. 9 L 5813. \$2.98

9 L 5813.....\$2.98 9 L 5814—As above, with cylinder for both sides. Operates by key only. 3 keys. With screws. Shipping wt., 1 lb. 12 oz...\$3.85

YOU MAY BUY ANYTHING IN SEARS CATALOG ON EASY TERMS-See Page 5



# MATCHED MODERN HARDWARE

MATCHED MODERN HARDWARE

© Cabinet Hinges. For cupboard and cabinet doors. Rust-resisting chromium plated steel. Attractive modern design. With screws and instructions. 1½x 2¼, inches. Shipping weight, pair, 4 ounces.
2½, inches. Shipping weight, pair, 4 ounces.
2½, inches. Shipping weight, pair, 4 ounces.
25c
9 L 6307—Offset (¾-in.) Type. Pair.
25c
© Cabinet Hinges. Similar to above. Semi-concealed type. 2½-in. jamb leaf. Fits doors from 1½-in. thick. Shpg. wt., pair, 30z.
9 L 6301—Flush Type. Pair.
23c
© Cabinet Catch. For flush or offset cabinet doors.
Solid brass. Polished chromium finish with 3 contrasting black lines. Operates by slight push on button on handle. 4 in. long. With screws.
37c
© Door Pull. For cupboard doors. 4 in. long. Matches catch above. Solid brass. With screws. 17c
© Drawer Pull. Attractive modern design. Solid brass with polished chromium finish. 3 decorative black lines. 4½ in. long. With screws.
17c
© Drawer Pull. Similar to above, but with grace-flushes with polished chromium finish. 3 decorative black lines. 4½ in. long. With screws.
17c
© Drawer Pull. Similar to above, but with grace-fully rounded corners. 3 in. long. With screws.
17c
© Drawer Pull. Similar to above, but with grace-fully rounded corners. 3 in. long. With screws.
17c
© Pull Knob. Made of steel, with stainless steel top. Chromium finish. Modern design with 3 decorative black hines. 1-in. With screw.
12c
9 L 6294—Shpg. wt., 202.
9 L 6294—Shpg. wt., 205.




# Glass Drawer Pulls

A Ideal for new or old kitchen and bedroom furniture. Length, over all, 4 in.
Your choice of three attractive colors. With bolts for mounting. 3 in, from center to center of knobs. Shop, wt., 4 oz.
9 L 6142—Crystal.
9 L 6156—Green.
8c
9 L 6159—Black.
8c

**Modern Drawer Handle** 

B Strongly made of solid cast brass. 3½ in. between centers. With bolts for mounting. Shpg. wt., 6 oz. 9 L 6148—Dull brass finish. 99 L 6147—Chromium finish. 250

Cast Brass Pull Knob




**New Drawer Pull** 

B Matches catch above. State color. 9 L 6342—Shpg. wt., 5 oz......

Modern Chromium Cabinet Set 





Door Handle 6½-inch. Black. With screws. Staples included. Shpg. wt., 4 oz. 9L6171-Each...12c 9L6303-3 for...13c

Chest Handles Steel. Black. 3-in. plate. Screws. Shpg. wt., 12 oz. 9 L 6163—Pr..23c

Transom Chain
12-in. Dull brass
finish. Screws.
Shpg. wt., 3 oz.
9L6090-Each...15c

Transom Catch
Dull brass finish.
Screws. 1%x2¼in. Shpg. wt., 4 oz.
9L6088-Each...17c



Friction Catch
Dull brass finish.
With strike and
Screws included.
pins. Shipping
Shpg. wt., 4 oz.
yeight, 12 ounces.
91.6118-61or...180
91.6115-Each.44







Stay Hinges 10-in. Brass finish. Screws. 25c value. Shpg. wt., 4 oz. 9 L 7229—Pr..10c

Hooks—Eyes
Assorted. All necessary sizes. Shipping wt., 10 oz.
9L7246-72 for.. 19c

Brass Cup Hooks
1/2, ¾, or 1-inch, State size wanted.
Shpg. wt., 4 oz.
9L7250-2doz...15e

Coat-Hat Hooks
Black. Wire. 3-in.
size. Shipping 3-in. size. Shipping with 1 lb.
9 L 7236-Doz.9e

Ceiling Hooks
Heavy black wire.
Ship wire.
Size. Shipping 3-in. size. Shipping with 1 lb.
9 L 7236-Doz.9e
9L7233-Doz...12e
9L7234-6 for...20e

والما



Antique Knob
Brass. Antique
finish. Size, 1 in.
Shpg. wt., 6 oz.
9L6155-6 for.. 30c



| Round Knobs | Square Knobs | Maple. 1, 1/4, or | Maple. 1, 1/4, or | 1/2-in. State size. | Shpg. wt., 5 oz. | Shpg. wt., 4 oz. | Shpg. wt., 5 oz









Hinge Hasps Screws. State size. Shpg. wt., 11 oz. 9L5930-4-in...9c 6-in...13c



Ring Drawer Pull Antique brass fin-ish. Size, 2 in. Shpg. wt., 12 oz. 9L6140-6 for... 35c







Door Buttons
Black. 1½ or 2-in.
State size. Shipping wt., 6 oz.
9 L 6278—Doz..8c



Door Holder
Dull brass finish.
Rubber tip, 4 in.
Shpg, wt., 5 oz.
9 L 6197—Each.80 = 9L5986-Each...210 = 9L 7806—Each.50





 Key Chain
 Door Keys
 Window Bolt
 Barrel Bolt

 Nickel bead chain.
 5½-in. long, open.
 Strong. 2½ inches long. Black frame.
 5ull brass finish.

 Shpg. wt., 2 oz.
 9 L 7227—Each.4e
 9L 7225–2 for.... 4e
 9 L 6053—Each.9e
 9 L 5982—Each.8e









Wardrobe Lock Steel. 2x1¼ in. Fastens inside. Complete with key and screws. Shpg. wt., 4 oz. Drawer Lock Steel. 1%x1%6 in. Brass cylinder. For %-in. wood. 2 keys. Screws. Shpg. wt., 4 oz.

Cupboard Lock Steel. Brass cyl-inder. 2x15/6 inches. For 4-inch wood. 2 Keys. Screws. Bore one hole only to install. Shpg. wt., 4 oz.



Chest Lock
Brass. 11/6 x11/2
inches. For
wood 34-inch
thick. With 2
keys and screws
for mounting. A
75c value! Shpg.
wt., 4 oz.



Suitcase Catch
Drawbolt aligns
cover with main or tool box, etc.
body before locking. Size, 2¼ in.
With rivets. Complete with 2
Dull brass finish.
For chests, etc. for mounting.
Shpg. wt., 3 oz. Shpg. wt., 5 oz.

Trunk Lock
Strong! Secure!
Made of steel,
Made of steel,
Strong! Secure!
Made of steel,
Size, 6¼x2 in.
Vewys and screws
For chests, etc. for mounting.
Shpg. wt., 5 oz.



Cupboard Turn
134x1½ inches. 2½ x2½ in.
Choice of dull brass, old copper, or nickel plated finish.
State finish.
With screws.
Shpg. wt., 2 oz.
Shpg. wt., 4 oz.



Chest Lock
Steel. Brass
plated. 25/6x113/6
inches. For %inch wood. Complete with key
and screws. A
59c valuel Shpg.
wt., 4 oz.

9L5861-Ea...290 9L5863-Ea...320 9L5864-Ea...420 9L5874-2 for 170 9L5876-Ea...450 9L5869-Ea...350 9L6126-Ea...80 9L6108-Ea...80



© Holds screen door tightly closed. Cad-mium rust-proofed finish. Strong steel spring. Rub-ber rollers. With screws. Shpg. wt., 6 oz. 9 L 6318.....86

# Screen Door Check


Automatic. For screen door. Use with any spring. Rubber ball takes the "slam." Shipping weight, 1 lb. 12 oz. 9 L 6268.....86

A Corner Brackets. Rust-resisting galvanized steel. Hold frames rigid; prevent sagging. Shpg. wt., 8 oz. 8c

© Screen and Storm Door Set. Pair 3-in.loose pin hinges, door pull, coil spring, hook and eye. With screws. Shipping weight, 1 pound.

9 L 6329—Black japanned. 17c
9 L 6321—Dull brass finish. 21c
9 L 6321—Dull brass finish. 21c
9 L 6321—Door Pull only 44-in. Dull brass. Screws. Shpg. wt., ea., 1 oz. Each. 3c; 6 for. 15c

(b) Screen and Storm Door Set. Heavy steel hinges, 3x2½ in. With covered spring. Detachable. With screws, hook, door pull. Shpg. wt., 1 lb. 9 L 6331—Black japanned. 13c 9 L 6308—Dull brass finish. 21c



# **Door Checks**

9 L 6270......55c

# ELGIN Door Check—Save 1/3 or More

# **Dependable ELGIN Padlocks**

Extruded Brass Padlocks. Our best and strongest padlocks! Equal to those selling from \$1.50 to \$2.50! Rugged case is made from solid block of extruded brass. Chromium plated case hardened self-locking steel shackle is file-proof and saw-proof. All sizes except 1½-in, have 5-pin tumbler cylinder. 1½-in. size has 4-pin tumbler cylinder. 2 cylinder keys.





A Door Springs. Spiral steel. Oil tempered. Length, 16 in. With hooks. Shpg. wt., 5 oz.

Cat. No.	Size	Each
9 L 6280 9 L 6282	%2 in. % in.	4c 4c
9 L 6284	7/16 in.	4c

Screen Door Brace.
Steel rod. Brass
turnbuckle for adjusting tension. Black japanned. With screws.
State length.

Size, In...|14½| 42 Shpg. Wt..|3 oz.|12 oz. 9 L 6340 | 8c | 12c



Combination Padlock. Brass case. Black enameled dial; white numbers. Steel shackle. 3-number combination. 1%-in. diam. Shipping weight, 9 oz. 9 L 5850.... 59c

Combination Padlock. Steel shackle. 3-number combination. Rust-proof metal case. 1% inches in diam-eter. Shipping weight, 7 oz. 9 L 5846....19c

Bargain Pad-lock. A sturdy, dependable lock. 6-1ever type. Steel case; size, 2x3 in. 2 keys. Shipping weight, 6 ounces. 9 L 5828...9c

Shell Type Padlock. Use 34-in. for dog collars, etc.; 1½-in. for tool boxes, etc. Self-locking. 2 keys.

1½-1n. for tool boxes, etc. Self-locking. 2 keys. 10c value.

9 L 5821—¾-inch. 6c

9 L 5822—1½-in. 7c

Shpg. wt., 3 oz.... 7c



A Door Bell. Rotary type. No springs, no batteries, no winding. 3½-in. With turn. Dull brass finish. Shipping weight, 1 lb. 2 oz. 9 L 6276...59c

B Mortise Door Bolt.
Brass knob and escutcheon. Rustproof.
Real 40c value. Shpg.
wt., each, 6 oz.
9 L 5989
Dull brass. Ea. 25c

9 L 5990 Old copper. Ea. 25c

Mortise Flush Bolt. Brass. 34-inch wide, 6 inches long. Complete with screws. Shpg. wt., 8 ounces.

9 L 6021 Dull brass. Ea. . 45c 9 L 6022 Dull bronze, Ea. 45c Half Round Surface Bolt. Steel. For French windows and doors opening in or out; right or left hand. With screws. State length.

9 L 6023 | 9 L 6025 | 9 L 6026

Dull brass | Dull bronze | Bright brass 4-inch. Shpg. wt., 6 oz. Each. . . . 16c 6-inch. Shpg. wt., 8 oz. Each. . . 19c 9-inch. Shpg. wt., 10 oz. Each. . . 24c E Floor Door Stop. Solid cast brass. Rustproof. Rubber tipped. For bathrooms, etc. With screws. 20c value. Shipping weight, 3 ounces. 9 L5995—Satin brass. 12c 9 L5996—Chromium. 17c 9 L5997—Dull bronze. 13c

2-Lb. Package

# **(1)** 1 B (D) G

**Riveting Machines** 

**Hollow Drive Punch** 

Hollow Drive Punch

Drop forged steel.
Accurately drilled
holes. Shpg. wt., ea., 3 oz.
9 L 4308—State size.
18 in. No. 4.
16 in. No. 6.
17 in. No. 8.
18 in. No. 10.
18 in. No. 10.
19 in. No. 10.
29 in. No. 10.

Rivet Set and Header © Drop forged steel.
For setting burs on copper rivets on Nos. 7, 8, 9 and 10. Also for heading tinners' rivets.
State size. Shipping weight, 4 ounces.
9 L 4313—Each... 12c **Coppered Split Rivets** 

Can be used equally well on canvas, rubber or leather. Assorted sizes, 1/4 to 1/2 in.

9 L 7444—Box of 50. Shipping weight, 2 ounces. 4c Dozen boxes. 600 rivets. Shipping weight, 1 pound 45c **Tubular Rivet Assortment** 

G Japanned steel. For any riveting machine taking standard size rivets. Assorted lengths, ½ to ½ inch. 9 L 7441—Box of 50. Shipping weight, 2 ounces. 6c

Dozen boxes. 600 rivets. 65c Shpg. wt., 1 lb. 10 oz....65c

Japanned Tubular Steel Rivets

For use with any riveting machine taking standard size rivets. Every rivet perfect. When ordering be sure to state length wanted.

Length, in. . . . | ½ | 5′6 | ¾ | ½ | 5′6 | ¾ | ½ | 5′6 | 3⁄4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5′4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄4 | 5⁄

Iron Rivets and Burrs

Ocopper plated. Size No. 8. Assorted lengths, % to % inch. For belts, harness and many other repairs. ½-pound package.
9 L7460—Per pkg. Shpg. wt., 12 oz. 10c
12 pkgs. Shpg. wt., 6 lbs. 12 oz. \$1.10

55c 2-lb. Pkg. Assorted. Four ½-lb. boxes; sizes 8, 9, 10, 12, ¾ to ¾-in. lengths. Shpg. wt., 2 lbs. 6 oz.

9 L 7477.

One length to package. ¾-½, ½- ½- 05, ¼ in. State size and length. Shpg. wt., 1 lb. 2 oz.

9 L 7466—Size 8, 1 lb. 2 oz.

9 L 7466—Size 9, 1 lb. 280

9 L 7466—Size 9, 1 lb. 300

9 L 7468—Size 12, 1 lb. 300

9 L 7468—Size 12, 1 lb. 300

9 L 7468—Size 12, 1 lb. 300

9 L 7467—Size 8, ½-lb. 156; 1-lb. 216, 9 L 7471—Size 8, ½-lb. 156; 1-lb. 220, 9 L 7471—Size 9, ½-lb. 166; 1-lb. 220, 9 L 7472—Size 10, ½-lb. 166; 1-lb. 310


9 L 7473—Size 12, ½-lb. 166; 1-lb. 310


9 L 7473—Size 12, ½-lb. 186; 1-lb. 330

SAVE AT SFARS

SAVE AT SEARS SEARS

PAGE 859





ELGIN Tomorrow Design. Modern . . . striking! Ideal for the finest new homes or remodeling. Recessed edges of escut-cheons, and lines on knobs, are slightly darker than flat sur-

faces to give a rich contrast. Unless otherwise stated, sizes are: knobs, 1 ½ in.; escutcheons, 7 ½ x 1 ¾ in.; rust proofed, reversi-ble locks, 3 ½ x 3 ½ in. Sets complete with locks, keys, and screws.

darker than flat surble locks,

© ELGIN 3-Tumbler Rear
Door Lock Sets. Dull brass
finish. Brass knob and escutcheon outside; steel knob and escutcheon inside. Key. Fit doors
I to 2 in. thick. Shipping weight,
2 pounds 6 ounces.
9 L 5665—Same as above but
dull bronze relieved finish. \$1.19

© ELGIN French Door or
Window Lock. Dull brass
finish. Steel escutcheons, knob,
and cast lever handle. Lock,
34x25/s-in. Key. Fit doors I to
14 in. thick. Shps. wt., 2 lbs. 14 or.
9 L 5668—Same as above, but
with glass knob and cast ver
handle less show and cast ver
handle show and cast ver
handle show and cast ver
handle show and show and the
9 L 5660—Same as 9 L 5668, but
dull bronze finish. \$1.25
9 L 5661—Same as 9 L 5660, but
with glass knob and cast lever
handle \$1.25

ELGIN

ELGIN Bit Key Front Door Lock Sets. Steel knobs and escutcheons. Knobs, 2 in. Outside escutcheons, 8/2x2½ in.; inside escutcheons, 9/2x2½ in.; inside escutcheon 7/4x1¾ in.; toke 10 knobs, 2 in. Outside escutcheons, 9/2x2½ in.; inside escutcheon 7/4x1¾ in.; toke 10 knobs, 2 in. Outside escutcheons, 1/2 to 2 in. thick. Shpg. wt., 31bs. 8 oz. 9 L 5663.—Dull brass finish. \$1.75 9 L 5664.—Dull bronze finish. \$1.76 ELGIN Cylinder Front Door Lock Sets. Attractive design and careful construction make it add to the appearance of any entrance. Solid brass knobs, escutcheons, lock face, and bolts, 5-pin tumbler brass cylinder. Key operates both bolts from outside. Stop in face prevents operation of outside knob when set. Thumb turn inside. Knobs, 2 in.; inside escutcheon, 7/4x1¾ in.; outside escutcheon, 9/2x2½ in.; lock 5/2x3½. m. With 3 cylinder keys. Fit doors 1½ to 2 in. thick. Shopping weight pounds 14 ounces. \$5.50 ELGIN Cylinder Entrance Handle Sets. Same as cylinder set above, except has solid brass handle outside. Length, over all outside, 15 in. Thumb turn inside. 3 cylinder keys. Dull bronze finish. Fit doors 1¾ to 2 in. thick.

9 L 5668—Shipping weight, 5 lbs. 7 oz...\$6.25

own DESIGN



ELGIN lock sets and accessories in a beautiful Colonial design. All exposed parts are made of rustproof solid brass with bright polished finish. One-piece seamless whose. Dependable, easy-acting locks have rustproof finish. May be used for right or left hand doors. Unless otherwise stated, sizes are: knobs, 1% inches; brass face locks, 3%x3% inches. All Sets complete with locks, keys and screws.

A Inside Lock Set. With one key. Fit doors 1 to 2 in. thick. Shipping weight, each, 2 lbs. 6 oz. \$8.10

B Bathroom Door Lock Set. Inside knob, rose and thumb turn are chromium plated. Fits doors 1 to 2 in. thick. Shipping weight, 2 lbs. 4 oz. \$2.39

French Door or Window Lock Set. Cast brass lever handle on one side and knob on the other. Lock size, 334x 25/6 in. With one key. Fit doors 1 to 134 in. thick. Shipping weight, 2 lbs. \$9.15745. \$1.79

Cylinder Front or Rear Door Lock Set. 2-inch knob and cylinder outside; 134-inch knob and thumb turn inside. Lock size, 5/x3/½ in. 3 cylinder with the control of the cont

© Cylinder Entrance Handle-Lock Set. Cast brass 16¼-inch handle and cylinder outside; 1¾-inch knob and thumb turn inside. Lock size, 5½x3½ inches. 3 cylinder keys. Fit doors 1¾ to 2 in. thick. Shipping weight, 5 lbs. 4 oz. 9 L 5747. \$5.98

**Matched Accessories** For use with lock sets in this group. Bright brass finish.



A

DELGIN French Door or Window Lock Set. Dull brass finished escutcheons both sides; knob outside; cast lever inside. Lock, 3/4×25/6 inches, With nickel plated key. Fit doors 1 to 1% in. thick. Shipping weight, 2 pounds 6 ounces. 9 L 5757—Each. \$1.15

O

9 L 5757—Each. \$1.15 (E ELGIN Bit Key Front Door Lock Set. Lock size, 5x3½ inches. Escutcheons, 8x2 inches. Stop buttons in face of lock. With two keys. Fit doors 1½ to 2 in. thick. Shpg. wt., 3 lbs. 2 oz. 9 L 5758—Each. \$2.15 9 L 5761—Same as above, but with solid brass escutcheons and knobs. Two nickel plated keys. Shpg. wt., 3 lbs. 2 oz. Each. \$3.25 (F ELGIN Cylinder Front Door Lock Set. Solid brass escutcheons and knobs. Escutcheons. 8x2 inches. Cast brass lock face; lock size, 5½x3½ in. Stop buttons in face of lock. Fit doors 1½ to 2 in. thick. Three cylinder keys. 9 L 5763—Shpg. wt., 4 lbs. 6 oz. Each. \$5.50

### FIRST QUALITY LOWEST PRICES ON HINGES 0 0 0 0 0 0 0 0 0 0 0 0

# **Narrow Butts**

Light weight. For small cabinets, lockers or cup-boards. Tight pin style. Cold rolled wrought steel, plain finish. With necessary screws.

9 L 5881 State size. State size.
1-in. Shipping wt., 4 oz. 3 prs. 9c
1½-inch. Shpg. wt.
6 oz. 3 pairs. 10c
2-inch. Shpg. wt.,
10 oz. 3 pairs. 13c
2½-inch. Shpg. wt.
12 oz. 3 pairs. 15c

# **Surface Hinges**

Surface Hinges
Embossed steel,
Fast joint. Butterfly
design. A decorative
touch for cupboards,
china cabinets, etc.
Size, open, 2% x2 in.
With screews
in June 10 pairs
in Comparation
in With screews
in June 10 pairs
in June 10

# **Cupboard Butts**


Light weight. For chests, cupboards, cabinets, lockers. Cold rolled wrought steel. Loose pin; ball tip. Size, 2½x2 in. Screws to match included. Shpg. wt., pair, 6 oz.; 6 pairs. 1 lb. 12 oz.

# **Half Surface Butts**

Ball tip, loose pin, reversible. Only one leaf is mortised. Easy to apply. Screws to match included. State size.

Length	Shpg.	Wt.,	9 L	5909	9 L	5910
of	l Pa	air	Dull	Brass	Old C	opper
Joint	Lbs.	Oz.		6 Prs.		
11/2 in.	10	4		\$0.60		
2 in.		6	18c	1.02	18c	1.02
21/2 in.		10	27c	1.50	270	1.50
3 in.	1	100	28c	1.56	28c	1.56
31/2 in.	1	12	29c	1.68	29c	1.68
A in	1 2		380	2 22	380	2 22

9 L 5912	-Nickel plated	1.	
	Shpg. Wt. Pair		6 Pair
2 in.	6 oz. 1 lb.10 oz.	23c	\$1.2



# **Butt Hinges-Loose Pin**

Heavy plated steel. Non-rising pin. Ball tip. Meet all Federa specifications. Use smaller sizes for light doors and casement windows. All have screws to match. State size.

Size,	Shpg Pa Lbs.	ir	9 L Polishe Pair		Dul	5891 Brass 6 Pair		5892 Copper 6 Pair	Dull	5883 Bronze 6 Pair
2½ x2½	LUS.	12			13c	\$0.75	13c	\$0.75		
3 x3 3½x3½	1	10	23c 32c	\$1.32 1.80	15c 16c 29c	.84 .89 1.56	15c 16c 29c	.84 .89 1.56	22c 23c 32c	\$1.26 1.32 1.80
4 X4 416 X416	2	8	320	1.00	59c	3.30	59c	3.30	320	1.00

PAGE 860 • SEARS

MODERNIZE NOW! YOU CAN INCLUDE BUILDERS' HARDWARE WITH YOUR F.H.A. LOAN. SEE PAGE 989 FOR DETAILS.

6 G

ELGIN Chicago Design. A design of dignity. Straight simple lines—broad beveled edges. Easy to align with door edge. A favorite for remodeling and repair work. Locks have rustproof

dravorite for remodeling and repair work. Locks have the for remodeling and repair work. Locks have lock, 5½x3½ in. 2¼-in. brass knobs. Brass escutcheons, outside, 10½6x2¹½6 in.; inside, 7x2½ in. Key operates bolts from outside, Stop in face prevents operation of outside knob when set. Thumb turn inside. 3 keys. Fit doors 1½ to 2 in. thick. Shipping weight, 4 pounds 14 ounces.

9 L 5681—Dull brass finish. \$4.49

9 L 5682—Old copper finish. \$4.49

9 L 5681—Dull brass finish. \$4.49

9 L 5683—Dull brass finish. \$4.49


FLGRIN Cylinder Entrance Door Set. Heavy brass outside handle. Length, over all, 14 in. Brass knob and rose; cast brass thumb turn inside. Cast brass lock face; lock, 5½x3½ in. 3 cylinder keys, Fits doors 1½ to 2 in. thick.

9 L 5683—Dull brass finish. Shpg. wt. 5 lbs. 8 oz.\$4.89

8 ELGIN Bit Key Store Door Set. Reversible in. 2 handles. J keys. Fits doors 1½ to 2½ in. thick. 1. 2 handles. J keys. Fits doors

finish. For right or left hand doors. Unless otherwise stated sizes are: locks, 3% x3% in.; knobs, 2% in.; escutheons, 7x2% in. All sets complete with locks, keys and screws.

Fredge, A sizes are: locks, 3 %x rustproof in. All sets complet in. All sets complet to dow Lock Sets. Lock, 3 %x 25% in. Escutcheons, 4 %x 1½ in.; knob, 1¼ in. Lever handle one side. Carefully finished. For doors with narrow stiles. Nickel plated key. Fit doors 1 to 1½ in. thick. Shipping weight, 1 pound 6 ounces. 9 L 5669—Dull brass finish. . . 890 9 L 5670—Old copper finish. . . 890 9 L 5670—Old copper finish. . . 890 E ELGIN Bit Key Front Door Sets. Reversible lock, 5x3½ in.; 2½-in. knobs. Escutcheons, outside 10½x21½ in. Finished, 7x2½ in. Push button latch bolt stop in face. Two nickel plated keys. Fit doors 1½ to 2 in. thick. Shipping weight, 3 pounds 8 ounces. 9 L 5673—Old brass finish. \$1.32 4 s ab, ye but with genuine brass face, knobs and escutcheons. Will not rust. Shpg wt., 3 bs. 10 oz. 9 L 5675—Dull brass finish. \$2.59 9 L 5676—Old copper finish. 2.59





3% x3¼ in. All sets complete with locks, keys or

© ELGIN French Door or Window Lock Set.
Metal knob on one side and cast lever handle on
other. Lock size, 3% x25/6 inches. With one key.
Fits doors 1 to 1¼ inches thick.
9 L 5739—Shpg. wt., 1 lb. 10 oz. Each. . . . \$1,19
9 L 5731—As above but with solid brass lock face
and escutcheons. Brass lever handle one side, glass
knob other. Shpg. wt., 2 lbs. 14 oz. Each. . . \$1,89
© ELGIN Bit Key Front Door Lock Set. Solid
brass escutcheons and knobs. Escutcheons,
8x2¾ in. Cast brass lock face; lock size, 5x3½ in.
Push button latch stop in face. Two keys. Fits doors
1/½ to 2 in. thick.
9 L 5741—Shpg. wt., 3 lbs. 8 oz. Each. . . \$3.25

B ELGIN Cylinder Front Door Set. 8x2¾ in.
escutcheons, knobs, thumb turn—solid brass.
Cast brass lock face, bolts and stop buttons. Lock
size, 5½x3½ inches. 3 keys. Fits doors 1½ to 2
in. thick.
9 L 5736—Shpg. wt., 4 lbs. 8 oz. Each. . . \$5.50

size, 5½ x3½ incnes. 3 keys. Fits ucors 1/8 crim. thick.

9 L 5736—Shpg. wt., 4 lbs. 8 oz. Each....\$5.50

© ELGIN Cylinder Entrance Handle Set. Cast brass outside handle (length, over all, 14 in), solid brass knob and trim inside. Lock size, 5½ x3½ in. 3 cylinder keys. Fits doors 1½ to 2 in. thick.

9 L 5738—Shpg. wt., 5 lbs. 12 oz. Each....\$6.25

ELGIN Inside Door Lock.
Positive easy-working lock. One key. Fits doors 1 to 2 in. thick. Shipping weight, each, 2 lbs. 6 oz. 9 L 5725—With glass knobs. Each. . 69e; 6 for.. \$3.78 9 L 5725—With glass knobs. Each. . 89e; 6 for.. 4.80

Sears Finest. Easy spring construction; solid brass escutcheons. Cast brass lock face. With key. Fits doors 1 to 2 in. thick. Shipping weight, each, 2 lbs. 4 oz. 9 L 5728—With glass knobs. Each \$1.39; 6 for \$7.50 ELGIN 3-Tumbler Rear Door Lock (Not illustrated.) Outside escutcheon and knob solid brass; inside escutcheon brass and oxidized finish. Lock 3\% x3\% in. Solid brass lock face. Key. Fits doors 1 to 2 in. thick. 9 L 5734—Shpg. wt., 2 lbs. 6 oz. Each. \$1.59

© ELGIN Bathroom Door Set. Inside escutcheon, knob and thumb turn of chromium plated solid brass; outside escutcheon and knob dull brass with shaded recessed portions. Fits doors 1 to 2 in. thick. 9 L 5730—Shpg. wt., 2 lbs. 8 oz. Each. . . . . \$1.65 9 L 5729—As above but with solid brass lock face and escutcheons. Glass knobs both sides. Inside trim chromium plated. Shpg. wt., 2 lbs. 8 oz. Each. . . . \$2.10



Authentic reproductions of the rugged, hand-wrought hardware used in old colonial days. Priced to save you 25%! Durable and attractive old iron finish. Entrance set and straps made of non-rusting cast white bronze which will not streak or mar doors like iron hinge straps. Dependable, easy-acting lock sets have rust-resisting finish and may be used on either right or left hand doors. All sets are complete with locks, keys and necessary screws.

© 9 L 5773—Curved Hinge Strap only. Used in connection with regular door butts. Butts not included. Length, 25 in. Shipping weight, 5 pounds.

© 9 L 5772—Straight Hinge Strap only. Hinges not included. 1/½-in. size. Shipping weight, 2 lbs. 4 oz. Each. \$1.00 |
1/½-in. size. Shipping weight, 2 lbs. 4 oz. Each. \$1.00 |
1/½-in. size. Shipping weight, 3 lbs. 6 oz. Each. \$1.50 |
2-in. size. Shipping weight, 3 lbs. 6 oz. Each. \$1.00 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 |
1.50 

# RUGGED! WELL MADE! PRICED TO SAVE YOU 334%



**Screw Strap Hinges** Heavy steel. Natural finish. Bolts included. Be sure to state length wanted.

9 1 5959

_		
Lgth.	Shpg. Wt.	Pair
10 in.	4 lbs. 6 oz.	
12 in.	5 lbs. 2 oz.	42c
14 in.	7 lbs. 3 oz.	55c

3 Pairs 12 lbs. 6 oz. \$0.98 14 lbs. 8 oz. 1.19 21 lbs. 8 oz. 1.57 T Hinges


Size given is measurement from joint to end of strap. With screws. State size. 9 L 5955—Light. Cadmium plated.

Size.	Size.   Shipping Weight		Each	Six
In.	Pair	6 Pairs		Pairs
3.4	6 oz. 6 oz. 11 oz.	1 lb. 12 oz. 2 lbs. 2 oz. 3 lbs. 12 oz.	10c	42c 55c 96c
9 L5	956-Ext	ra Heavy. Nat	urali	inish.
5 1	1 lb 6.07	1 7 1he 6 07 1	1801	\$0.98

# Strap Hinges

Sizes given are one-half the total length. Screws included. State size. 9 L 5950—Light. Cadmium plated.

Size.	Shippin	ng Weight	Each	Six
In.	Pair	6 Pairs	Pair	Pairs
3	6 oz.	1 lb. 7 oz.		42c
4	8 oz.	2 lbs. 2 oz.	10c	55c
6	14 oz.	4 lbs. 6 oz.	1/c	96c
9 L E	951-He	eavy. Natur	al fin	sh.
5 1	11h 207	161hs	1150	\$0.84



# The COLONIAL

Our finest! 2-in. fluted glass knobs. Reversible. Two roses and key plates. Dull brass finish. Key and screws. Shpg. wt., 2 lbs. 4 oz. 9 L 5786—Set......69c 6 sets.....\$4.02

9 L 5788—Knobs, roses and spindle only. Shpg. wt., 1 lb. 2 oz. Per pair... 37e; 6 pairs. \$2.10 9 L 5787—Mortise lock only. Shpg. wt., 1 lb. 6 oz.... 29e 9 L 5791—Keyhole escutcheons only. Shipping weight, pair, 2 oz. Pair......50

# Reversible Rim Lock Set

Upright, Japanned iron case,
4x31/4 in. Reversible latch bolt for
right or left
hand doors.
Spring and dead
bolt. Steel key
hole plate and
knobs. With key
and screws. Shpg.
wd.11b.15oz.
91.5778-Set.31c
6 sets...\$1.74 Upright. JapanHorizontal. Japanned case, 336x 41/4 in. Spring and dead bolt. 1 key, Japanned steel knobs and key plate. Shpg. wt., 2 lbs. 40z. 9 L5779—Set. 31c 6 sets. 174 2 lbs. 4 oz. 9 L5779—Set. 3 lc 6 sets. . . . \$1.74 9 L 5780 — Lock only. Shipping wt., 1 lb. 6 oz.. 21 c 9 L 5781 — Knobs only. Shog. wt., 12 oz. Pair. . 176





Ball Bearing Floor Hinges. Made of steel; strong spring. For double-acting doors, 1% to 1% inches thick. Complete with screws.

9 L5917-Dull brass 9 L5915-Dull bronze 9 L5916-Brightbrass Each. Shipping weight, 3 lbs. 2 oz...62c



**AROUND THE CORNER Roller Bearing** 3-Door Garage Set; Flat Steel Track\$ 295

Weather-tight! All hardware for 3 doors up to 8-ft, opening, weighing up to 450 lbs... Provides right or left hand service door or 3 doors may be hinged together. 2 doors slide around corner, inside garage. Includes three AD JUSTABLE anti-friction roller bearing hangers; three 4x4-in, butt hinges; three 8-in. extra heavy T hinges; 2 handles; 1 thumb latch with padlock eyes; 2 floor door-guide plates; 1 door bumper; six 28-in. sections flat track and 1 piece MACHINE CURVED to assure a perfect curve without kinks! Rust-resisting black japanned finish. Shipped freight or express. Shipping weight, 36 pounds.

99 LM 6247-Set with bolts, screws and instructions... .....\$3.95

9 L 6245—Extra Hanger only. Shpg. wt., 2 lbs. 8 oz. Each...........69c

3-Door FOLDING-SLIDING Roller Bearing Garage Set \$ 98

Complete hardware for 3 doors up to 9—

ft, opening... Provides for right or left
hand service door. Weather-tight! Convenient—easy to
install—For doors opening inside garage or outward opening doors. Saves space. For doors up to 2 in. thick and
3 ft. wide, weighing up to 400 lbs. Set includes roller bearing hanger with up and down adjustment, 4½ pairs
4x4-in. butts, door pull, thumb latch with padlock eyes
and handle, foot bolt, chain bolt, 7 feet of steel track, and
brackets. Black japanned finish. Price reduced!
99 L 6244—Set, with bolts, screws and instructions.
Shipping weight, 23 pounds......\$2.98

SWING EZY Garage Door Set \$

For hanging double doors in opening up to 10 feet wide. Value \$3.50, A full weight set that will give years of service. Six 10-inch extra heavy T-hinges, rugged 6-inch chain bolt, 6-inch foot bolt, strong thumb latch, heavy inside pull, and pair of padlock eyes. Complete as illustrated, with screws. Rust-resisting black japanned finish. Convenient! Very easy to install. Slng. wt., 18 lbs.

99 L 6242—Set. \$1.89

Overhead Garage Door Set

New! Greatly improved! Equal in EV-ERY way to sets selling for \$24.951 As-ft. marvel of smooth, easy, quiet operation and perfect balance. Does not require any overhead superstructure. Absolutely safe—even for children. For use with new or old doors. Converts hinged, folding-sliding or around-the-corner doors into the overhead type. Mechanism all inside—out of the weather. Door on pletely inside when open. No unsightly weight box on pletely inside when open. No unsightly weight box on pletely inside when open. No unsightly weight box on pletely inside when open. No unsightly weight box of the weather. Door on the clearance overhead. For doors up to 250 hs. and openings up to 8 ft. wide and 8 ft. high. Complete with bolts, screws, metal weatherstrips, sturdy night latch and directions. Door not included. Shipped freight or express. See page 5 for Easy Terms.

99 LM 6249—As above, for openings up to 8 ft. high, 16 ft. wide. For doors weighing up to 500 pounds. Extra 16 ft. wide. For doors weighing up to 500 pounds. Extra 16 ft. wide. For doors weighing up to 500 pounds. Extra 16 ft. wide. For doors weighing up to 500 pounds. Extra 16 ft. wide. For doors weighing up to 500 pounds. Extra 16 ft. wide. For doors weighing up to 500 pounds. Extra 16 ft. wide. For doors weighing up to 500 pounds.



A Japanned 6%-in. handle thumb latch, inside door 

9 L 6175—A heavier set. With padlock eyes and 7½-in. handle. Shpg. wt.,12 oz. 23c

Yankee Catch

(B) Heavy. Japanned. With screws. Trip catch.
9 L 6184—Shpg. wt., 10 oz.. 8c

**Barn Door Stay Roller** © Heavy. Japanned. Reversible; adjustable up to 2% in. 9 L 6181—Shpg. wt., 1 lb. 8 oz. 14c

**Door Holders** 

Automatically lock in open position, release with slight pull of the chain. Heavy steel. Black japanned. Length, 29 in. With screws. Shpg. wt.,14 lbs.

9 L 6195-Pair.\$2.25

**Door Brace** 

E %6-in. x 5 ft. steel rod with an ad-justment for length; locks securely. Black finish. With four 1/4 x 2 / 4 - in. bolts. Shpg. wt., 1 lb. 14 oz.

99 L 6193.... 29c



Steel Safety Hasps

© Cadmium plated. Screws. 9 L 5933—State length. 31/4-in. Shpg. wt., 5 oz. Ea... 8C 41/2-in. Shpg. wt., 6 oz. Ea... 9c 6-in. Shpg. wt., 10 oz. Ea... 15c

**Heavy Hasp** 

(B) Cadmium plated. Case hard-ened staple. Length, 7½ in. With screws and carriage bolt. Shpg. wt., 1 lb. 4 oz. L 5936—Each......29c Steel Chain Bolt

© Japanned. Bolt, %-in. square, 6 in. long. Reversible. With screws. Shpg. wt., 1 lb. 2 oz. 9 L 6186......28c

Steel Foot Bolt

D Japanned %-inch malleable iron bolt; 6 inches long. With screws. Shpg. wt., 13 oz. 9 L 6188......28c

Door Latch

E Black japanned case and cadmium plated bolt. For doors ¾ to 2½ in. thick. With padlock eyes and screws. Shpg. t., 2 lbs. L 6177......39c

**Cane Bolt** 

F 18 in. long; 5%-in. steel, cadmium plated. With floor socket and 5%cx2½-in. bolts. Shpg. wt., 3 lbs. 4 oz. 55c



**Hooks and Eyes** 

Cadmium plated. For window screens, small gates, etc. Use 1½-in. for screen frames; 2½-in. for screen doors. 9 L 6305-State size.

Hook,	Shpg.	12
In.	Wt.	for
1½	5 oz.	8c
2½	6 oz.	9c
2½	10 oz.	12c
3	13 oz.	14c
The second second		



Sash Locks

Side Sash Fasteners

With screws. Shipping weight, 2 ounces.
9 L 6057—Dull brass. Each...... 9c
9 L 6058—Old copper. Each...... 9c

Cast Iron 4-In. Sash Lifts

© With screws. Shpg. wt., each, 4oz.; six, 15 oz. Each 6 For 9 L 6083—Dull brass. 4c 21c 9 L 6084—Old copper. 4c 21c 9 L 6087—Bright brass. 4c 21c 9 L 6079—Dull bronze. 4c 21c

11/2×13/4-In. Hook Sash Lifts

(D) With screws. Shipping weight, six, 6 ounces.
9 L 6071—Dull brass. 6 for... 9c
9 L 6072—Old copper. 6 for... 9c
9 L 6074—Nickel plated. 6 for... 12c

**Casement Fasteners** 

Casement Fasteners

(E) With mortise and rim strikes. With screws. Shipping weight, each, 4 ounces. 9 L 6032—Dull brass. Each. 12c 6 for. .. 65c 9 L 6033—Old copper. Each. 12c 6 for. .. 75c 9 L 6042—Bright brass. Each. 12c 6 for. .. 65c 9 L 6030—Dull bronze. Each. 12c 6 for. .. 65c

**Window Spring Bolt** 

(5) 31/8 in. long. Cadmium plated. Shpg. wt., 12 oz. 9 L 6054—Dozen.....29c

Stop Screws and Washers

Shipping weight,
4 ounces. G Shipping weight,
4 ounces.
9 L 6050—Dull brass....8c
9 L 6051—Old copper...8c
Steel Sash Pulley

(H) 2-in. wheel. Shipping weight, each, 3 ounces.
9 L 6092—Each........50
Dozen.....490

**Cellar Window Set** 

O Pair 2½-in. butts, fastener, 2½-in. hook and eye. Cadmium plated. Screws. 9 L 6100—Set. Shpg. wt., 12 oz.....19c

**Awning Pulleys** 

Cadmium plated cast iron. Ideal for clothesline. State size.

Size, wheel, inches.
Takes rope, inches.
Shipping wt., oz.,
9 L 6103—Single Wheel.
Shipping wt., oz.,
9 L 6104—Double Wheel. 1 1/4 4 5c 6 8c



A Fortransoms hinged at bottom. Heavy 5%-inch steel rod. 3 ft. long. Dull brass finish. Meets U.S. Bureau of Standards specifications. Shipping weight, 11b. 9 oz.

9 L 6089 ... 55c

(a) Steel rod, knob style screw fastener. For outward opening windows. Adjustable 0 to 10 in., With screws. Shps. wt., each, 12 oz. Each 6 for 9 = 6027—Dull brass. 25c 1.38 9 L 6150—Dull bronze. 25c 1.38

**Crank Type Casement Adjuster** 

© Rustproof, cadmium plated. For casements that swing out right or left hand. Operates through screen. Automatically locks in any desired position. Self-clearing antifreezing gear action. Shipping weight, 1 lb. 8 oz. 9 L 6139 ......\$1.25 PAGE8623 SEARS

© Rustless metal tape.
© Sturdy spring. Eliminates sash cord, weights, box frames. Sizes, 1 to 5 fit standard sash pulley mortise. With screws.

9 L 6095—State size.

Weight of Size Shpg. Wt. to Glazed Order Lbs. 10z.


Mending Plates, Corner Irons, Angle Irons

For reinforcing screen frames, storm sash frames, and strengthening other joints. Strongly made of steel with rust-resisting cadmium finish. State size.

rust resisting cadmium missis	react biz.		
Size, inches	2x½ 7 oz. 11c 14c	3x5% 13 oz. 17c 20c	1 lb. 2 oz. 23 c 28 c
© Size, inches	2½ x½	3x 5/8	4x¾
	1 lb. 2 oz.	1 lb. 6 oz.	1 lb. 14 oz.
	20 c	24 c	33c
	25 c	28 c	40c
G Size, inches	1½ x 5%	2½ x 5%	3x¾
	14 oz.	1 lb. 12 oz.	2 lbs. 6 oz.
	17c	30 c	35c
	22c	36 c	42c

Brackets H 1-pc. steel. Japanned. Screws. State size. 9 L 7293

Pair 6 Prs



# **ROCKWELL for Garage or Barn**

\*\*NULLY TOF GARGE OF DATA

\*\*3/4-inch roller bearing wheels.

\*\*FLEXIBLE enbossed steel hangers—
wheels always upright. Guard prevents jumping track.

\*\*Heavy gauge steel track, 1/4 in. wide
by 3/6 in. thick. Brackets attached to
track have special supports to prevent
sagging. For doors up to 250 lbs.

\*\*ROCKWELL Complete Set\*\*

Two hangers, track, brackets, bolts and
screws. Black japanned. Sets for 8-ft. and
10-ft. doors shipped freight or express.

\*\*Contract Feet 1.

Catalog Number	For 1 Door			
99 L 6232 99 LM6233 99 LM6234	8 ft.	12 ft. 16 ft. 20 ft.	20 lbs. 22 lbs. 26 lbs.	1.79

Fiat Steel Track With Screws
For any hanger using flat track. 8-ft. and
10-ft. lengths shipped freight or express.

Catalog No.	Length	Shpg. Wt.	
99 L 6237	6 ft.	7 lbs.	42c
99 LM 6238	8 ft.	9 lbs.	56c
99 LM 6239	10 ft.	11 lbs.	70c

Hangers Only
9 L 6230—One pair hangers. With bolts.
Shipping weight, 5 pounds 10 ounces...750

# ROLL EASIER ON ROLLER BEA



# STORM KING Barn Door Hangers

Each hanger has 2 sturdy roller bearing wheels.

Extra heavy hanger straps have slotted holes for up or down adjustment.

Sturdy, heavy, fully enclosed 16-gauge SEAMLESS track, is bird-proof, jump-proof, and storm-proof.

For doors weighing up to 500 pounds and up to 21/4 inches thick. Equalizing pin in center of wheel—truck insures even distribution of load to each wheel.

Priced to save you over 1/4. A child can easily open or close a

Priced to save you over \( \frac{1}{2}\). A child can easily open or close a heavy door that's hung with STORM KING Hangers! Sears door sets have extra heavy hangers and are designed so doors and the set includes 2 adjustable double roller bearing hangers, track, lag screws, end caps, bolts and brackets. Rustresisting finish. Shipped freight or express only.

99 LM 6223—Complete set for one 8-foot door. With 16 feet of track. Shipping weight, 30 pounds.

91 LM 624—Complete set for one 10-foot door. With 20 feet of track. Shipping weight, 30 pounds.

91 LM 624—Complete set for one 10-foot door. With 20 feet of track. Shipping weight, 30 pounds.

91 LM 624—Complete set for one 10-foot door. With 20 feet of track. Shipping weight, 30 pounds.

92 LM 6240—Pair Roller Bearing Hangers only, for above. With bolts. Shipping weight, 5 pounds 3 ounces.

95c

ROLL RITE for Garage or Barn-

16-GAUGE HEAVY STEEL TRACK

HANGERS

ADJUSTABLE UP, DOWN

OR SIDEWAYS

END

VIEW

Each hanger has four 2½-in. anti-friction roller bearing wheels. SEAMLESS fully enclosed heavy 16-gauge steel track; bird-proof, storm-proof, jump-proof. Rust-resisting black japanned finish. For doors weighing up to 450 lbs., up to 2¼ in. thick. FLEXIBLE hangers—all 4 wheels always ride evenly on track for smoothest operation. Includes 2 hangers, track, brackets, end caps, botts. Sets for 8-ft. and 10-ft. doors shipped freight or express only.

Catalog No.	Door	Track	Shpg. Wt. I	Set
99 L 6206	8 ft.	12 ft.	30 lbs.	\$3.59
99 LM 6207		16 ft.	38 lbs.	4.25
99 LM 6208		20 ft.	45 lbs.	4.98

SEE INDEX FOR DETAILS ON F. H. A. FINANCING PLAN

### CADMIUM PLATED! RUST RESISTING! SAY 4 5 6 7 8 9 10 12

Finest rust-resisting wood screws. Every one perfectly shaped—with clean-cut threads. Sharp points for easy starting in any wood. Maximum holding qualities. Actual sizes shown above. Length as given, includes the head. Shpg. wt., gross; sizes 1 to 9, 1 lb. Other weights in proportion. State length and number.

Length, in, and No... | |4-1 | |3-2 | |3-4 | |2-2 | |2-3 | |2-4 | |2-5 | |2-6 | |3-6 | |3-5 | |3-6 | |3-7 | |3-8 | 9 L 7102—Gross.... | 8c | 11c | 12c | 12c | 13c | 13c | 14c | 15c | 13c | 14c | 15c | 15c | 15c | 16c | 17c | 18c Length, in. and No.... 9 L 7102—Gross.... Length, in. and No. . . .  $|\frac{14}{3}-10|\frac{14}{3}-12|\frac{14}{3}-14|\frac{2-8}{3}|\frac{2-10}{6}|\frac{2-12}{3}|\frac{2-14}{2}|\frac{2/2-8}{3}|\frac{2/2-10}{2}|\frac{2/2-12}{2}|\frac{2/2-14}{2}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{2/2-10}{3}|\frac{$ 

ANYTHING AT SEARS ON EASY TERMS.

# Steel Brackets



Attach 3 feet apart. Lag screws included. 9 L 6200 — Single bracket. Shpg. wt., 1 lb. 4 oz. Each 14c 9 L 6201 — Double bracket. Shpg. wt., 2 lbs. 8 oz. Each 39c



**End Caps** 

Forsquare track. To close ends of track of track of track of track of track of track of the second of the



"Side-by-Side" Double Door Set 99 LM 6218—Shpg. wt., 951bs..... \$12.50

# WOOD SCREWS

Made of steel in blued or chromium plated finish; or of solid brass. Each and every one perfect. Standard threads with sharp gimlet point for easy starting. Clean slots. Shipping weight, gross; size 9, 1 pound 5 ounces. Other weights in proportion. State length and number.

# **Round Head Blued Screws**

Lgth., in, and No.. | \( \frac{1}{2} - 4 \) | \( \frac{5}{6} - 5 \) | \( \frac{3}{4} - 6 \) | \( \frac{3}{4} - 8 \) | \( 1 - 8 \) | \( 1 - 9 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | \( 1 \) | Lgth., in. and No. | 1½-10 | 1½-12 | 2-8 | 2-10 | 2½-8 | 2½-10 | 9 L 7104—Gross | 30c | 37c | 31c | 38c | 37c | 43c

# Flat Head Solid Brass Screws


Length, in. and No	%-2	1/2-4	%−5	34−6	34-8
9 L 7106—Gross	15c	18c	25c	30c	40c
Length, in. and No	1-9 55c	1-60	10   11	75c	\$1.00

# Round Head Chromium Plated Screws

Length, in. and No... | \( \frac{1}{2} - 4 \) | \( \frac{54}{3} - 6 \) | \( \frac{34}{4} - 6 \) | \( \frac{34}{4} - 8 \) | \( 1 - 8 \) | \( 1 \) | \( 4 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8 \) | \( 1 - 8

# Round Head Solid Brass Screws

Length, in. and No.. | ½-4 | 5½-5 | ¾-6 | ¾-8 | 1-8 | 9 L 7107—Gross... | 19c | 26c | 32c | 42c | 54c Length, in. and No.. | 1-9 | 1½-10 | 1½-10 | 1½-12 | 9 L 7107—Gross... | 58c | 77c | 89c | \$1.10



# **Sheet Metal Screws**

Finest quality case-hardened screws for firmly joining two pieces of sheet metal. Permanent! Inexpensive! Save time and labor and yet have a better job. Shipping weights, gross, size 4-8, 11 oz. Other weights in propor-tion. State length and number.

Length, in and No	%-6	1/2-6	1/2-7	1/2-8	34-8	34-10	7/8−14
9 L 7112 Round Head, Gross	23c	25c	27c	30c	33c	40c	60c
9 L 7113 Binder Head, Gross	23c	25c	27c	30c	33c	40c	60c

# SEE PAGE 5

# Ak

HOW TO MEASURE METAL BED CASTERS

Measure Inside diameter of opening in bed post, from A to B as shown at left.

Stove Casters Steel; ball bearing.
Cadmium plated;
rust-resisting. Stove
leg rests in recess, preventing stove from slipping. 3
steel wheels. Shipping weight,
4 pounds 2 ounces.

9 L 7420—Set of 4......\$1.39

# Swivel Box or Truck Casters

Extra heavy for heavy loads. Ball bearing. Easy swiveling. With screws. Capacity: 250, 400 and 600 lbs. respectively.

Wheels | Height, Over All | Lbs. | Oz. | Each | 2½ in. | 3½ in. | 2 | 6 | 31c | 3 | in. | 315/6 in. | 4 | 10 | 45c | 7402 2 in. 2½ in. 3¼ in. 7401 3 in. 3½ in. 3½ in.



Genuine "Silent Glides"

Hardened steel; nickel plated, highly polished. Shipping weight, dozen, 2 oz. 9L 6896—State size. 9L-in. Dozen 6c, 34-in. Dozen 6c, 56-in. Dozen 6c, 56-in. Dozen 6c




Assorted Screws

Assorted sizes, lengths and types—about 250 in all. Highest quality. Keep a supply on hand. You'll need them. Shipping weight, 2 pounds.

9 L 7103.....8c

PROTECT YOUR FLOORS! USE SEARS BALL BEARING CASTERS! 4 for Each 4 for 22c



 Anti-friction ball bearing casters run easily and quietly.
 Noiseless composition hard rubber wheels; tough SOFT tread. Rust-resisting, nickel plated, extra-strong steel frames.

# **Ball Bearing Chest Casters** Steel plate. Complete with screws. Strong Composition Wheel

Catalog No. | Wheel | Plate. In. | Shpg. Wt. | 4 for | 9 L 7397 | 1¼ in. | 134x1¾6 | 12 oz. | 32c | 9 L 7398 | 1½ in. | 2¼x1¾6 | 1 lb. 6 oz. | 38c

# Brass Plated Steel Wheel

Catalog No. | Wheel | Plate, In. | Shpg. Wt. | 4 for 9 L 7405 | 11/6 in. | 11/2 x11/6 | 10 oz. | 22c 9 L 7407 | 15/6 in. | 21/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30 ce | 11/6 x1 3/4 x1 3/4 | 1 lb. | 6 oz. | 30

# **Ball Bearing Tea Wagon Casters**

B 2-in. composition wheel. Grip neck type for cribs, tea carts, bassinets and light furniture. Shpg. wt., 5 oz. 9 L 7396—Each. Sc

# **Ball Bearing Metal Bed Casters** © For metal beds. Strong, hard composition wheel; soft rubber tread. Measure as shown above at left.

Cat. No. | Wheel | Opening | Shpg. Wt. | 4 for | 9 L 7388 | 1¼ in. | 34 in. | 1 lb. | 30c | 9 L 7390 | 1½ in. | 12532 in. | 1 lb. 10 oz. | 37c

# **Ball Bearing Grip Neck Casters**

(D) Easy rolling. Swivel easily and silently. Steel stem and axle. Strong Composition Wheel

Catalog No.	Wneel	Shpg. Wt.	4 for
9 L 7373 9 L 7374	1¼ in. 1% in.	13 oz.	27c
		1 11/1	1

Diass Flated Steel Wheel							
Catalog No.	Wheel	Shpg. Wt.	4 for				
9 L 7375 9 L 7376	11/16 in.	12 oz.	18c				
9 L 7377	1% in.	12 oz. 11b. 2 oz.	20c				

# Caster Cup or Leg Rests

For 9C Inch

Finest quality live rubber for long-est wear. Won't scratch floor! Put under leg of furniture and protect floor and rug, 9 L 7428 — Outside diameter, 2 in, Shpg. wt., 6 oz. Set of 4...96 9 L 7430 — Outside diameter, 2%-in, Shpg. wt., 10 oz. Set of 4. 15c

SEARS PAGE 863

# KENWOOD HEAVY DUTY

Three large 7-in. roller bearing sheaves.
Load pulls easier; rope lasts longer.
Double swivel; reversible.
Quick action fork hook with automatic guard.
Exclusive! KENWOOD fork and sling pulleys engage at any angle—even when load comes up twisted. Only the KENWOOD has this feature!

twisted. Only the KENWOOD has this feature!

Smoothest—easiest running—lightest pulling of all hay carriers. Offers savings in time, lengthens rope life, reduces pulling power, and will give many extra years of service. It's heavier throughout. Tough malleable iron with extra weight where extra strength counts. Long wheel base distributes load over track. Uses %-in., 7\(\frac{1}{9}\)-in. or 1-in. rope. Will fit our steel track 99 LM 7942; also Milwaukee Leader Track. Shpg. wt., 52 lbs.

99 L 7932—With fork pulley and stop block. ..\$11.75

99 LM 7931—Heavy Duty KENWOOD Carrier. Same high quality as above, but equipped with our 99 L 7910 self-locking sling pulley. Shpg. wt., 65 lbs. ..\$12.75



# HEAVY DUTY CARRIERS TO FIT YOUR PRESENT TRACK



For Montgomery-Ward's King, Janesville, Hudson, Strickler, and Boomer, State Track "C"

For Louden, Porter. State Track "D"

KENWOOD

FORK AND

SLING

CARRIERS

(D)

Track "A"

State Track "B"

and Boomer. State Track "C"

Track "P"

Famous KENWOOD quality! A type for every track. Order by catalog number and give letter of track for which you want the carrier equipped. Shipped from factory in western Illinois and you pay transportation from there. Send order to Sears nearest Mail Order House.

99 L 7918—Kenwood Carrier, same as 99 L 7932 above, but equipped for your own track. Shipping weight, 53 pounds.

\$11.25

99 LM 7919—Kenwood Carrier, same as 99LM7931 above, but equipped for your own track. Shipping weight, 65 pounds.

\$12.25



Ideal for outdoor stacking. Smooth, easy running, holds to the track. Will work either way from the stop block without changing on the track. Equipped with sure locking fork pulley. Stop block included. Load engages at any angle, even when twisted, an exclusive KENWOOD feature. Sturdy; built for plenty of hard service. Finished in gree neamel. For \(^3\) to \(^1\)-inch wire cable 19LM7950 listed below. 4-inch easy running rope sheaves. Uses \(^3\) to \(^3\)-inch Manila hoisting rope.

99 L 7915—Shpg, wt., 30 lbs... \(^3\).7.35

Double swivel; reversible 4-in. sheaves. For 34 to 16-in. Manila rope. Pulleys engage at any angle even should load become twisted, an exclusive KENWOOD feature.

With Fork Pulley and Stop Block

99 L 7920—For our 99 LM 7942 steel track. Shipping weight, 40 pounds.

15.95

99 L 7921—For 4x4-in. wood track. Shgs.

With Self-Locking Sling Pulley (99L7910 listed below at left) and Stop Block.

99 L 7928—For our 99 LM 7942 steel track. Shipping weight, 48 pounds.

Shipping weight, 48 pounds.

Sh.95

99 L 7929—For 4x4-in. wood track. Shgs.

wt., 46 lbs.

\$9.45





Complete—nothing else to buyl Highest quality! Extra-rugged construction! Easy operating! Complete outfits operate in either center drive or end opening barns. Outfit includes KENWOOD hay carrier—30-inch double harpoon hay fork, rafter brackets, hanging hooks, 4 floor hooks, 4 steel yoke knot-passing pulleys, 4-in. waterproofed 100% pure Manila rope, 4/-in. check rope, swivel hitch, finest interlocking steel track, couplings, bumper. 99 LM 7935 outfit has regular KENWOOD carrier; outfit 99 LM 7949 has Heavy Duty KENWOOD carrier; if other style of ork is wanted, deduct price of 99 L 7891 fork and add price of fork wanted. Shipped freight or express.

m 1 1	HY-TES Pure Mar 34-in.	T 100%	Hooks	Brackets	Shipping Weight, Lbs.	99 LM 7935 WithRegular Carrier	99 LM 7940 With Heavy Duty Carrier
20	130 ft	70 ft	16	16	175	\$21.50	\$27.25
For longer barns—add the following for each 10-ft. or fraction thereof:							
10	15 ft.	10 ft.	5	1 5	32	32.00	92.00



Flexible Grapple Hook

Fiexible Grappie Hook
For short or dry hay. Tines may be set separately. 4 high carbon heat treated spring steel (stiff) tines, malleabt iron lock, flexible chain connections. Green enameled. Shpg. wt., 38 lbs. \$8.65
99 L 7894—6-ft. spread. \$8.65
Shipping weight, 45 pounds. 9.95

KENWOOD Grapple Fork

® Width, 17 in. Jaws open to 4½ ft. Unbreakable malleable iron fittings. High carbon spring steel times. Pull on trip rope closes and locks fork. Returns to enter hay without resetting.

99 LM7896-4-tine. Shpg. wt., 42 lbs. \$7.50
99 LM7897-6-tine. Shpg. wt., 54 lbs. \$9.15

COMPLETE HAY CARRIER OUTFIT

KENWOOD Wagon Sling

© Adjustable center trip lock. Hard maple cross bars. Strong ½-in. Manila cross ropes. ¼-in. trip rope.
99 L 7883—Width of cross bars. 4.45
99 L 7844—Width of cross bars, 6 feet.
17½ ft. long. Shpg. wt., 25 lbs. \$4.25

KENWOOD Double Harpoon Hay Forks © No finer madel Strong forged steel.

991.7890−24-in. tines. Width between points, 16 in. Shpg. wt., 19 lbs. \$1.89

99 1.7891−30-in. tines. Width between points, 16 in. Shpg. wt., 22 lbs. \$2.25

99 1.7892−Extra heavy 33-in. tines. Width between points, 22 in. Shipping weight, 32 pounds. \$4.15



# KENWOOD Sling Pulley

Locks—unlocks
automatically. Easy
working. Malleable
iron, green enameled. 4-in, sheaves.
For use with any of
our hay carriers.
Draws up load without twisting, engages at any angle.
Shipping weight,
15 pounds.
99 L 7910

99 L 7910..\$3.10



Rope Mings
Two ½-in. Manila
ropes, each 20 ft.
long. Adjustable
take-up. 17874 diny
holder below. Supg.
wt., 4 lbs. 10 o.22
yt. 17879...\$1.25
As above but with
three ½-inch ropes,
each 20 feet long.
Slug.wt., 6 lbs. 10 o.2
y L 7830...\$1.75







# KENWOOD Steel Track

High carbon steel. Won't sag. Carrier rides strongest part of angle. Heavy couplings with interlocking lugs securely bind track together. Bumpers and bolts included. Shipped freight or express. Only in 5 and 10-ft. lengths. Width, 2½ in. State length.

99 LM 7942—Per foot. Shpg. wt., 2 lbs.....12e



991LM 7950-Per foot . . 3c



# Carrier Cable

Galvanized wire. Diameter, ½-inch. Serves many other uses but cannot be used for hoisting. Shipping weight, 100 feet, 57 pounds.



**Pulleys and Equipment Priced Low** 

Pulleys and Equipment

A 9 L 7855—Common Pulley. Malleable iron
frame. 5½-in, hard maple oiled sheave. Swivel
eye, large loose hollow pin. Strong, sturdy.
Shipping weight, 3 pounds. Eachs.

B 9 L 7867—Knot Passing Pulley. Steel yoke,
Swivel eye, Shpg, wt., 4 lbs, 2 oz. Each.

Swivel eye, Shpg, wt., 4 lbs, 2 oz. Each.
oil finish. 5½-in. diameter, 1-in. hole.
oil finish. 5½-in. diameter, 1-in. hole.
Shipping weight, 1 pound. Each.
D 9 L 7864—Rafter Bracket. Unbreakable malping weight, 6 ounces. Each.

B 9 L 7852—Wood Track Hanging Hook. ½x
1 pound 6 ounces. Each.

pound 6 ounces. Each.
Shipping weight, 9 L 7871—Eye Bolt. Extra long. %x18in. 27c

Priced Low

© 9 L 7866—Floor Hook. 34x7

1 lb. 8 oz. Each K. ENWOOD

Rope Sling Holder. Malle
able iron. One must be used with
carrier when using rope slings,
9L 7879 or 9L 7880. Shipping 88

Weight, 2 lbs. 10 oz. Each. 88

Washeld St. St. eel Track
With clamp. 7½ in. long. Shipping weight, 1b. 6 oz.

Each. 7669—Swivel Rope

Hitch. For rope up to 1 in.
Malleable iron. Shgs, vt., 28c

# MADE FROM FIRST QUALITY WIRE

Sears LOW NAIL PRICES

# A Nail for Almost Every Purpose

Sears nails are first grade in every respect, quality of wire, shape of head and cut of point. Imported from Belgium or Germany. Shipping weight, per pound: 1 pound 4 ounces; per 100 pound keg, 107 pounds.

Shipped from Philadel-

PIPPERIN

Shipped from Philadel-phia, Boston, Binghamton, N. Y. or Cleveland, Ohio. Send all orders to Philadelphia or Boston.

Deduct 25c per 100 pound keg if shipped from Cleve-land.

Common Nails-State Size. For general-purpose use.

Size and Length | 32 L 1190 | 32 L M1170 | 100-Lb. Keg \$3.95 3.60 3.40 3.35 3.30 3.20 3.15 3.05 Length

3d 1 1/4 in.
4d 1 1/2 in.
6d 2 in.
7d 2 1/4 in.
8d 2 1/2 in.
10d 3 in.
12d 3 1/4 in.
12d 3 1/4 in.
13d 4 1/2 in.
40d 5 in.
60d 6 in. 4½c 4c 4c 4c 4c 4c 4c 3½/2 2 3 3½/2 3 3 3 3 3 3 3 3 3

**Blued Plaster Board Nails** 

3d—1¼-inch; ¾6-inch head. 32 L 1200—Per lb......6c 32 LM 1199—100-lb. keg.\$4.90

Will Save You Money in

**Building and Remodeling** 

Finishing Nails-State Size.

Size and	32L1192	32LM1172
Length	Per Lb.	100-Lb. Keg
4d 1½ in.	5c	\$4.25
6d 2 in.	4½c	3.60
8d 2½ in.	4c	3.45
10d 3 in.	4c	3.35

Casing Nails-State Size. Size and Length Per Lb. 32LM1173 \$3.85 3.50 3.40 3.30 4½ c 4c 4c 4c 4d 1½ in. 6d 2 in. 8d 2½ in. 10d 3 in.

Galvanized Shingle Nails 3d—1¼-Inch 32 L 1195—Per lb.....6½c 32 LM 1175—100-lb. keg.\$5.85

Blued Fine Lathing Nails 3d—1½-Inch 32 L 1194—Per lb.......6c 32 LM 1174—100-lb. keg.\$4.75


Flooring Brads—8d—2½-Inch 32 L 1191—Per lb.....4c 32 LM 1171—100-lb. keg.\$3.35

Smooth Box Nails—State Size Size and Length | 32 L 1196 | 32 L M 1176 | 100-Lb. Keg 6d 2 in. 4c 7d 2¼ in. 4c 8d 2½ in. 4c \$3.45 3.40 3.35

Write for prices on nails other than those listed above. 100-1b. SEARS EM PAGE 855



321 M1170-20d 100-LB. KEG



FOR CONVENIENCE AND FAST SERVICE on mailable merchandise, have your order shipped Parcel Post. It will be delivered right to your mail box. In most cases you can expect to receive your merchandise about 48 hours after you mail us your order, if you live within 300 miles of our mail order house. The Parcel Post rate table, and the directions below, make it easy to use this convenient, dependable way of shipping your merchandise.

RIGHT TO YOUR MAIL BOX

JOHN T.JONES

**INCLUDE MONEY FOR POSTAGE** with your order. We must buy stamps to pay for the postage before shipping your order. Don't worry about sending more than the correct amount—if you send too much, every cent extra will be promptly returned to you. You pay only the actual postage required for your order.

IT'S EASY TO FIGURE the postage required to ship any order. Simply figure the total weight of the articles and refer to the table of rates for the proper amount of postage to allow. In some cases the actual postage may be slightly more or less due to variations in shipping weights. In all cases, however, you pay only the actual amount of postage.

AFTER YOU HAVE FIGURED the total weight of your order in pounds and you know the zone in which you live, refer to the convenient parcel post rate table at the right for correct amount to include in your remittance for postage. For example, if your order adds up to 6 pounds and you live in Zone 3, the postage would be 19c. If you don't know your zone, refer to the map or see the example shown below the map. Or, your mail carrier can always tell you your zone.

PACKAGES WEIGHING UP TO 70 POUNDS can be carried by Parcel Post in all postal zones. However, Explosives, Inflammable Articles and Poisons (other than germicides, insecticides and fungicides) cannot be shipped by Parcel Post.

# PARCEL POST RATES

Total Control					-
SHIPPING WEIGHT	Local Zone (Within Phila- del- phia	Zones 1 and 2 Not Over 150 Miles	Zone 3 151 to 300 Miles	Zone 4 301 to 600 Miles	Zone 8 Over 1800 Miles
2 oz. or less 3 or 4 oz 5 or 6 oz 7 or 8 oz	3c	1½c 3c 4½c 6c	1½c 3c 4½c 6c	1½c 3c 4½c 6c	1½c 3c 4½c 6c
9 oz. to 1 lb. 1 lb. 1 oz. to 2 lbs. 2 lbs. 1 oz. to 3 lbs. 3 lbs. 1 oz. to 4 lbs.	7c. 8c 8c 9c	8c 10c 11c 12c	9c 11c 13c 15c	10c 14c 17c 21c	15c 26c 37c 48c 59c
4 lbs. 1 oz. to 5 lbs. 5 lbs. 1 oz. to 6 lbs. 6 lbs. 1 oz. to 7 lbs. 7 lbs. 1 oz. to 8 lbs. 8 lbs. 1 oz. to 9 lbs.	9c 10c 10c 11c 11c	14c 15c 16c 17c	17c 19c 21c 23c 25c	28c 31c 35c 38c	70c 81c 92c \$1.03
9 lbs. 1 oz. to 10 lbs. 10 lbs. 1 oz. to 11 lbs. 11 lbs. 1 oz. to 12 lbs. 12 lbs. 1 oz. to 13 lbs.	12c 12c 13c 13c	19c 21c 22c	27c 29c 31c 33c	42c 45c 49c 52c	1.14 1.25 1.36 1.47
13 lbs. 1 oz. to 14 lbs. 14 lbs. 1 oz. to 15 lbs. 15 lbs. 1 oz. to 16 lbs. 16 lbs. 1 oz. to 17 lbs.	14c 14c 15c 15c 16c	23c 24c 25c 26c 27c	35c 37c 39c 41c 43c	56c 59c 63c 66c 70c	1.58 1.69 1.80 1.91 2.02
17 lbs. 1 oz. to 18 lbs. 18 lbs. 1 oz. to 19 lbs. 19 lbs. 1 oz. to 20 lbs. 20 lbs. 1 oz. to 21 lbs. 21 lbs. 1 oz. to 21 lbs.	16c 17c 17c	28c 29c 30c	45c 47c 49c	73c 77c 80c 84c	2.13 2.24 2.35 2.46
21 lbs. 1 oz. to 22 lbs. 22 lbs. 1 oz. to 23 lbs. 23 lbs. 1 oz. to 24 lbs. 24 lbs. 1 oz. to 25 lbs. 25 lbs. 1 oz. to 26 lbs.	18c 18c 19c 19c	32c 33c 34c 35c	51c 53c 55c 57c 59c	87c 91c 94c	2.57 2.68 2.79 2.90
26 lbs. 1 oz. to 27 lbs. 26 lbs. 1 oz. to 27 lbs. 27 lbs. 1 oz. to 28 lbs. 28 lbs. 1 oz. to 29 lbs. 29 lbs. 1 oz. to 30 lbs.	20c 20c 21c 21c 22c	37c 38c 39c 40c	61c 63c 65c 67c	\$1.01 1.05 1.08 1.12	3.01 3.12 3.23 3.34
30 lbs. 1 oz. to 31 lbs. 31 lbs. 1 oz. to 32 lbs. 32 lbs. 1 oz. to 33 lbs. 33 lbs. 1 oz. to 34 lbs.	22c 23c 23c 24c	41c 43c 44c 45c	69c 71c 73c 75c	1.15 1.19 1.22 1.26	3.45 3.56 3.67 3.78
34 lbs. 1 oz. to 35 lbs. 35 lbs. 1 oz. to 36 lbs. 36 lbs. 1 oz. to 37 lbs. 37 lbs. 1 oz. to 38 lbs.	25c 25c 26c	46c 47c 48c 49c	77c 79c 81c 83c	1.29 1.33 1.36 1.40	3.89 4.00 4.11 4.22 4.33
38 lbs. 1 oz. to 39 lbs. 39 lbs. 1 oz. to 40 lbs. 40 lbs. 1 oz. to 41 lbs. 41 lbs. 1 oz. to 42 lbs. 42 lbs. 1 oz. to 43 lbs.	26c 27c 27c 28c 28c	50c 51c 52c 54c 55c	85c 87c 89c 91c 93c	1.43 1.47 1.50 1.54 1.57	4.44 4.55 4.66 4.77
43 lbs. 1 oz. to 44 lbs. 44 lbs. 1 oz. to 45 lbs. 55 lbs.	29c 29c 34c	56c 57c 68c	95c 97c \$1.17	1.61 1.64 1.99	4.88 4.99 6.09
60 lbs. 65 lbs. 70 lbs.	37c 39c 42c	73c 79c 84c	1.27 1.37 1.47	2.17 2.34 2.52	7.19

# POSTOFFICE MONEY ORDER CHARGES

The Postoffice makes the following charges for Money Orders, regardless of where they are purchased.

Amount	Charge	Amount	
Up to \$ 2.50.	6c	\$10.01 to \$40.00.	15c
\$ 2.51 to 5.00.	8c	40.01 to 60.00.	18c
5.01 to 10.00.	11c	60.01 to 80.00.	20c
10.01 to 20.00.	13c	80.01 to 100.00.	22c

# C. O. D. FEES

The Postoffice charges and we bill you the following fees plus regular postage and the cost of the merchandise on any C.O.D. shipment.

Amount Due	Fee	Amount Due	Fee
Up to \$ 5.00	.12c	\$25.01 to \$ 50.00	.22c
\$5.01 to 25.00		50.01 to 100.00	.32c

# SPECIAL DELIVERY

For any other information regarding parcel post matters, ask your mail carrier or your postmaster.

SEARS Phila. PAGE C

# BUILDING MATERIAL FREIGHT RATES ON

Freight charges amount to very little compared with the substantial saving we make you on all millwork, lumber and building material of every description. We ship direct from warehouses and factories located conveniently near you to save you time and money. You get the benefit of lower prices on these items due to savings in handling costs, and in many cases you save considerable on transportation charges because of the shorter shipping distance.

# Send Us Your List for Estimate

It's easy to figure what the shipping charges on any millwork order would be from the tables below, but, if you prefer, send us a list of your requirements and we will gladly quote you the delivered price to your town. This service does not obligate you in any way. Don't hesitate to write Sears Personal Service Department on any of your problems, we'll gladly answer any questions you would like to ask about our merchandise, service or transportation.

# Freight Is Economical

It's fast and dependable, too. All railroads charge as much for carrying less than 100 pounds as they do for a full 100-pound shipment. On shipments over 100 pounds charges are based on actual weight. And the freight rate you pay is exactly the same no matter who makes the shipment, as freight rates are regulated by the Interstate Commerce Commission and not by the shipper, or by the railroad. The minimum charge for any freight shipment is the rate for 100 pounds but it is never less than 55c.

# Safe Delivery Guaranteed

If there is a freight agent at your station you pay freight charges when shipment is received. If there isn't a freight agent, include additional money in your remittance to cover freight charges. If you send too much, we always return the difference.

In case of damage or shortage of any part of your order, have the freight agent make a notation to that effect on your freight bill when you receive the goods. If not discovered until unpacking shipment at home, request agent to call and make an inspection. Ask him to furnish you with a copy of his inspection report and send it together with the freight bill and a letter of explanation to us. If there is no freight agent, simply write us. We make good promptly any damage or shortage.

# It's Easy to Figure Freight Charges

Articles usually shipped by freight take different rates because they are packed differently and the risks of damage or perishability differ. For that reason, the rate on bulky articles is different from the rate on compact articles. The tables below offer you a simple method of figuring freight charges.

How to Figure Freight Charges: If you are ordering merchandise to be shipped from Philadelphia, or Newark, N. J., first find in the table below the city in which you live or the city nearest you. Then find the rate per 100 pounds to that city for the merchandise in which you are interested, and it will be easy for you to figure the freight charges. For example: You live in or near Dover, Delaware, and order 150 sq. ft. of oak flooring weighing 150 lbs. The rate per 100 pounds on flooring from Newark to Dover, Delaware according to table below is 39c. Multiply the shipping weight 150 pounds (11/2 times 100-pound rate) by 39c and your answer is 59c, the approximate total freight charge.

RATE PER 100 LBS. FROM FACTORY AT NEWARK, N. J. RATE PER 100 LBS. FROM PHILADELPHIA MAIL ORDER HOUSE Glazed t, Sound Deadening eens, Window eens, Doors Frames, Door Frames, Window Molding, unfinished Doors, Paneled Eaves Troughs Fireplace Fixtures Lightning Rods Rock Wool Breakfast Nooks Cabinets, Doors, C Garage Doors Sash Glazed Glass, Window Pipe Cedar Spark Sound Dea Roofing, Steel Nails, Roofing Steel, Sheet Andirons Ash Dumps Ashpit Doors Comer Beads Fiber Board Plywood Wallboard Coal Chutes Zinc Sheets Chimney Sp Arrestors Conductor F Elbows Medicine ( Lumber Flooring Shingles, Sash Weig Building F Roofing, A Shingles, Shingles, Building I Ceiling, M Roofing, Felt, Scree Felt, Medio Steel CONNECTICUT \$0.37 \$0.63 \$0.74 \$0.52 \$0.61 .58 \$0.86 .83 \$0.34 \$0.73 Hartford..... Waterbury.... \$0.61 \$0.47 .45 DELAWARE..... .39 .63 .40 .51 .23 .62 DIST. OF COLUMBIA .87 .61 .44 .74 .61 .47 .59 .29 .50 .70 .50 .39 .50 Washington ..... MARYLAND 83 .58 .54 .25 Baltimore..... Pocomoke..... NEW JERSEY .68 .58 .34 .56 .47 Atlantic City..... Trenton.... .40 .33 .30 .36 .62 NEW YORK .40 .59 .24 .51 .51 .47 .34 .76 .31 .51 Albany....Buffalo....New York...Syracuse. .92 .76 .31 .65 .78 .43 .67 .22 .37 .43 .34 .43 .92 .96 1.42 1.20 1.42 NORTH CAROLINA .92 1.17 1.67 1.17 .92 1.10 1.57 Charlotte..... Raleigh..... Wilmington.... 1.41 1.17 1.09 .51 .92 1.09 1.09 1.17 1.67 PENNSYLVANIA 1.22 .79 1.14 .73 1.12 .45 .96 .55 .80 .40 .57 .36 .67 .56 .88 .63 .26 1.03 .46 .46 .73 .52 .55 .36 .80 .63 .73 .62 Pittsburgh..... Scranton.... .40 .41 TENNESSEE 1.91 .87 .76 .90 2.26 1.98 1.84 1.61 1.58 1.24 2.17 1.09 .52 1.19 1.19 Clarksville..... Knoxville..... Nashville.... 1.09  $\frac{1.39}{1.63}$  $\frac{1.32}{1.57}$ 2.33 1.57 .86 VIRGINIA .56 1.01 .50 .63 .90 .36 .77 Luray..... Richmond..... WEST VIRGINIA .67 .74 .86 .73 .80 1.22 1.03 1.14 1.11 .48 1.03 .67 Charleston.... Elkins..... Parkersburg.... .86 .80 .88 .42 .80 1.07 .88 .69

You Fill

Whe

Street /

Rural F (Please

City\_\_

State\_

Sears You ma I agree 1.

> 2. 3.

SIGN Sign wif

RENTI want the

Do you

Name ( Cost of includi,

Terms Descri

Explai Do you Menti lived i Occup

Give 1 Give r Do vo aside Please

if you

F8036

.95

### Can Buy \$20 Worth or More of Building Material on Easy Terms Figure Your Credit Terms This Easy Way: II IN This INFORMATION BLANK PAYMENT TABLE **DEPOSIT TABLE** hen Ordering on EASY TERMS Shows carrying charge and monthly payment Shows least amount to send with order We Will Add as Carrying If Cash Price Amount If Cash Price All You Need to Send With of Your Order Amounts to: Less Deposit Amounts to: Payable Monthly Order is\* Charge \$3.00 4.00 5.00 6.00 7.00 \$20.00 to \$30.00 30.01 to 40.00 40.01 to 60.00 60.01 to 70.00 70.01 to 80.00 Up to \$15.00 \$15.01 to 20.00 20.01 to 25.00 25.01 to 30.00 30.01 to 35.00 \$1.50 2.00 2.50 3.00 3.50 \$3.00 Date\_\_\_\_\_193\_\_\_ 3.00 4.00 5.00 5.00 30.01 to 35.00 35.01 to 40.00 40.01 to 50.00 60.01 to 60.00 70.01 to 80.00 80.01 to 90.00 90.01 to 100.00 100.01 to 120.00 110.01 to 120.00 120.01 to 130.00 130.01 to 140.00 3.50 4.00 4.50 5.50 6.50 7.50 9.50 10.00 11.00 80.01 to 90.00 90.01 to 100.00 100.01 to 125.00 125.01 to 150.00 150.01 to 175.00 5.00 5.00 6.00 7.00 7.00 8.00 9.00 10.00 12.50 15.00 8.00 9.00 9.00 10.00 175.01 to 200.00 200.01 to 225.00 225.01 to 250.00 250.01 to 275.00 275.01 to 300.00 17.50 20.00 22.50 25.00 27.50 weet Address 10.00 11.00 11.00 12.00 12.00 13.00 14.00 15.00 13.00 14.00 15.00 16.00 120.01 to 130.00 130.01 to 140.00 140.01 to 150.00 150.01 to 160.00 160.01 to 170.00 \*This column shows the smallest amount to send with your order. However, since Rural Route\_\_\_\_ Box No.\_\_\_ 160.01 to 170.00 170.01 to 180.00 180.01 to 190.00 190.01 to 200.00 200.01 to 225.00 225.01 to 275.00 17.00 18.00 19.00 20.00 22.50 the carrying charge and payments (see PAYMENT TABLE at right) are figured (Please give both Route and Box No., if on a Rural Route.) on the balance after subtracting deposit, it is to your advantage to send as large a 25.00 deposit as you conveniently can. Write for Easy Terms on Purchases over \$300.00 State Agreement Sears, Roebuck and Co. 4. I will protect this property, and in the case of transfer of the You may ship me the Building Material described on opposite side. premises improved under this contract before settlement in I agree to make payments according to the following: full has been made, or upon default of any payments, the entire paid with this order. unpaid balance becomes forthwith due and payable without no-2. Monthly payments of \$\_\_\_\_\_\_ each month, commencing tice or demand. 5. All parties to this contract shall be jointly and severally one month after date material is shipped, and continuing until full balance is paid. Sears, Roebuck and Co. reserve the right to file a Mechanics' 3. Title to and right of possession shall remain in you until I have paid in full. SIGN YOUR NAME HERE (If you do not hold legal title to property, the party who does should sign this agreement with you.) Sign wife's name in full if title is in husband's name or husband's name in full if title is in wife's name. RENTERS:—If you are renting and want to put material on the property, show our proposition to your landlord and have him sign the order along with you, or if you want the landlord to do the job, show him our proposition. KINDLY ANSWER FULLY THE FOLLOWING QUESTIONS—They will assist us in handling your order promptly Do you own the property on which the material will be used?\_\_\_\_\_Give description of property as it reads in your deed\_\_\_\_ Name of party holding legal title (the Title Holder)\_\_\_\_ including improvements, \$\_\_\_\_\_ Is property mortgaged?\_\_\_\_\_ State amount, \$\_\_\_\_\_ Balance unpaid, \$\_\_\_\_\_ Name and address of Holder of Mortgage\_\_\_\_ Terms of repayment?\_\_\_\_\_ Describe buildings and other improvements on property\_\_\_\_ Explain briefly the nature of remodeling you will do and if you have cash to cover cost of labor\_\_\_\_\_ \_\_\_\_Mortgaged ?\_\_\_\_ Do you own any other property?\_\_\_\_\_ \_If so, give value, \$\_ If less than five years, State your age \_\_\_\_Are you married?\_\_\_\_ Mention how long you have lived in town where now located\_\_\_\_\_ \_\_give former address\_\_ \_\_\_\_Are you steadily employed?\_\_\_\_\_How long in present position?\_\_\_ \_Weekly earnings, \$\_\_\_\_\_ Give name and address of employer\_\_\_ Give name and address of your Bank If so, give name of Did you ever have an installment Do you have any income article and account number \_account with us?\_\_ aside from your salary?\_ Please write below the names and addresses of two stores with which you have had credit dealings or two business men whom you know. Or, if you prefer, you may send us a letter from your banker recommending this credit. BUSINESS OR OCCUPATION ADDRESS NAME

19

# Sears, Roebuck and Co. . . . CASH or EASY PAYMENT

7. Con A (10. Con A) (10. Con	DO NOT	WRITE IN	THIS SPACE	Name Street Postoffice_ Rural Rou	PLEASE M  (First name)  te	(Middle I	nitial)	GES (I	193 FOLLOWS
Our esting the Freight to you wour itemized. They would most sequirement	nators will frepaid Tota r station, up ed lumber a will also advi suitable for yo	SERVICE urnish to you Il Prices deliv oon receipt o and millworl se the kind o our particula	The safest wa express money of fin a specia telegraph. Be Enclosed p  If this is a Cash of the Informatio of this is a Free first second point of this is an EA the Informatio of this is a Free first second point of this is a Free fir	ys to send money are by porder, bank draft or person laure to give your comples lease find \$  Order check here > SY PAYMENT Order chen Blank on opposite side ight Prepaid Estimate chemical states a character of the states of t	costoffice money ord mal check. order may be sent te address. ck here and fill in of this sheet.	Plecer, Freighty Expr		Prepa Freight Ifthere agent at youshoul ey to pre charges.	id   isno freigh your statio ddsend mor epay freigh
			18 HEALTHING CHANGE	ision, state number	of pieces wanted	. In orderin	ig moorning,	state numb	ber of line
No. of Article	Quantity	ceiling, etc., feet (total le	state number of squength) wanted. In or	dering doors, windows, sa	of pieces wanted ring moldings, casing sh and glass, give wing Wood, Grade and Size	th first.	Price	state mann	Amount
WII O	Quantity	feet (total le	state number of squength) wanted. In or	dering doors, windows, sa	sh and glass, give wi	th first.	sned lumber,	state mann	
o, of Article	Quantity	ceiling, etc., feet (total le	state number of squength) wanted. In or	dering doors, windows, sa	sh and glass, give wi	th first.	sned lumber,	state mann	301 01 1111
o, of Article	Quantity	ceiling, etc., feet (total le	state number of squength) wanted. In or	dering doors, windows, sa	sh and glass, give wi	th first.	sned lumber,	state mann	301 01 1111
o, of Article	Quantity	ceiling, etc., feet (total le	state number of squength) wanted. In or	dering doors, windows, sa	sh and glass, give wi	th first.	sned lumber,	state mann	301 01 1111
o of Article	Quantity	ceiling, etc., feet (total le	state number of squength) wanted. In or	dering doors, windows, sa	sh and glass, give wi	th first.	sned lumber,	state mann	301 01 111
o of Article	Quantity	ceiling, etc., feet (total le	state number of squength) wanted. In or	dering doors, windows, sa	sh and glass, give wi	th first.	sned lumber,	state mann	301 01 1111
o, of Article	Quantity	ceiling, etc., feet (total le	state number of squength) wanted. In or	dering doors, windows, sa	sh and glass, give wi	th first.	sned lumber,	state mann	301 01 111
o of Article	Quantity	ceiling, etc., feet (total le	state number of squength) wanted. In or	dering doors, windows, sa	sh and glass, give wi	th first.	sned lumber,	state mann	301 01 111
o of Article	Quantity	ceiling, etc., feet (total le	state number of squength) wanted. In or	dering doors, windows, sa	sh and glass, give wi	th first.	sned lumber,	state mann	301 01 111
o, of Article	Quantity	ceiling, etc., feet (total le	state number of squength) wanted. In or	dering doors, windows, sa	sh and glass, give wi	th first.	sned lumber,	state mann	301 01 111
o of Article	Quantity	ceiling, etc., feet (total le	state number of squength) wanted. In or	dering doors, windows, sa	sh and glass, give wi	th first.	sned lumber,	state mann	301 01 1111

If you will tell us what this LUMBER is to be used for it would be a great help in filling your order

WE GUARANTEE TO SATISFY YOU

# Why wait till you're 50?

# USE F. H. A. FINANCING PLAN AND MODERNIZE NOW



# SEARS WILL ASSIST IN ARRANGING YOUR LOAN

Enjoy a modernized home while you're still young—no need to wait until you're 50 or more. The F.H.A. Financing Plan permits you to make improvements on terms that are the most liberal in history. Sears will assist you in obtaining this loan—and Sears quality modernizing materials will save you money and insure all-around satisfaction for years to come.

If your roof leaks; if your bathroom or plumbing is out of date; if your home is without insulation; if you want to put in a heating plant; if you wish to enlarge home or barn; or if you need improvements of any sort, the F.H.A. Plan is "made to order" for you. Remember! You may never again be able to modernize your property at such low prices and under such liberal terms. This plan expires June 30, 1939, therefore you must have your application in by June 15 at the latest.

# BE SURE YOUR LOAN IS ELIGIBLE

To be eligible for an F.H.A. loan, you must be able to comply with the requirements below. First check up now to be sure that your job comes under this plan. The list below gives items which can be bought under the F.H.A. plan. The requirements are not in any sense strict; simply the usual conditions made by any reliable financing institution.

- The materials must be used in an existing building not one that is being built.
- You must own the property on which the materials will be used.
- 3. Taxes and mortgage payments, if any, must be up to date.
- Your income must be sufficient to meet the payments conveniently.
- 5. You must be of good credit standing.

- 6. Loans are made from \$100 to \$2,500.
- 7. Minimum monthly payment is \$5.00.
- 8. Maximum time for repayment is 36 months.
- 9. Your order must be for materials classed under the list below.
- Loans for furniture, taxes, or improvements not actually a part of the property, are not eligible.

# HERE'S ALL YOU HAVE TO DO

- 1. Make up a list of materials needed.
- 2. Order these materials in the regular way and send to us with a letter telling us you wish to pay for the order on the F.H.A. plan.
- 3. Advise us what amount you would like to pay each month, or how many months you would like the loan to run.

Upon receipt of this information, we will send you Credit Statement blank and note form. Fill these out and return to us. Send no money—first payment due one month after goods are shipped.

# ORDERS OF LESS THAN \$100.00

or orders for merchandise otherwise not eligible for F.H.A. loan, may be purchased under our regular Easy Payment Plan as explained on Page 5. For example: If your bill for building materials or other merchandise does not amount to \$100, or if the merchandise you intend to buy is not in the list above, use the Sears Easy Payment Plan. Your Easy Payment order may be for as little as \$10.00 and it may include anything in our catalog. Remodel now; pay from regular income.

The following table indicates the total financing charge and monthly payments under F.H.A. plan.

# WRITE FOR A FREE ESTIMATE

It will cost you nothing to let our staff of experts plan your modernizing work and submit a price, including transportation charges, on all the materials you need for modernizing your home. It is quite possible that we can save you considerable money by eliminating special or "made to order" designs that contribute nothing in beauty or service but add only to your cost. This estimating service is free—take advantage of it. Further information below.



# SEND FOR INFORMATION BLANK

If you are unable to determine from our catalog the exact cost of materials needed for your remodeling, send for any of the information blanks shown above. These contain measuring instructions and other useful information. Fill out blanks and return to us. Our Estimating Department will give you the exact costs of all modernizing materials needed. This service is FREE. Ask for blanks by numbers: Water System 6558L; Roofing, Siding and Guttering 6089L; Heating 6095L; Wiring 6238L; Plumbing 8206L.

# Use F.H.A. for These Materials Only Builders' Hardware Light Plants Siding

Electric Fixtures
Fencing
Guttering
Heating Plants
Insulation
Lightning Rods

Light Plants
Lumber
Millwork
Paint
Plumbing
Roofing
Sheathing

erials Only
Siding
Stalls
Stanchions
Tiling
Wallpaper
Water Supply
Wiring Material

ro	r 12 Monti	FOR TO MOTTHIS		
Amount Required	Financing Charge	Monthly Payment	Financing Charge	Monthly Payment
\$130.00	\$ 6.83	\$11.41	\$ 9.99	\$ 7.78
225.00	11.83	19.74	17.29	13.47
400.00	21.05	35.09	30.76	23.94
Fo	24 Mont	hs	For 36	Months
\$130.00	\$13.15	\$ 5.97		
225.00	22.76	10.33	\$33.68	\$ 7.19
400.00	40.48	18.36	59.51	12.77

SEARS @ PAGE 989

# SO EASY 33252 A pleasure TO SHOP AT SEARS



Of course it's easy when you can do ALL your shopping leisurely ... in comfort ... in your own home. Our new catalog filled with top-quality merchandise brings a big, modern department store right to you, making the entire family's shopping a matter of filling out an order blank. And you'll get a real thrill when you see how our low prices will make your dollars stretch.

# EVERY ITEM MUST PROVE ITS RIGHT TO A PLACE IN THIS CATALOG



Quietly working behind the scenes at Sears is the largest Merchandise Control Laboratory in the world. Here are skilled engineers, chemists, and technicians whose sole job is to see that highest standards of quality are met and maintained. Thousands upon thousands of items are tested, checked, compared each year. Only those that can prove their right to a place in Seam catalog are ever offered to you. Because we watch quality and value so closely, we are able to back every article we sell with the most sincere guarantee ever written.

# We Guarantee • To Save You Money • To Deliver All Merchandise Safely • You Perfectly

WE GUARANTEE THAT EVERY ARTICLE IN THIS CATALOG IS HONESTLY DESCRIBED AND ILLUSTRATED.

WE GUARANTEE THAT ANY ARTICLE PURCHASED FROM US WILL GIVE YOU THE SERVICE YOU HAVE A RIGHT TO EXPECT.

IF FOR ANY REASON WHATEVER YOU ARE NOT SATISFIED WITH ANY ARTICLE PURCHASED FROM US, WE WANT YOU TO RETURN IT TO US AT OUR EXPENSE. WE WILL THEN EXCHANGE IT FOR EXACTLY WHAT YOU WANT, OR WILL RETURN YOUR MONEY, INCLUDING ANY TRANSPORTATION CHARGES YOU HAVE PAID.

SEARS, ROEBUCK AND CO.

# THINGS YOU WILL WANT TO KNOW

# ABOUT OUR EASY PAYMENT PLAN

Anything and everything in any Sears catalog can be purchased on Sears Easy Payment Plan. See page in front of book, for complete details. We will also help you to arrange an F.H.A. loan as explained in the Building Supply pages of the catalog.

### ABOUT HOW TO SEND MONEY

The very best way to send money is by money order or check. If you live on a rural route, your mail carrier will be glad to buy a postoffice money order for you. It is better not to send coins, paper money or postage stamps, but should it be necessary, please be sure to send your order by registered mail.

# ABOUT C.O.D. SHIPMENTS

If you are in a special hurry, send your order by paid telegram, giving full information, and it will be sent C.O.D. at once. The regular Postoflice charges are made for C.O.D. handling as explained on the Parcel Post page.

### ABOUT CATALOG PRICES

Our large purchases protect you against any advance in prices. And if, during the life of this catalog, for any reason whatever, we can reduce the price of any merchandise in this book, your order will be filled at the new lower price. We'll return every penny of difference to you if you have ordered at the old higher price, even though you have no way of knowing that the price has been reduced. You always Save at Sears.

# ABOUT OUR ONE-DAY SERVICE

The majority of orders received before noon each day are on their way to our customers the same day. We're mighty proud of our reputation for fast, dependable service. Where catalog descriptions show factory or warehouse shipping points, time must be allowed to transfer your order to the factory or warehouse for shipment of the merchandise to you.

# ABOUT OUR MAIL ORDER HOUSES

Sears operate 10 big Mail Order Houses—in Chicago, Philadelphia, Boston, Minneapolis, Kansas City, Atlanta, Memphis, Dallas, Los Angeles, and Seattle. We'd enjoy a visit from you! Our door is always open and we sincerely invite you to come in. You're welcome at Sears.

# ABOUT THIS SPECIAL CATALOG

It brings to you a wide selection of Sears highest quality, laboratory tested merchandise at lowest prices : . . backed by Sears famous guarantee of satisfaction or your money back. Because this book is made up mostly of pages taken from our big General Catalog you may find references to pages not included here.

The prices quoted on articles of merchandise in this book apply only to orders from this catalog when placed by mail, telephone, telegraph, or through the catalog order desk of any Sears Retail Store, Order Office or Agency.